



2001-2002

## **Standard equipment/Technical Data**

25.10.2001



***EURA MOBIL***

## Sport

Standard equipment/Technical Data	P. 1
S 515 Start	P. 2
S 515 MS	P. 2
S 576 MS	P. 2
S 585 DS/KB	P. 3
S 585 LS	P. 3
S 635 VB	P. 3
S 665 HB/HS	P. 4
S 695 VB	P. 4
Special equipment	P. 5

## Activa

Standard equipment/Technical Data	P. 10
A 566 LS	P. 12
A 635 LS	P. 12
A 635 HS	P. 12
A 636 LS	P. 13
A 670 VB	P. 13
A 690 HB/HS	P. 13
A 716 HB	P. 14
A 770 EB	P. 14
A 770 HB/HS	P. 14
Special equipment	P. 15


## Contura

Standard equipment/Technical Data	P. 20
C 612 SB	P. 22
C 692 FB	P. 22
C 692 HB	P. 22
C 706 SB	P. 23
C 742 EB	P. 23
Special equipment	P. 24

## Integra

Standard equipment/Technical Data	P. 28
I 566 LS	P. 30
I 635 LS/HS	P. 30
I 636 LS	P. 30
I 670 VB	P. 31
I 680 HB/SB	P. 31
I 690 HB	P. 31
I 726 HB	P. 32
I 810 EB	P. 32
I 810 EB Bar	P. 32
I 810 HB/HS	P. 33
Special equipment	P. 34


**S515MS**



**S576MS**



**S585DS**




**S585KB**




**S585LS**




**S635VB**



**S665HB**



**S665HS**





## STANDARD EQUIPMENT

### Chassis

- ABS (without Ducato 10/14, CDI 313, 316)
- Entrance steps in driver's cab
- Alko wide track low frame chassis (from Sport 635 VB)

### Body

- Gfc walls Eura Mobil Foam insulation
- Double pressed roof, reinforced
- Double floor, insulated and heated
- Electrical step
- Circulated air in double floor
- TV cupboard

### Toilet room

- Fresh water tank in double floor
- Grey water tank in double floor
- Separate cutoff valve washbasin and shower
- Pressure pump

### Additional U.K. specification

- Right hand drive
- Oven/Grill
- C.D. player
- Rear heater exchange
- Cab seat covers
- TV shelf
- Full 3 years warranty

### Electronic installation

- Electronic system
- Electronic charger
- Leisure batterie 105 Ah

### S695VB



# TECHNICAL DATA



## S 515 Start

## S 515 MS

## S 576 MS

### BASIC VEHICLE

Manufacturer	
Model	
Engine	
Output	kW / hp

Alko wide-track low-frame chassis

### WEIGHTS AND DIMENSIONS

Wheelbase	mm
Tyres	
Techn. admissible total dimensions when loaded	kg
Dimensions in operating condition <sup>1)</sup>	kg
Payload <sup>2)</sup>	kg
Braked trailer load	kg
Total length	mm
Total width	mm
Total height	mm
Internal width	mm
Standing height	mm
Alcove height	mm
Dimensions of alcove bed	cm
Dimensions of front side seat cluster	cm
Dimensions of rear side seat cluster	cm
Dimensions of longitudinal bench	cm
Dimensions of rear bunk	cm
Dimensions of kid's bed	cm
Number of bunks	
Admissible number of persons	

### CHASSIS

Power assisted steering	
ABS	
Rear supports	
Off-load	
Frame extension (SMV system)	
Cab air-conditioning system	
Bumpers painted in colour of car	
Extended rearview mirror, electrical adjustment and heated (2.40 m)	
Boarding step on cab	
First-aid kit, warning triangle	

### SUPERSTRUCTURE

Wall junction - bead	
GRP walls with Eura Mobil foam insulation (mineralised foam)	
Double pressed sandwich roof, fully load-bearing	
Wall thickness walls, roof, floor	mm
Double floor (insulated and heated)	
Electr. boarding step retractable from driver's seat	
Electr. Boarding step/ 2 steps	
Loudspeaker preparation	
Loudspeaker above seat cluster incl. radio off-switch	
Electronic Trumatic heating system	
Safety net for alcoves	
3-point safety belts throughout	
Number of fly-screened Reitz frame windows	
Lockable TV cabinet	
Service hatches	
Preparation for bicycle holder	
Folding alcove floor	
Single key for entire superstructure	
Carpeted superstructure	
Furniture decor	

### GALLEY

Fridge	
Hob (sunk with glass cover)	

### TOILET COMPARTMENT

Small cupboards and mirror	
Separate shower	
Freshwater tank heated in double floor	
Sewage tank heated in double floor	
Discharge valve heated in double floor	
Pressurised water pump	
Separate fittings for washbasin and shower	

### ELECTRICAL INSTALLATION

Electron.on-board control panel, additional functions	
Electronic controller for superstructure el. system	
Electrical high-capacity charger	
Superstructure battery	
Number of sockets 230 V	
Number of sockets 12 V	

	S 515 Start	S 515 MS	S 576 MS
Manufacturer	Fiat	Fiat	Mercedes
Model	Ducato 10	Ducato 14	Sprinter 313
Engine	2,0 JTD	2,8 JTD	2,2 CDI
Output	62/85	93/127	95/129
Alko wide-track low-frame chassis	-	-	-
Wheelbase	2850	2850	3000
Tyres	215/70R15C	215/70R15C	225/70R15C
Techn. admissible total dimensions when loaded	3200	3400	3500/3800
Dimensions in operating condition <sup>1)</sup>	2600	2850	3050
Payload <sup>2)</sup>	600	550	450/750
Braked trailer load	1600	1600	2000
Total length	5428	5428	5833
Total width	2300	2300	2300
Total height	3080	3080	3080
Internal width	2150	2150	2150
Standing height	1975	1975	1975
Alcove height	640	640	640
Dimensions of alcove bed	211 x 156	211x156	211x156
Dimensions of front side seat cluster	190 x 130	190x130	190x130
Dimensions of rear side seat cluster			
Dimensions of longitudinal bench			
Dimensions of rear bunk			
Dimensions of kid's bed			
Number of bunks	4	4	4
Admissible number of persons	4	4	4
Power assisted steering	s	s	s
ABS	0	0	0
Rear supports	s	s	-
Off-load	-	-	0 (3500)
Frame extension (SMV system)	s	s	s
Cab air-conditioning system	0	0	0
Bumpers painted in colour of car	0	0	-
Extended rearview mirror, electrical adjustment and heated (2.40 m)	s	s	s
Boarding step on cab	s	s	s
First-aid kit, warning triangle	s	s	s
Wall junction - bead	s	s	s
GRP walls with Eura Mobil foam insulation (mineralised foam)	s	s	s
Double pressed sandwich roof, fully load-bearing	s	s	s
Wall thickness walls, roof, floor	35/36/42	35/36/42	35/36/42
Double floor (insulated and heated)	s	s	s
Electr. boarding step retractable from driver's seat	s	s	s
Electr. Boarding step/ 2 steps	0	0	0
Loudspeaker preparation	s	s	s
Loudspeaker above seat cluster incl. radio off-switch	0	0	0
Electronic Trumatic heating system	C 3402	C 3402	C 3402
Safety net for alcoves	s	s	s
3-point safety belts throughout	4	4	4
Number of fly-screened Reitz frame windows	4	4	4
Lockable TV cabinet	s	s	s
Service hatches	3	3	3
Preparation for bicycle holder	s	s	s
Folding alcove floor	s	s	s
Single key for entire superstructure	s	s	s
Carpeted superstructure	0	0	0
Furniture decor	Beech	Beech	Beech
Fridge	105 l	105 l	105 l
Hob (sunk with glass cover)	2-hobs	2-hobs	2-hobs
Small cupboards and mirror	s	s	s
Separate shower	-	-	s
Freshwater tank heated in double floor	150 l	150 l	150 l
Sewage tank heated in double floor	120 l	120 l	120 l
Discharge valve heated in double floor	s	s	s
Pressurised water pump	s	s	s
Separate fittings for washbasin and shower	s	s	s
Electron.on-board control panel, additional functions	s	s	s
Electronic controller for superstructure el. system	s	s	s
Electrical high-capacity charger	s	s	s
Superstructure battery	105 Ah	105 Ah	105 Ah
Number of sockets 230 V	3	3	3
Number of sockets 12 V	2	2	2





# SPECIAL EQUIPMENT

# Sport

Equipment: s = series o = Option (special equipment) - = not available

**X Please complete**

	Sport Fiat	Sport Mercedes	Additional weight in kg
<b>CHASSIS</b>			
<input type="checkbox"/> 2121 156 bhp engine (surcharge)	-	0	3
<input type="checkbox"/> 2140 ABS Fiat serial chassis (Sport 515 and S 585)	0	-	8
<input type="checkbox"/> 2142 ABS / ASC Mercedes (anti-slip control) (in connection with 2832 only)	-	-	10
<input type="checkbox"/> 2144 ABS Fiat Ducato 14 incl. Alko chassis	0	-	8
<input type="checkbox"/> 2145 ABS Fiat Ducato 18 incl. Alko 2 axes	S	-	-
<input type="checkbox"/> 2146 ABS Fiat Ducato 18 incl. Alko 3 axes	S	-	-
<input type="checkbox"/> 2151 Airbag driver Fiat	0	-	-
<input type="checkbox"/> 2153 Airbag driver and passenger Mercedes (within scope of safety package)	-	0	-
<input type="checkbox"/> 2221 Alu rims 7 x 15" for Fiat Ducato 10 and 14	0	-	-
<input type="checkbox"/> 2223 Alu rims 6,5 x 16" for Fiat Ducato 18	0 / -	-	-
<input type="checkbox"/> 2224 Alu rims 6,5 x 16" for Fiat 3 axes	0 / -	-	-
<input type="checkbox"/> 2225 Alu rims 7 x 15" for Mercedes Sprinter 313	-	0	-
<input type="checkbox"/> 2330 Load reduction to 3500 kg (depending on model)	0 / -	0	-
<input type="checkbox"/> 2320 Load increase to 3500 kg (Ducato 14)	0	-	-
<input type="checkbox"/> 2321 Load increase to 3200 kg incl. additional spring (Ducato 10)	S	-	6
<input type="checkbox"/> 2327 Load increase to 5000 kg (3 axes)	0 / -	-	6
<input type="checkbox"/> 2133 Automatic Fiat	0	-	60
<input type="checkbox"/> 2131 Automatic (Sprintshift) (in connection with ABS - 2832 and/or 2142) Mercedes only -	-	0	20
<input type="checkbox"/> 2361 Chassis - 3 axes instead of 2 axes (depending on model)	0 / -	-	70
<input type="checkbox"/> 2511 Window lifters electrical Fiat (within scope of Fiat comfort package only - 2835)	0	-	2
<input type="checkbox"/> 2531 Window lifters electrical Mercedes (within scope of Mercedes comfort package only - 2836)	-	0	2
<input type="checkbox"/> 2824 Front crash bar for Fiat Ducato (steel white)	0	-	8
<input type="checkbox"/> 2823 Front crash bar for Mercedes (steel black)	-	0	8
<input type="checkbox"/> 2710 Air-conditioning system cab Fiat and heat-insulating glass	0	-	30
<input type="checkbox"/> 2731 Air-conditioning system cab Mercedes and heat-insulating glass	-	0	30
<input type="checkbox"/> 2835 Comfort package Fiat (electr. window lifters, electr. exterior rearview mirror and armrests)	0	-	4
<input type="checkbox"/> 2836 Comfort package Mercedes (electr. window lifters, electr. exterior rearview mirror and armrests)	-	0	4
<input type="checkbox"/> 2352 Air suspension with level control (for Alko 2 axes only)	0 / -	-	38
<input type="checkbox"/> 2353 Air suspension with level control (for Alko 3 axes only)	0 / -	-	64
<input type="checkbox"/> 2311 Maxi-Chassis (Ducato 18 instead of 14) - for Sport 585 - incl. ABS (2140)	0	-	65
<input type="checkbox"/> 2312 Maxi-Chassis (Ducato 18 instead of 14) for Alko chassis - incl. ABS	0 / S	-	65
<input type="checkbox"/> 2551 Fog lamps Fiat	0	-	2
<input type="checkbox"/> 2553 Fog lamps Mercedes	-	0	2
<input type="checkbox"/> 2811 Wheel trims 15"	0 / -	-	2
<input type="checkbox"/> 2812 Wheel trims 16"	0 / -	-	2
<input type="checkbox"/> 2815 Wheel trims 16" - 3 axes	0 / -	-	2
<input type="checkbox"/> 2562 Widened mirror (up to 2.40 m)	S	S	-
<input type="checkbox"/> 2813 Mud flaps (2 off rear)	0	0	4
<input type="checkbox"/> 2832 Safety package 2 (ABS, ASC, driver and passenger airbag)	-	0	10
<input type="checkbox"/> 2821 Bumper - painted	0	-	2
<input type="checkbox"/> 2571 Tempomat for Fiat	0	-	3
<input type="checkbox"/> 2572 Tempomat for Mercedes (in connection with 2832/2142)	-	0	3
<input type="checkbox"/> 2581 Central locking system cab Fiat	0	-	1
<input type="checkbox"/> 2583 Central locking system cab Mercedes	-	0	1
<b>CAB</b>			
<input type="checkbox"/> 3855 Dashboard aluminium - Fiat	0	-	1
<input type="checkbox"/> 3851 Dashboard rootwood - Fiat	0	-	1
<input type="checkbox"/> 3853 Dashboard rootwood - Mercedes	-	0	1
<input type="checkbox"/> 3671 Cab carpet (one-piece)	0	0	2
<input type="checkbox"/> 3811 Fire extinguisher	0	0	4

# SPECIAL EQUIPMENT

Equipment: s = series o = Option (special equipment) - = not available

**X Please complete**

	Sport Fiat	Sport Mercedes	Additional weight in kg
<b>INTERCOM SYSTEM</b>			
<input type="checkbox"/> 3215 Speakers (2) in superstructure incl. radio off switch	0	0	1
<input type="checkbox"/> 3262 Navigation system in radio shaft, incl. LCD display, TMC, radio and CD - VDO Dayton	0	0	2
<input type="checkbox"/> 3261 Navigation system incl. LCD monitor in/on dashboard - VDO Dayton B189	0	0	2
<input type="checkbox"/> 3264 Navigation system incl. LCD monitor in/on dashboard, incl. TMC, Radio and CD - VDO Dayton - incl. radio installation facility	0	0	3
<input type="checkbox"/> 3263 Navigation system incl. LCD monitor in/on dashboard, incl. TMC, radio, CD and integral reversing camera - VDO Dayton - incl. radio installation facility	0	0	7
<input type="checkbox"/> 3211 Radio installation facility (aerial cab, 2 speakers cab)	0	0	1
<input type="checkbox"/> 3221 Radio incl. cassette - VDO Dayton - incl. radio installation facility	0	0	
<input type="checkbox"/> 3223 Radio incl. CD player - VDO Dayton - incl. radio installation facility	0	0	2
<input type="checkbox"/> 3231 Radio incl. cassette, 10 CD-player CD - VDO Dayton - incl. radio installation facility	0	0	4
<input type="checkbox"/> 3232 Radio incl. CD player, 10 CD-player CD - VDO Dayton - incl. radio installation facility	0	0	4
<input type="checkbox"/> 3861 Leather-covered steering wheel, wood trim, wooden gear lever and leather gear lever boot (not available for 2151)	0	-	-
<input type="checkbox"/> 3311 Reversing camera incl. colour monitor	0	0	6
<b>SEATS</b>			
<input type="checkbox"/> 3531 Protective covers in superstructure upholstery fabric for driver and passenger seat	0	0	1
<input type="checkbox"/> 3541 Pilot seats in superstructure upholstery fabric incl. armrests and rotating passenger seat	0	0	-
<input type="checkbox"/> 3545 Pilot seats in leather incl. armrests and rotating passenger seat	0	0	-
<input type="checkbox"/> 3515 Seats incl. armrest (within scope of comfort package)	0	0	-
<input type="checkbox"/> 3812 First-aid kit	S	S	-
<b>WINTER INSULATING MATS</b>			
<input type="checkbox"/> 3611 Winter insulating mats cab Fiat (window insulation)	0	-	2
<input type="checkbox"/> 3631 Winter insulating mats cab Mercedes (window insulation)	-	0	2
<input type="checkbox"/> 3661 Insulating curtain to cab in upholstery fabric	0	0	4
<b>SUPERSTRUCTURE</b>			
<input type="checkbox"/> 7655 Waste water tank 120 l total (depending on floor plan)	0 / -	0 / -	10
<input type="checkbox"/> 7318 Ultrasound alarm system incl. door contacts (interior security)	0	0	3
<input type="checkbox"/> 5511 Bay window r.h. side	0	0	4
<input type="checkbox"/> 5121 Tow bar Fiat (S515, S585)	0 / -	-	25
<input type="checkbox"/> 5122 Tow bar Alko (for Alko chassis)	0 / -	-	25
<input type="checkbox"/> 5123 Tow bar Mercedes Sprinter 313/316 (depending on floor plan)	-	0	25
<input type="checkbox"/> 5575 Superstructure door incl. mosquito screen (surcharge)	0	0	-
<input type="checkbox"/> 5411 Exterior lighting system	0	0	1
<input type="checkbox"/> 5451 Exterior decoration Aqua (surcharge)	0	0	-
<input type="checkbox"/> 5452 Exterior decoration Linea (surcharge)	0	0	
<input type="checkbox"/> 5441 Exterior shower	0	0	1
<input type="checkbox"/> 7231 Oven incl. grill and rotary skewer (not available for S585DS/KB)	S	S	12
<input type="checkbox"/> 7238 Furniture adaptation for oven (required for models S515MS, S585LS)	S	S	-
<input type="checkbox"/> 7322 2nd battery 105 A (incl. upgraded charger) surcharge	0	0	24
<input type="checkbox"/> 7323 Gel batteries (2 x 75 A gel - incl. upgraded charger) surcharge	0	0	24
<input type="checkbox"/> 5231 Attachment system for rear garage incl. 2 pairs of belts	0 / -	-	4
<input type="checkbox"/> 5232 Pair of additional belts for attachment system	0 / -	-	-
<input type="checkbox"/> 5233 Additional anchor rail for attachment system	0 / -	-	2
<input type="checkbox"/> 6451 Corian tops (kitchen, table, washbasin)	0	0	12-23
<input type="checkbox"/> 6438 Cup holder	0	0	1
<input type="checkbox"/> 5533 "Heki 1" roof canopy, tilt-turn roof	0	0	22
<input type="checkbox"/> 5531 Additional roof canopy	0	0	2
<input type="checkbox"/> 5532 Roof fan electrical	0	0	-
<input type="checkbox"/> 5221 Roof rail incl. ladder and grid plate (anodised aluminium)	0	0	10
<input type="checkbox"/> 5222 Additional crossbar for roof rail (anodised aluminium)	0	0	1
<input type="checkbox"/> 5226 Surfboard rack for two surfboards incl. extended aluminium grid plates (anodised aluminium)	0	0	4



**X Please complete**

	Sport Fiat	Sport Mercedes	Additional weight in kg
<input type="checkbox"/> 5211 Boarding step electrical	S	S	-
<input type="checkbox"/> 5212 Boarding step (electrical) 2 steps - surcharge (not recommended for Alko chassis)	0 / -	0	7
<input type="checkbox"/> 7631 Disposal hose	S	S	-
<input type="checkbox"/> 5141 Quick-Block bicycle rack for 3 cycles (max. 45 kg)	0	0	6
<input type="checkbox"/> 5142 Quick-Block bicycle rack for 4 cycles (max. 60 kg)	0	0	7
<input type="checkbox"/> 5143 Bicycle rack for 3 cycles electrically lowering (max. 45 kg)	0	0	15
<input type="checkbox"/> 6212 Interior-sprung mattress for double bed (not SB) - surcharge	0	0	6
<input type="checkbox"/> 6215 Interior-sprung mattress for bunk bed - surcharge	0	0	6
<input type="checkbox"/> 7651 Fresh water tank l total (depending on floor plan)	0 / -	0 / -	10
<input type="checkbox"/> 7513 Remote gas switch	0	0	1
<input type="checkbox"/> 7515 Gas level indicator (for 1 bottle)	0	0	1
<input type="checkbox"/> 7512 Gas-Socket	0	0	1
<input type="checkbox"/> 7275 Generator 2.5 kW incl. separate tank and installation (depending on floor plan)	0	0	approx. 60
<input type="checkbox"/> 6656 Additional garage gate (l.h. side)	0 / -	-	-
<input type="checkbox"/> 7212 Air-conditioning system 12 V	0	0	12
<input type="checkbox"/> 7211 Air-conditioning system 230 V	0	0	40
<input type="checkbox"/> 5111 Comfort supports rear	0	0	8
<input type="checkbox"/> 5112 Comfort supports front	0	-	8
<input type="checkbox"/> 5113 Comfort supports electrical (rear)	0	0	12
<input type="checkbox"/> 7252 Refrigerator incl. autom. selection of settings (AES) - surcharge	0	0	4
<input type="checkbox"/> 7251 Refrigerator incl. compressor 110 l - surcharge	0	0	-
<input type="checkbox"/> 7253 Refrigerator 135 l AES (depending on floor plan) - surcharge	0 / -	0 / -	10
<input type="checkbox"/> 7254 Refrigerator 135 l AES for Sport 695 VB only - surcharge	0 / -	2	10
<input type="checkbox"/> 5461 Painting of complete vehicle	0	0	-
<input type="checkbox"/> 6211 Lattice board in bay	S	S	-
<b>AWNINGS</b>			
<input type="checkbox"/> 5241 Awning 3 m mechanised	0	0	25
<input type="checkbox"/> 5242 Awning 3.5 m mechanised	0	0	31
<input type="checkbox"/> 5243 Awning 4 m mechanised	0	-	36
<input type="checkbox"/> 5244 Awning 4.5 m mechanised	0	-	44
<input type="checkbox"/> 7235 Microwave 230 V (depending on floor plan)	0 / -	0 / -	10
<input type="checkbox"/> 5151 Motorbike platform (Fiat) - 18-chassis recommended - depending on floor plan	0 / -	-	25
<input type="checkbox"/> 5152 Motorbike platform (Mercedes) - depending on floor plan	-	0 / -	50
<input type="checkbox"/> 6432 Rear sliding door (depending on floor plan)	0 / -	-	5
<input type="checkbox"/> 6321 Safety belts and headrests opposite to driving direction (removable belt rack incl. 2x2-point belt - increasing allowed number of seats) - fabric	0	0	20
<input type="checkbox"/> 7271 Solar system 1 x 75 W controlled	0	0	4
<input type="checkbox"/> 7272 Solar system 2 x 75 W controlled	0	0	7
<b>FABRIC COMBINATIONS (surcharge for serial installation)</b>			
<input type="checkbox"/> 6120 Upholstery fabric "Milo"	S	S	-
<input type="checkbox"/> 6121 Upholstery fabric "Caro"	0	0	-
<input type="checkbox"/> 6122 Upholstery fabric "Multo"	0	0	-
<input type="checkbox"/> 6141 Leather upholstery	0 / -	0 / -	-
<input type="checkbox"/> 6152 Special upholstery fabric (supplied by customer)	0	0	-
<input type="checkbox"/> 6651 Surf design (surfboard stowing in intermediate deck - depending on floor plan and size)	0 / -	0 / -	3
<input type="checkbox"/> 5226 Surfboard rack for 2 surfboards incl. extended aluminium grid plates (in connection with roof rail and ladder only) - anodised aluminium	0	0	4
<input type="checkbox"/> 7311 Socket 12 V additional	0	0	1
<input type="checkbox"/> 7312 Socket 220 V additional	0	0	1
<input type="checkbox"/> 6271 Carpet in superstructure : velvet Caro with Caro upholstery fabric	0	0	2-5
<input type="checkbox"/> 6274 Carpet in superstructure : velvet grey mottled for Milo and Multo upholstery fabrics	0	0	2-5
<input type="checkbox"/> 7625 Toilet ventilation system (suction)	0	0	1

# SPECIAL EQUIPMENT

Equipment: s = series o = Option (special equipment) - = not available

**X Please complete**


	Sport Fiat	Sport Mercedes	Additional weight in kg
<input type="checkbox"/> 7626 Toilet cassette (additional cassette) incl. separate gate (depending on floor plan)	0 / -	0 / -	8
<input type="checkbox"/> 3815 Safe	0	0	8
<input type="checkbox"/> 7511 Triomatic deLuxe incl. Ice-Ex	0	0	1
<b>TV System</b>			
<input type="checkbox"/> 3441 Flat TV screen /15.1", TFT - in connection with 6431 only (no stow-away bed)	-	-	4
<input type="checkbox"/> 3421 Articulated satellite mast	0	0	8
<input type="checkbox"/> 3423 SAT aerial mechanised (incl. articulated mast and receiver)	0	0	11
<input type="checkbox"/> 3425 SAT aerial fully automatic (analogue)	0	0	21
<input type="checkbox"/> 3426 SAT aerial fully automatic (digital)	0	0	21
<input type="checkbox"/> 3427 SAT aerial for use whilst driving	0	0	25
<input type="checkbox"/> 3431 TV-Set (rotating retractor and aerial connection)	0	0	1
<input type="checkbox"/> 6435 Connecting door to rear garage (depending on floor plan)	0 / -	0 / -	2
<input type="checkbox"/> 7222 Hot water bain marie 230 V for Truma	0	0	1
<input type="checkbox"/> 7221 Heat exchanger (recycling of engine heat to superstructure heating system whilst driving)	S	S	1
<input type="checkbox"/> 7651 Water tank - additional fresh water tank 120 l (depending on floor plan)	0	0	10
<input type="checkbox"/> 7655 Water tank - additional waste water tank 120 l (depending on floor plan)	0	0	10
3 year warranty	S	S	-
Shipping, pre-inspection, UK registration, number plates, 12 months road tax			-



**A566LS**



**A690HS**



**A635HS**




**A716HB**




**A635LS**




**A770EB**



**A636LS**




**A770HB**



**A670VB**



**A770HS**



**A690HB**





## STANDARD EQUIPMENT

### Chassis

- Rear steadies
- ABS (without Ducato 14, CDI 313, 316)

### Cab

- Rear mirrors extended, electric adjustable and heated (2.40 m)
- Electric windows
- Entrance steps in driver's cab

### Additional U.K. specification

- Right hand drive
- Oven/Grill
- C.D. player
- Rear heater exchange
- Cab seat covers
- TV shelf
- Full UK 3 years warranty

### Body

- Gfc walls Eura Mobil Foam insulation
- Double floor, insulated and heated
- Electrical step
- Loudspeakers above seating with radio switch
- TV cupboard
- Carpet
- Wardrobe lighting

### Kitchen

- Refrigerator AES
- Extractor hood

### Toilet room

- Separate shower
- Fresh water tank in double floor
- Grey water tank in double floor
- Separate cutoff valve washbasin and shower
- Pressure pump

### Electronic installation

- Electronic charger
- Leisure batteries 2 x 105 Ah







## A 716 HB

## A 770 EB

## A 770 HB/HS

### BASIC VEHICLE

Manufacturer	
Model	
Engine	
Output	kW/hp
Alko wide-track low-frame chassis	

### WEIGHTS AND DIMENSIONS

Wheelbase	mm
Tyres	
Techn. admissible total dimensions when loaded	kg
Dimensions in operating condition <sup>1)</sup>	kg
Payload <sup>2)</sup>	kg
Braked trailer load	kg
Total length	mm
Total width	mm
Total height	mm
Internal width	mm
Standing height	mm
Alcove height	mm
Dimensions of alcove bed	cm
Dimensions of front side seat cluster	cm
Dimensions of longitudinal bench	cm
Dimensions of rear bunk and/or seat cluster	cm
Number of bunks	
Admissible number of persons	

### CHASSIS

Payload	
Off-load	
Frame extension (SMV system)	
Rear supports	
ABS	
Bumpers painted in colour of car	
Extended rearview mirror, electrical adjustment and heated (2.40 m)	
Electr. window lifts, driver and passenger	
Height-adjustable driver's seat	
Arm rest on driver's and co-driver's seat	
Carpeted cab	
Boarding step on cab	
Loudspeakers in cab	
First-aid kit, warning triangle	

### SUPERSTRUCTURE

GRP walls with Eura Mobil foam insulation (mineralised foam)	
Double pressed sandwich roof, fully load-bearing	
Wall thickness walls, roof, floor	mm
Double floor (insulated and heated)	
Electr. boarding step retractable from driver's seat	
Loudspeaker above seat cluster incl. radio off-switch	
Electronic Trumatic heating system	
Ventilated double floor	
Safety net for alcoves	
3-point safety belts throughout	
Number of fly-screened Reitz frame windows	
Fly-screened superstructure door	
Service hatches	
Rear shelf 'Surf' design	
Lockable TV cabinet	
Folding alcove floor	
Carpeted superstructure	
Wardrobe light	
External light	
Furniture decor	

### GALLEY

Refrigerator with AES (standard)	
Hob 3 flames	
Extractor fan	

### TOILET COMPARTMENT

Separate shower	
Freshwater tank heated in double floor	
Sewage tank heated in double floor	
Pressurised water pump	
Separate fittings for washbasin and shower	

### ELECTRICAL INSTALLATION

Electronic controller for superstructure el. system	
Electron.on-board control panel, additional functions	
Electrical high-capacity charger	
Superstructure battery	
Ceiling light controlled from boarding position	
Number of sockets 230 V	
Number of sockets 12 V	

Mercedes  
Sprinter 413

2.2 CDI  
95/129

-

4025  
195/70R15C

4600  
3610/3570

990/1030  
2000

7310  
2300

3080  
2150

1935  
620

211 x 156  
190 x 130

140x65  
211 x 145

6  
4(6)<sup>3)</sup>

-

-

s

s

s

-

s

s

s

s

s

s

s

0

s

s

s

s

s

s

s

s

s

4

7

0

4

-

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

Fiat

Ducato 18

2.8 JTD

93/127

s

4023 / 775  
215/75 R16C

4500  
3690

810  
700<sup>4)</sup>

8030  
2300

3080  
2150

1975  
640

211 x 156  
190 x 130

167 x 85  
211 x 155

7  
6(8)<sup>3)</sup>

<sup>4)</sup>Payload AHL possible 1200 kg

-

-

s

s

s

s

s

s

s

s

s

s

0

s

s

s

s

s

s

s

s

s

s

s

4

7

0

5

0

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

Fiat

Ducato 18

2.8 JTD

93/127

s

4023 / 775  
215/75 R16C

4500  
3710/3690

790/810  
700<sup>4)</sup>

8030  
2300

3080  
2150

1975  
640

211 x 156  
190 x 130

167 x 85  
211 x 155

7  
4(8)<sup>3)</sup>

<sup>4)</sup>Payload AHL possible 1200 kg

-

-

s

s

s

s

s

s

s

s

s

s

0

s

s

s

s

s

s

s

s

s

s

s

4

7

0

5

0

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

s

1) Mass in operating condition : empty vehicle including driver, gas and water stocks, power supply, without any options

2) Payload including: passengers, personal equipment and options

3) In association with options 2311 and 6321 only

4) Comply with admissible dimensions for car-trailer combinations



# SPECIAL EQUIPMENT

Equipment: s = series o = Option (special equipment) - = not available

**X Please complete**

	Sport Fiat	Sport Mercedes	Additional weight in kg
<b>CHASSIS</b>			
<input type="checkbox"/> 2121 156 bhp engine (surcharge)	-	0	30
<input type="checkbox"/> 2142 ABS / ASC Mercedes (anti-slip control) (in connection with 2832 only)	-	-	10
<input type="checkbox"/> 2144 ABS Fiat Ducato 14 incl. Alko chassis	0	-	8
<input type="checkbox"/> 2145 ABS Fiat Ducato 18 incl. Alko 2 axes	S	-	-
<input type="checkbox"/> 2146 ABS Fiat Ducato 18 incl. Alko 3 axes	S	-	-
<input type="checkbox"/> 2151 Airbag driver Fiat	0	-	-
<input type="checkbox"/> 2153 Airbag driver and passenger Mercedes (within scope of safety package)	-	0 / S	-
<input type="checkbox"/> 2221 Alu rims 7 x 15" for Fiat Ducato 10 and 14	-	-	-
<input type="checkbox"/> 2223 Alu rims 6,5 x 16" for Fiat Ducato 18	0	-	-
<input type="checkbox"/> 2224 Alu rims 6,5 x 16" for Fiat 3 axes	0 / -	-	-
<input type="checkbox"/> 2225 Alu rims 7 x 15" for Mercedes Sprinter 313	-	0 / -	-
<input type="checkbox"/> 2330 Load reduction to 3500 kg (depending on model)	0 / -	0 / -	-
<input type="checkbox"/> 2327 Load increase to 5000 kg (3 axes)	0 / -	-	6
<input type="checkbox"/> 2133 Automatic Fiat	0	-	60
<input type="checkbox"/> 2131 Automatic (Sprintshift) (in connection with ABS - 2832 and/or 2142) only -	-	0	20
<input type="checkbox"/> 2361 Chassis - 3 axes instead of 2 axes (depending on model)	0 / -	-	70
<input type="checkbox"/> 2362 Chassis 4.6 t instead of 3.8 t for A 636 LS / I 636 LS in connection with. 2832 and/or 2142 only	-	0 / -	795
<input type="checkbox"/> 2363 Chassis 6.0 t instead of 4.6 t for A 716 HB / I726 HB	-	0 / -	1120
<input type="checkbox"/> 2824 Front crash bar for Fiat Ducato (steel white)	0	-	8
<input type="checkbox"/> 2823 Front crash bar for Mercedes (steel black)	-	0	8
<input type="checkbox"/> 2710 Air-conditioning system cab Fiat and heat-insulating glass	0	-	30
<input type="checkbox"/> 2731 Air-conditioning system cab Mercedes and heat-insulating glass	-	0	30
<input type="checkbox"/> 2835 Comfort package Fiat (electr. window lifters, electr. exterior rearview mirror and armrests)	S	-	4
<input type="checkbox"/> 2836 Comfort package Mercedes (electr. window lifters, electr. exterior rearview mirror and armrests)	-	S	4
<input type="checkbox"/> 2352 Air suspension with level control (for Alko 2 axes only)	0	-	38
<input type="checkbox"/> 2353 Air suspension with level control (for Alko 3 axes only)	0 / -	-	64
<input type="checkbox"/> 2312 Maxi-Chassis (Ducato 18 instead of 14) for Alko chassis - incl. ABS	0 / S	-	65
<input type="checkbox"/> 2551 Fog lamps Fiat	0	-	2
<input type="checkbox"/> 2553 Fog lamps Mercedes	-	0	2
<input type="checkbox"/> 2811 Wheel trims 15"	0 / -	-	2
<input type="checkbox"/> 2814 Wheel trims 15" - polished metal for Sprinter 413	-	0 / -	2
<input type="checkbox"/> 2812 Wheel trims 16"	0 / -	0	2
<input type="checkbox"/> 2815 Wheel trims 16" - 3 axes	0 / -	-	2
<input type="checkbox"/> 2562 Widened mirror (up to 2.40 m)	S	S	-
<input type="checkbox"/> 2813 Mud flaps (2 off rear)	S	S	4
<input type="checkbox"/> 2832 Safety package 2 (ABS, ASC, driver and passenger airbag)	-	0 / S	10
<input type="checkbox"/> 2821 Bumper - painted	S	-	2
<input type="checkbox"/> 2571 Tempomat for Fiat	0	-	3
<input type="checkbox"/> 2572 Tempomat for Mercedes (in connection with 2832/2142 only)	-	0	3
<input type="checkbox"/> 2581 Central locking system cab Fiat	0	-	1
<input type="checkbox"/> 2583 Central locking system cab Mercedes	-	0	1
<b>CAB</b>			
<input type="checkbox"/> 3855 Dashboard aluminium - Fiat	0	-	1
<input type="checkbox"/> 3851 Dashboard rootwood - Fiat	0	-	1
<input type="checkbox"/> 3853 Dashboard rootwood - Mercedes	-	0	1
<input type="checkbox"/> 3671 Cab carpet (one-piece)	S	S	2
<input type="checkbox"/> 3811 Fire extinguisher	0	0	4
<b>INTERCOM SYSTEM</b>			
<input type="checkbox"/> 3215 Speakers (2) in superstructure incl. radio off switch	S	S	1
<input type="checkbox"/> 3262 Navigation system in radio recess, incl. LCD display, TMC, radio and CD - VDO Dayton	0	0	2
<input type="checkbox"/> 3261 Navigation system incl. LCD monitor in/on dashboard - VDO Dayton B189	0	0	2

Equipment: s = series o = Option (special equipment) - = not available

**X Please complete**

	Sport Fiat	Sport Mercedes	Additional weight in kg
<input type="checkbox"/> 3264 Navigation system incl. LCD monitor in/on dashboard, incl. TMC, Radio and CD - VDO Dayton - incl. radio installation facility	0	0	3
<input type="checkbox"/> 3263 Navigation system incl. LCD monitor in/on dashboard, incl. TMC, radio, CD and integral reversing camera - VDO Dayton - incl. radio installation facility	0	0	7
<input type="checkbox"/> 3211 Radio installation facility (aerial cab, 2 speaker cab)	0	0	1
<input type="checkbox"/> 3221 Radio incl. cassette - VDO Dayton - incl. radio installation facility	0	0	2
<input type="checkbox"/> 3223 Radio incl. CD player - VDO Dayton - incl. radio installation facility	0	0	2
<input type="checkbox"/> 3231 Radio incl. cassette, 10 CD-player CD - VDO Dayton - incl. radio installation facility	0	0	4
<input type="checkbox"/> 3232 Radio incl. CD player, 10 CD-player CD - VDO Dayton - incl. radio installation facility	0	0	4
<input type="checkbox"/> 3861 Leather-covered steering wheel, wood trim, wooden gear lever and leather gear lever boot (not available for 2151)	0	-	-
<input type="checkbox"/> 3311 Reversing camera incl. colour monitor	0	0	6
<b>SEATS</b>			
<input type="checkbox"/> 3531 Protective covers in superstructure upholstery fabric for driver and passenger seat	0	0	1
<input type="checkbox"/> 3541 Pilot seats in superstructure upholstery fabric incl. armrests and rotating passenger seat	0	0	-
<input type="checkbox"/> 3545 Pilot seats in leather incl. armrests and rotating passenger seat	0	0	-
<input type="checkbox"/> 3812 First-aid kit	S	S	-
<b>WINTER INSULATING MATS</b>			
<input type="checkbox"/> 3611 Winter insulating mats cab Fiat (window insulation)	0	-	2
<input type="checkbox"/> 3631 Winter insulating mats cab Mercedes (window insulation)	-	0	2
<input type="checkbox"/> 3661 Insulating curtain to cab in upholstery fabric	0	0	4
<b>SUPERSTRUCTURE</b>			
<input type="checkbox"/> 7655 Waste water tank 120 l total (depending on floor plan)	0 / -	0 / -	10
<input type="checkbox"/> 7318 Ultrasound alarm system incl. door contacts (interior security)	0	0	3
<input type="checkbox"/> 5511 Bay window r.h. side	S	S	4
<input type="checkbox"/> 5122 Tow bar Alko (for Alko chassis)	0	-	25
<input type="checkbox"/> 5123 Tow bar Mercedes Sprinter 313/316 (depending on floor plan)	-	0	25
<input type="checkbox"/> 5575 Superstructure door incl. mosquito screen (surcharge)	0	0	-
<input type="checkbox"/> 5411 Exterior lighting system	S	S	1
<input type="checkbox"/> 5451 Exterior decoration Aqua (surcharge)	0	0	-
<input type="checkbox"/> 5452 Exterior decoration Linea (surcharge)	0	0	-
<input type="checkbox"/> 5441 Exterior shower	0	0	1
<input type="checkbox"/> 7231 Oven incl. grill and rotary skewer (not available for A716HB)	S	S	12
<input type="checkbox"/> 7238 Furniture adaptation for oven (required for models A566LS, A635HS, A63615)	S	S	-
<input type="checkbox"/> 7322 2nd battery 105 A (incl. upgraded charger) surcharge	S	S	24
<input type="checkbox"/> 7325 3 gel batteries (3 x 75 A) including 35 A charger - surcharge	0	0	35
<input type="checkbox"/> 7324 Gel batteries (2 x 75 A gel) surcharge	0	0	-
<input type="checkbox"/> 5231 Attachment system for rear garage incl. 2 pairs of belts	0 / -	0 / -	4
<input type="checkbox"/> 5232 Pair of additional belts for attachment system	0 / -	0 / -	-
<input type="checkbox"/> 5233 Additional anchor rail for attachment system	0 / -	0 / -	2
<input type="checkbox"/> 6451 Corian tops (kitchen, table, washbasin)	0	0	12-23
<input type="checkbox"/> 6438 Cup holder	S / -	S / -	1
<input type="checkbox"/> 5533 Tilt-turn roof ("Heki 1")	0	0	22
<input type="checkbox"/> 5531 Additional roof canopy	0	0	2
<input type="checkbox"/> 5532 Roof fan electrical	0	0	-
<input type="checkbox"/> 5223 Roof rail including ladder and grid plate (painted white)	0	0	20
<input type="checkbox"/> 5224 Additional crossbar for roof rail (5223)	0	0	2
<input type="checkbox"/> 5211 Boarding step electrical	S	S	-
<input type="checkbox"/> 5212 Boarding step (electrical) 2 steps - surcharge (not recommended for Alko chassis)	-	0	7
<input type="checkbox"/> 7631 Disposal hose	S	S	-
<input type="checkbox"/> 5141 Quick-Block bicycle rack for 3 cycles (max. 45 kg)	0	0	6


**X Please complete**

	Sport Fiat	Sport Mercedes	Additional weight in kg
<input type="checkbox"/> 5142 Quick-Block bicycle rack for 4 cycles (max. 60 kg)	0	0	7
<input type="checkbox"/> 5143 Bicycle rack for 3 cycles electrically lowering (max. 45 kg)	0	0	15
<input type="checkbox"/> 6212 Interior-sprung mattress for double bed (EB) - surcharge	0	0	6
<input type="checkbox"/> 6217 Interior-sprung mattress for 2 single beds (not SB) - surcharge	0 / -	-	6
<input type="checkbox"/> 6215 Interior-sprung mattress for bunk bed - surcharge	0	0	6
<input type="checkbox"/> 7651 Fresh water tank 120 l total (depending on floor plan)	0 / -	0 / -	10
<input type="checkbox"/> 7513 Remote gas switch	0	0	1
<input type="checkbox"/> 7515 Gas level indicator (for 1 bottle)	0	0	1
<input type="checkbox"/> 7512 Gas-Socket	0	0	1
<input type="checkbox"/> 7275 Generator 2,5 kW incl. separate tank and installation (depending on floor plan)	0	0	approx. 60
<input type="checkbox"/> 5533 Tilt-turn roof ("Heki 1")	0	0	22
<input type="checkbox"/> 6656 Additional garage gate (l.h. side)	0 / -	0 / -	-
<input type="checkbox"/> 7212 Air-conditioning system 12 V	0	0	12
<input type="checkbox"/> 7211 Air-conditioning system 230 V	0	0	40
<input type="checkbox"/> 5111 Comfort supports rear	S	S	8
<input type="checkbox"/> 5112 Comfort supports front	0	-	8
<input type="checkbox"/> 5113 Comfort supports electrical (rear)	0	0	12
<input type="checkbox"/> 7252 Refrigerator incl. automatic settings (AES) - surcharge	S	S	4
<input type="checkbox"/> 7251 Refrigerator incl. compressor 110 l - surcharge	0	0	-
<input type="checkbox"/> 7253 Refrigerator 135 l AES (depending on floor plan) - surcharge	0 / -	0 / -	10
<input type="checkbox"/> 5461 Painting of complete vehicle	0	0	-
<input type="checkbox"/> 6211 Slatted base in bay	S	S	-
<b>AWNINGS (for Activa, Contura and Integra incl. adapter section on "patented section")</b>			
<input type="checkbox"/> 5241 Awning 3 m mechanised	0	0	25
<input type="checkbox"/> 5242 Awning 3.5 m mechanised	0	0	31
<input type="checkbox"/> 5243 Awning 4 m mechanised	0	0	36
<input type="checkbox"/> 5244 Awning 4.5 m mechanised	0	0	44
<input type="checkbox"/> 5245 Awning 5 m mechanised	0	0	50
<input type="checkbox"/> 7235 Microwave 230 V (depending on floor plan)	0 / -	0 / -	10
<input type="checkbox"/> 5151 Motorbike platform (Fiat) - 18-chassis recommended - depending on floor plan	0 / -	-	25
<input type="checkbox"/> 5152 Motorbike platform (Mercedes) - depending on floor plan	-	0 / -	50
<input type="checkbox"/> 6432 Rear sliding door (depending on floor plan)	S / -	S / -	5
<input type="checkbox"/> 6321 Safety belts and headrests opposite to driving direction (removable belt rack) incl. 2x2-point belt - increasing allowed number of seats) - fabric	0	0	20
<input type="checkbox"/> 7271 Solar system 1 x 75 W controlled	0	0	4
<input type="checkbox"/> 7272 Solar system 2 x 75 W controlled	0	0	7
<b>FABRIC COMBINATIONS (surcharge for serial installation)</b>			
<input type="checkbox"/> 6116 Upholstery fabric "Lima"	S	S	-
<input type="checkbox"/> 6118 Upholstery fabric "Flora"	0	0	-
<input type="checkbox"/> 6123 Upholstery fabric "Bana"	0	0	-
<input type="checkbox"/> 6122 Upholstery fabric "Multo"	0	0	-
<input type="checkbox"/> 6141 Leather upholstery	0 / -	0 / -	-
<input type="checkbox"/> 6152 Special upholstery fabric (supplied by customer)	0	0	-
<input type="checkbox"/> 6651 Surf design (surfboard stowing in intermediate deck - depending on floor plan and size)	0 / -	0 / -	3
<input type="checkbox"/> 7311 Socket 12 V additional	0	0	1
<input type="checkbox"/> 7312 Socket 220 V additional	0	0	1
<input type="checkbox"/> 6271 Carpet in superstructure: velvet beige for Lima und Flora upholstery fabrics	S	S	2-4
<input type="checkbox"/> 6274 Carpet in superstructure: velvet grey mottled for Multo and Bana upholstery fabrics	0	0	2-6
<input type="checkbox"/> 7625 Toilet ventilation system (suction)	0	0	1
<input type="checkbox"/> 7626 Toilet cassette (additional cassette) incl. separate gate (depending on floor plan)	0 / -	0 / -	8
<input type="checkbox"/> 3815 Safe	0	0	8
<input type="checkbox"/> 7511 Triomatic deLuxe incl. Ice-Ex	0	0	1







**C612SB**



**C692FB**




**C692HB**




**C706HB**



**C706SB**



**C742EB**





## STANDARD EQUIPMENT

### Chassis

- Rear steadies
- ABS without Ducato 14

### Cab

- Rear mirrors extended, electric adjustable and heated (2.40 m)
- Electric windows
- Cab seats with armrest and leisure upholstery
- Entrance steps in driver's cab

### Additional U.K. specification

- Right hand drive
- Oven/Grill
- C.D. player
- Rear heater exchange
- TV shelf
- Full UK 3 years warranty

### Body

- Gfc walls Eura Mobil Foam insulation
- Double pressed roof, reinforced
- Double floor, insulated and heated
- Electrical step
- Loudspeakers above seating with radio switch
- TV cupboard
- Carpet
- Wardrobe lighting

### Kitchen

- Hob 3 rings (without C612 SB)
- Extractor hood
- Refrigerator AES

### Toilet room

- Separate shower
- Fresh water tank in double floor
- Grey water tank in double floor
- Pressure pump

### Electronic installation

- Electronic system
- Electronic charger
- Leisure batteries 2 x 105 Ah







## C 706 HB/SB

## C 742 EB

### BASIC VEHICLE

Manufacturer	
Model	
Engine	
Output	kW/hp

Alko wide-track low-frame chassis

### WEIGHTS AND DIMENSIONS

Wheelbase	mm
Tyres	
Techn. admissible total dimensions when loaded	kg
Dimensions+A56in operating condition <sup>1)</sup>	kg
Payload <sup>2)</sup>	kg
Braked trailer load	kg
Total length	mm
Total width	mm
Total height	mm
Internal width	mm
Standing height	mm
Dimensions of front seat cluster	cm
Dimensions of rear bunk	cm
Dimensions of 2nd rear bunk	cm
Dimensions of longitudinal bench	

Bunks	
Admissible number of persons	

### CHASSIS

Payload	
Off-load	
Rear supports	
ABS	
Cab air-conditioning system	
Bumpers painted in colour of car	
Extended rearview mirror, electrical adjustment and heated (2.40 m)	
Electr. window lifts, driver and passenger	
Height-adjustable driver's seat	
Arm rest on driver's and co-driver's seat	
Cab seats in superstructure material	
Carpeted cab	
Boarding step on cab	
Loudspeakers in cab	
First-aid kit, warning triangle	

### SUPERSTRUCTURE

GRP walls with Eura Mobil foam insulation	
Double pressed sandwich roof, fully load-bearing	
Wall thickness walls, roof, floor	mm
Double floor (insulated and heated)	
Electr. boarding step retractable from driver's seat	
Electrical boarding step, 2 steps	
Loudspeaker above seat cluster incl. radio off-switch	
Electronic Trumatic heating system	
Ventilated double floor	
3-point safety belts throughout	
Number of fly-screened Reitz frame windows	
Fly-screened superstructure door	
Lockable TV cabinet	
Service hatches	
Standard keys for full superstructure	
Carpeted superstructure	
Wardrobe light	
TV cabinet	
TV compartment above cab	
Furniture decor	
External light	

### GALLEY

Refrigerator with AES (standard)	
Hob (sunk with glass cover)+A124	
Extractor fan	

### TOILET COMPARTMENT

Separate shower	
Freshwater tank heated in double floor	
Sewage tank heated in double floor	
Discharge valve heated in double floor	
Pressurised water pump	
Separate fittings for washbasin and shower	

### ELECTRICAL INSTALLATION

Electronic controller for superstructure el. system	
Electron.on-board control panel, additional functions	
Electrical high-capacity charger	
Superstructure battery	
Ceiling light controlled from boarding position	
Number of sockets 230 V	
Number of sockets 12 V	

Mercedes	
Sprinter 313	
2.2 CDI	
95/129	
-	

4025	
225/70R15C	
3800	
3250	
550	
2000	
7237	
2300	
3030	
2150	
1930	
190x130	
202x135	
98x65	
4	
4	

-	
0 (3500)	
s	
s	
0	
-	
s	
s	
s	
s	
s	
s	
s	
s	
0	
s	

s	
s	
35/36/42	
s	
s	
0	
s	
C 6002	
s	
4	
5	
0	
s	
4	
s	
4	
s	
s	
s	
s	
Tessin cherrywood	
s	

135 l	
3-flames	
s	
s	
150 l	
120 l	
s	
s	
s	
s	
2 x 105 Ah	
s	
3	
2	

Fiat	
Ducato 18	
2.8 JTD	
93/127	
s	

3523-775	
215/75R16C	
4500	
3510	
990	
700 <sup>4)</sup>	
7540	
2300	
2890	
2150	
1930	
190x130	
180 x 90	
198 x 90	
4	
4	

<sup>4)</sup> Payload AHL possible 1200 kg	
0	
s	
s	
0	
s	
s	
s	
s	
s	
s	
s	
s	
0	
s	

s	
s	
35/36/42	
s	
s	
-	
s	
C 6002	
s	
4	
4	
0	
s	
3	
s	
s	
s	
s	
Tessin cherrywood	
s	

105 l	
3-flames	
s	
s	
150 l	
120 l	
s	
s	
s	
s	
2 x 105 Ah	
s	
3	
2	

1) Mass in operating condition : empty vehicle including driver, gas and water stocks, power supply, without any options

2) Payload including: passengers, personal equipment and options

3) In association with options 2311 and 6321 only

4) Comply with admissible dimensions for car-trailer combinations

# SPECIAL EQUIPMENT

Equipment: s = series o = Option (special equipment) - = not available

**X Please complete**

	Sport Fiat	Sport Mercedes	Additional weight in kg
<b>CHASSIS</b>			
<input type="checkbox"/> 2121 156 bhp engine (surcharge)	-	0	30
<input type="checkbox"/> 2142 ABS / ASC Mercedes (anti-slip control) (in connection with 2832 only)	-	-	10
<input type="checkbox"/> 2144 ABS Fiat Ducato 14 incl. Alko chassis	0	-	8
<input type="checkbox"/> 2145 ABS Fiat Ducato 18 incl. Alko 2 axes	S	-	
<input type="checkbox"/> 2146 ABS Fiat Ducato 18 incl. Alko 3 axes	S	-	-
<input type="checkbox"/> 2151 Airbag driver Fiat	0	-	-
<input type="checkbox"/> 2153 Airbag driver and passenger Mercedes (within scope of safety package)	-	S	-
<input type="checkbox"/> 2221 Alu rims 7 x 15" for Fiat Ducato 10 and 14	0	-	-
<input type="checkbox"/> 2223 Alu rims 6,5 x 16" for Fiat Ducato 18	0 / -	-	-
<input type="checkbox"/> 2224 Alu rims 6,5 x 16" for Fiat 3 axes	0 / -		-
<input type="checkbox"/> 2225 Alu rims 7 x 15" for Mercedes Sprinter 313	-	0	-
<input type="checkbox"/> 2330 Load reduction to 3500 kg (depending on model)	0 / -	0	-
<input type="checkbox"/> 2320 Load increase to 3500 kg (Ducato 14)	0 / -	-	-
<input type="checkbox"/> 2327 Load increase to 5000 kg (3 axes)	0 / -	-	6
<input type="checkbox"/> 2133 Automatic Fiat	0	-	60
<input type="checkbox"/> 2131 Automatic (Sprintshift) (in connection with ABS - 2832 and/or 2142 only) -	-	0	20
<input type="checkbox"/> 2361 Chassis - 3 axes instead of 2 axes (depending on model)	0 / -	-	70
<input type="checkbox"/> 2511 Window lifters electrical Fiat	S	-	2
<input type="checkbox"/> 2531 Window lifters electrical Mercedes	-	S	-
<input type="checkbox"/> 2824 Front crash bar for Fiat Ducato (steel white)	0	-	8
<input type="checkbox"/> 2823 Front crash bar for Mercedes (steel black)	-	0	8
<input type="checkbox"/> 2710 Air-conditioning system cab Fiat and heat-insulating glass	0	-	30
<input type="checkbox"/> 2731 Air-conditioning system cab Mercedes and heat-insulating glass	-	0	30
<input type="checkbox"/> 2835 Comfort package Fiat (electr. window lifters, electr. exterior rearview mirror and armrests)	S	-	4
<input type="checkbox"/> 2836 Comfort package Mercedes (electr. window lifters, electr. exterior rearview mirror and armrests)	-	S	4
<input type="checkbox"/> 2352 Air suspension with level control (for Alko 2 axes only)	0	-	38
<input type="checkbox"/> 2353 Air suspension with level control (for Alko 3 axes only)	0 / -	-	64
<input type="checkbox"/> 2312 Maxi-Chassis (Ducato 18 instead of 14) for Alko chassis - incl. ABS	0 / S	-	65
<input type="checkbox"/> 2551 Fog lamps Fiat	0	-	2
<input type="checkbox"/> 2553 Fog lamps Mercedes	-	0	2
<input type="checkbox"/> 2811 Wheel trims 15"	0 / -	-	2
<input type="checkbox"/> 2812 Wheel trims 16"	0 / -	-	2
<input type="checkbox"/> 2815 Wheel trims 16" - 3 axes	0 / -	-	2
<input type="checkbox"/> 2562 Widened mirror (up to 2.40 m)	S	S	-
<input type="checkbox"/> 2813 Mud flap (2 off rear)	S	S	4
<input type="checkbox"/> 2832 Safety package 2 (ABS, ASC, driver and passenger airbag)	-	S	10
<input type="checkbox"/> 2821 Bumper - painted	S	-	2
<input type="checkbox"/> 2571 Tempomat for Fiat	0	-	3
<input type="checkbox"/> 2572 Tempomat for Mercedes (in connection with 2832/2142 only)	-	0	3
<input type="checkbox"/> 2581 Central locking system cab Fiat	0	-	1
<input type="checkbox"/> 2583 Central locking system cab Mercedes	-	0	1
<b>CAB</b>			
<input type="checkbox"/> 3855 Dashboard aluminium - Fiat	0	-	1
<input type="checkbox"/> 3851 Dashboard rootwood - Fiat	0	-	1
<input type="checkbox"/> 3853 Dashboard rootwood - Mercedes	-	0	1
<input type="checkbox"/> 3671 Cab carpet (one-piece)	S	S	2
<input type="checkbox"/> 3811 Fire extinguisher	0	0	4
<b>INTERCOM SYSTEM</b>			
<input type="checkbox"/> 3215 Speakers (2) in superstructure incl. radio off switch	S	S	1
<input type="checkbox"/> 3262 Navigation system in radio recess, incl. LCD display, TMC, radio and CD - VDO Dayton	0	0	2
<input type="checkbox"/> 3261 Navigation system incl. LCD monitor in/on dashboard - VDO Dayton B189	0	0	2

**X Please complete**

	Sport Fiat	Sport Mercedes	Additional weight in kg
<input type="checkbox"/> 3264 Navigation system incl. LCD monitor in/on dashboard, incl. TMC, Radio and CD - VDO Dayton - incl. radio installation facility	0	0	3
<input type="checkbox"/> 3263 Navigation system incl. LCD monitor in/on dashboard, incl. TMC, radio, CD and integral reversing camera - VDO Dayton - incl. radio installation facility	0	0	7
<input type="checkbox"/> 3211 Radio installation facility (aerial cab, 2 speakers cab)	0	0	1
<input type="checkbox"/> 3221 Radio incl. cassette - VDO Dayton - incl. radio installation facility	0	0	2
<input type="checkbox"/> 3223 Radio incl. CD player - VDO Dayton - incl. radio installation facility	0	0	2
<input type="checkbox"/> 3231 Radio incl. cassette, 10 CD-player CD - VDO Dayton - incl. radio installation facility	0	0	4
<input type="checkbox"/> 3232 Radio incl. CD player, 10 CD-player CD - VDO Dayton - incl. radio installation facility	0	0	4
<input type="checkbox"/> 3861 Leather-covered steering wheel, wood trim, wooden gear lever and leather gear lever boot (not available for 2151)	0	-	-
<input type="checkbox"/> 3311 Reversing camera incl. colour monitor	0	0	6
<b>SEATS</b>			
<input type="checkbox"/> 3531 Protective covers in superstructure upholstery fabric for driver and passenger seat	S	S	1
<input type="checkbox"/> 3541 Pilot seats in superstructure upholstery fabric incl. armrests and rotating passenger seat	0	0	-
<input type="checkbox"/> 3545 Pilot seats in leather incl. armrests and rotating passenger seat	0	0	-
<input type="checkbox"/> 3515 Seats incl. armrest (within scope of comfort package)	S	S	-
<input type="checkbox"/> 3812 First-aid kit	S	-	-
<b>WINTER INSULATING MATS</b>			
<input type="checkbox"/> 3611 Winter insulating mats cab Fiat (window insulation)	0	-	2
<input type="checkbox"/> 3631 Winter insulating mats cab Mercedes (window insulation)	-	0	2
<input type="checkbox"/> 3663 Insulating curtain to cab in upholstery fabric	0	0	4
<b>SUPERSTRUCTURE</b>			
<input type="checkbox"/> 7655 Waste water tank 120 l total (depending on floor plan)	0 / -	0 / -	10
<input type="checkbox"/> 7318 Ultrasound alarm system incl. door contacts (interior security)	0	0	3
<input type="checkbox"/> 5122 Tow bar Alko (for Alko chassis)	0	-	25
<input type="checkbox"/> 5123 Tow bar Mercedes Sprinter 313/316 (depending on floor plan)	-	0	25
<input type="checkbox"/> 5575 Superstructure door incl. mosquito screen (surcharge)	0	0	-
<input type="checkbox"/> 5411 Exterior lighting system	S	S	1
<input type="checkbox"/> 5451 Exterior decoration Aqua (surcharge)	0	0	-
<input type="checkbox"/> 5452 Exterior decoration Linea (surcharge)	0	0	-
<input type="checkbox"/> 5441 Exterior shower	0	0	1
<input type="checkbox"/> 7231 Oven incl. grill and rotary skewer (not available for C6125B)	S	S	12
<input type="checkbox"/> 7238 Furniture adaptation for oven (required for models C7065B)	S	S	-
<input type="checkbox"/> 7322 2nd battery 105 A (incl. upgraded charge) surcharge	S	S	24
<input type="checkbox"/> 7325 3 gel batteries (3 x 75 A) incl. 35 A charger - surcharge	0	0	35
<input type="checkbox"/> 7324 Gel batteries (2 x 75 A gel) surcharge	0	0	-
<input type="checkbox"/> 5231 Attachment system for rear garage incl. 2 pairs of belts	0 / -	0 / -	4
<input type="checkbox"/> 5232 Pair of additional belts for attachment system	0 / -	0 / -	-
<input type="checkbox"/> 5233 Additional anchor rail for attachment system	0 / -	0 / -	2
<input type="checkbox"/> 6451 Corian tops (kitchen, table, washbasin)	0	0	12-23
<input type="checkbox"/> 6438 Cup holder	S / -	S / -	1
<input type="checkbox"/> 5533 "Heki 1" roof canopy, tilt-turn roof	0	0	22
<input type="checkbox"/> 5531 Additional roof canopy	0	0	2
<input type="checkbox"/> 5532 Roof fan electrical	0	0	-
<input type="checkbox"/> 5223 Roof rail incl. ladder and grid plate (painted white)	0	0	20
<input type="checkbox"/> 5224 Additional crossbar for roof rail (5223)	0	0	2
<input type="checkbox"/> 5211 Boarding step electrical	S	S	-
<input type="checkbox"/> 5212 Boarding step (electrical) 2 steps - surcharge (not recommended for Alko chassis)	-	0	7
<input type="checkbox"/> 7631 Disposal hose	S	S	-

# SPECIAL EQUIPMENT


Equipment: s = series o = Option (special equipment) - = not available

**X Please complete**


	Sport Fiat	Sport Mercedes	Additional weight in kg
<input type="checkbox"/> 5141 Quick-Block bicycle rack for 3 cycles (max. 45 kg)	0	0	6
<input type="checkbox"/> 5142 Quick-Block bicycle rack for 4 cycles (max. 60 kg)	0	0	7
<input type="checkbox"/> 5143 Bicycle rack for 3 cycles electrically lowering (max. 45 kg)	0	0	15
<input type="checkbox"/> 6212 Interior-sprung mattress for double bed (not SB) - surcharge	0	0	6
<input type="checkbox"/> 6214 Interior-sprung mattress for double bed (SB only) - surcharge	0	0	6
<input type="checkbox"/> 6217 Interior-sprung mattress for 2 single beds (SB) - surcharge	0 / -	-	6
<input type="checkbox"/> 7651 Fresh water tank 120 l total (depending on floor plan)	0 / -	0 / -	10
<input type="checkbox"/> 7513 Remote gas switch	0	0	1
<input type="checkbox"/> 7515 Gas level indicator (for 1 bottle)	0	0	1
<input type="checkbox"/> 7512 Gas-Socket	0	0	1
<input type="checkbox"/> 7275 Generator 2,5 kW incl. separate tank and installation (depending on floor plan)	0	0	approx. 60
<input type="checkbox"/> 5533 Tilt-turn roof ("Heki 1")	0	0	22
<input type="checkbox"/> 6656 Additional garage gate (l.h. side)	0 / -	-	-
<input type="checkbox"/> 7212 Air-conditioning system 12 V	0	0	12
<input type="checkbox"/> 7211 Air-conditioning system 230 V	0	0	40
<input type="checkbox"/> 5111 Comfort supports rear	S	S	8
<input type="checkbox"/> 5112 Comfort supports front	0	-	8
<input type="checkbox"/> 5113 Comfort supports electrical (rear)	0	0	12
<input type="checkbox"/> 7252 Refrigerator incl. autom. selection of settings (AES) - surcharge	S	S	4
<input type="checkbox"/> 7251 Refrigerator incl. compressor 110 l - surcharge	0	0	-
<input type="checkbox"/> 7253 Refrigerator 135 l AES (depending on floor plan) - surcharge	0 / -	S	10
<input type="checkbox"/> 5461 Painting of complete vehicle	0	0	-
<b>AWNINGS (for Activa, Contura and Integra incl. adapter section on "patented section")</b>			
<input type="checkbox"/> 5241 Awning 3 m mechanised	0	0	25
<input type="checkbox"/> 5242 Awning 3.5 m mechanised	0	0	31
<input type="checkbox"/> 5243 Awning 4 m mechanised	0	0	36
<input type="checkbox"/> 5244 Awning 4.5 m mechanised	0	0	44
<input type="checkbox"/> 5245 Awning 5 m mechanised	0	-	50
<input type="checkbox"/> 7235 Microwave 230 V (depending on floor plan)	0 / -	0 / -	10
<input type="checkbox"/> 5151 Motorbike platform (Fiat) - 18-chassis recommended - depending on floor plan	0 / -	-	25
<input type="checkbox"/> 5152 Motorbike platform (Mercedes) - depending on floor plan	-	0 / -	50
<input type="checkbox"/> 6432 Rear sliding door (depending on floor plan)	S / -	-	5
<input type="checkbox"/> 7271 Solar system 1 x 75 W controlled	0	0	4
<input type="checkbox"/> 7272 Solar system 2 x 75 W controlled	0	0	7
<b>FABRIC COMBINATIONS (surcharge for serial installation)</b>			
<input type="checkbox"/> 6116 Upholstery fabric "Lima"	S	S	-
<input type="checkbox"/> 6118 Upholtery fabric "Flora"	0	0	-
<input type="checkbox"/> 6123 Upholstery fabric "Bana"	0	0	-
<input type="checkbox"/> 6122 Upholstery fabric "Multo"	0	0	-
<input type="checkbox"/> 6141 Leather upholstery	0 / -	0 / -	-
<input type="checkbox"/> 6152 Special upholstery fabric (supplied by customer)	0	0	-
<input type="checkbox"/> 6651 Surf design (surfboard stowing in intermediate deck - depending on floor plan and size)	0 / -	0 / -	3
<input type="checkbox"/> 7311 Socket 12 V additional	0	0	1
<input type="checkbox"/> 7312 Socket 220 V additional	0	0	1
<input type="checkbox"/> 6271 Carpet in superstructure: velvet beige for Lima and Flora upholstery fabrics	S	S	2-4
<input type="checkbox"/> 6274 Carpet in superstructure: velvet grey mottled for Multo and Bana upholstery fabrics	S	S	2-6
<input type="checkbox"/> 7625 Toilet ventilation system (suction)	0	0	1
<input type="checkbox"/> 7626 Toilet cassette (additional cassette) incl. separate gate (depending on floor plan)	0 / -	0 / -	8
<input type="checkbox"/> 3815 Safe	0	0	8
<input type="checkbox"/> 7511 Triomatic deLuxe incl. Ice-Ex	0	0	1




**I566LS**




**I635LS**



**I635HS**




**I636LS**




**I670VB**



**I680HB**




**I680SB**




**I690HB**




**I726HB**




**I810EB**




**I810EB Bar**



**I810HB**



**I810HS**





## STANDARD EQUIPMENT

### Chassis

- Rear steadies
- Rear mirrors extended, electric adjustable and heated (2.40 m)
- Electric windows
- Cab seats with safety belt integrated

### Cab

- Air conditioning in cab
- 2 cab doors
- Cab isolated side windows
- Additional heating Truma E
- Electric front blind
- Blind

### Additional U.K. specification

- Right hand drive
- Oven/Grill
- C.D. player
- Rear heater exchange
- TV shelf
- Full UK 3 years warranty

### Body

- Gfc walls Eura Mobil Foam insulation
- Double pressed roof, reinforced
- Double floor, insulated and heated
- Electrical step
- Loudspeakers above sealing with radio switch
- TV cupboard
- Wardrobe lighting

### Kitchen

- Refrigerator AES
- Hob 3 rings (without C612 SB)
- Extractor hood

### Toilet room

- Separate shower
- Fresh water tank in double floor
- Grey water tank in double floor
- Pressure pump
- Separate cutoff valve washbasin and shower

### Electronic installation

- Electronic system
- Electronic charger
- Leisure batteries 2 x 105 Ah



# TECHNICAL DATA



## I 566 LS

## I 635 LS/HS

## I 636 LS

### BASIC VEHICLE

Manufacturer	
Model	
Engine	
Output	kW/hp
Alko wide-track low-frame chassis	

### WEIGHTS AND DIMENSIONS

Wheelbase	mm
Tyres	
Techn. admissible total dimensions when loaded	kg
Dimensions in operating condition <sup>1)</sup>	kg
Payload <sup>2)</sup>	kg
Braked trailer load	kg
Total length	mm
Total width	mm
Total height	mm
Internal width	mm
Standing height	mm
Dimensions of lifting bunk	cm
Dimensions of front seat cluster	cm
Dimensions of rear seat cluster/long. bench	cm
Dimensions of rear bunk/rear seat cluster	cm
Dimensions of 2nd rear bunk	cm

Bunks	
Admissible number of persons	

### CHASSIS

Payload	
Rear supports	
ABS	
Cab air-conditioning system	
Extendable rearview mirror, electrically adjustable and heated (2,40 m)	
El. window lifts for driver and co-driver	
Driver's and co-driver's seat in superstructure upholstery fabric	
Cab seats with integral seat belts	
Loudspeakers in cab	
First-aid-kit, warning triangle	

### CAB

2 superstructure doors (with cab lock)	
Insulated glass windows in cab	
Additional heating in cab (trumatic e)	
Roller shutter (electric) on front window	
Instrument panel and bracket for monitor	
Electrical sun blind	
Integrated black-out roller shutters	
Carpet	

### SUPERSTRUCTURE

GRP walls with Eura Mobil foam insulation (mineralised foam)	
Double pressed sandwich roof, fully load-bearing	
Wall thickness walls, roof, floor	mm
Double floor (insulated and heated)	
Electr. boarding step retractable from driver's seat	
Electric boarding steps - 2 steps	
Loudspeaker above seat cluster incl. radio off-switch	
Electronic Trumatic heating system	
Ventilated double floor	
3-point safety belts throughout	
Number of fly-screened Reitz frame windows	
Fly-screened superstructure door	
Lockable TV cabinet	
Service hatches	
Rear shelf 'Surf' design	
Standard keys for full superstructure	
Carpeted superstructure	
Wardrobe light	
External light	
Lifting bunk	
Furniture decor	

### GALLEY

Refrigerator with AES (standard)	
Hob 3 flames	
Extractor fan	

### TOILET COMPARTMENT

Separate shower	
Freshwater tank heated in double floor	
Sewage tank heated in double floor	
Discharge valve heated in double floor	
Pressurised water pump	
Separate fittings for washbasin and shower	

### ELECTRICAL INSTALLATION

Electronic controller for superstructure el. system	
Electron.on-board control panel, additional functions	
Electrical high-capacity charger	
Superstructure battery	
Ceiling light controlled from boarding position	
Number of sockets 230 V	
Number of sockets 12 V	

	I 566 LS	I 635 LS/HS	I 636 LS
Manufacturer	Mercedes	Fiat	Mercedes
Model	Sprinter 313	Ducato 18	Sprinter 313
Engine	2.2CDI	2.8 JTD	2.2 CDI
Output	95/129	93/127	95/129
Alko wide-track low-frame chassis	-	s	-
Wheelbase	3550	3620	3550
Tyres	225/70R15C	215/75R16C	225/70R15C
Techn. admissible total dimensions when loaded	3500/3800	3850	3800
Dimensions in operating condition <sup>1)</sup>	3170	3270/3310	3330
Payload <sup>2)</sup>	330/630	580/540	470
Braked trailer load	2000	1350	2000
Total length	6000	6500	6537
Total width	2300	2300	2300
Total height	3080	3080	3080
Internal width	2150	2150	2150
Standing height	1975	1975	1975
Dimensions of lifting bunk	195 x 142	195 x 142	195 x 142
Dimensions of front seat cluster	190 x 130	190 x 130 (LS)	190x130
Dimensions of rear seat cluster/long. bench	1140 x 650	190 x 85 (LS)	190x85
Dimensions of rear bunk/rear seat cluster		211 x 155 (HS)	
Dimensions of 2nd rear bunk			
Bunks	4	5/4	5
Admissible number of persons	4/4(6) <sup>3)</sup>	4(6) <sup>3)</sup> /4	4(5) <sup>3)</sup>
Payload	-	-	-
Rear supports	s	s	s
ABS	0	s	0
Cab air-conditioning system	s	s	s
Extendable rearview mirror, electrically adjustable and heated (2,40 m)	s	s	s
El. window lifts for driver and co-driver	s	s	s
Driver's and co-driver's seat in superstructure upholstery fabric	s	s	s
Cab seats with integral seat belts	s	s	s
Loudspeakers in cab	0	0	0
First-aid-kit, warning triangle	s	s	s
2 superstructure doors (with cab lock)	s	s	s
Insulated glass windows in cab	s	s	s
Additional heating in cab (trumatic e)	s	s	s
Roller shutter (electric) on front window	s	s	s
Instrument panel and bracket for monitor	s	s	s
Electrical sun blind	s	s	s
Integrated black-out roller shutters	s	s	s
Carpet	s	s	s
GRP walls with Eura Mobil foam insulation (mineralised foam)	s	s	s
Double pressed sandwich roof, fully load-bearing	s	s	s
Wall thickness walls, roof, floor	35/36/42	35/36/42	35/36/42
Double floor (insulated and heated)	s	s	s
Electr. boarding step retractable from driver's seat	s	s	s
Electric boarding steps - 2 steps	0	-	0
Loudspeaker above seat cluster incl. radio off-switch	s	s	s
Electronic Trumatic heating system	C 6002	C 6002	C 6002
Ventilated double floor	s	s	s
3-point safety belts throughout	4	4/2	4
Number of fly-screened Reitz frame windows	3	3/4	3
Fly-screened superstructure door	0	0	0
Lockable TV cabinet	s	s	s
Service hatches	4	4	3
Rear shelf 'Surf' design	-	-/s	-
Standard keys for full superstructure	s	s	s
Carpeted superstructure	s	s	s
Wardrobe light	s	s	s
External light	s	s	s
Lifting bunk	s	s	s
Furniture decor	Tessin cherrywood	Tessin cherrywood	Tessin cherrywood
Refrigerator with AES (standard)	105 l	105 l	105 l
Hob 3 flames	s	s	s
Extractor fan	s	s	s
Separate shower	s	s	s
Freshwater tank heated in double floor	150 l	150 l	150 l
Sewage tank heated in double floor	120 l	120 l	120 l
Discharge valve heated in double floor	s	s	s
Pressurised water pump	s	s	s
Separate fittings for washbasin and shower	s	s	s
Electronic controller for superstructure el. system	s	s	s
Electron.on-board control panel, additional functions	s	s	s
Electrical high-capacity charger	s	s	s
Superstructure battery	2 x 105 Ah	2 x 105 Ah	2 x 105 Ah
Ceiling light controlled from boarding position	s	s	s
Number of sockets 230 V	3	3	3
Number of sockets 12 V	2	2	2



1) Mass in operating condition : empty vehicle including driver, gas and water stocks, power supply, without any options  
 2) Payload including: passengers, personal equipment and options 3)In association with options 2311 and 6321 only 4) Comply with admissible dimensions for car-trailer combinations



## BASIC VEHICLE

Manufacturer	
Model	
Engine	
Output	kW/hp
Alko wide-track low-frame chassis	

## WEIGHTS AND DIMENSIONS

Wheelbase	mm
Tyres	
Techn. admissible total dimensions when loaded	kg
Dimensions in operating condition <sup>1)</sup>	kg
Payload <sup>2)</sup>	kg
Braked trailer load	kg
Total length	mm
Total width	mm
Total height	mm
Internal width	mm
Standing height	mm
Dimensions of lifting bunk	cm
Dimensions of front seat cluster	cm
Dimensions of rear seat cluster/long. bench	cm
Dimensions of rear bunk/rear seat cluster	cm
Dimensions of 2nd rear bunk	cm

Bunks	
Admissible number of persons	

## CHASSIS

Payload	
Rear supports	
ABS	
Cab air-conditioning system	
Extendable rearview mirror, electrically adjustable and heated (2.40 m)	
El. window lifts for driver and co-driver	
Driver's and co-driver's seat in superstructure upholstery fabric	
Cab seats with integral seat belts	
Loudspeakers in cab	
First-aid-kit, warning triangle	

## CAB

2 superstructure doors (with car lock)	
Insulated glass windows in cab	
Additional heating in cab (trumatic e)	
Roller shutter (electric) on front window	
Instrument panel and bracket for monitor	
Electrical sun blind	
Integrated black-out roller shutters	
Carpet	

## SUPERSTRUCTURE

GRP walls with Eura Mobil foam insulation (mineralised foam)	
Double pressed sandwich roof, fully load-bearing	
Wall thickness walls, roof, floor	mm
Double floor (insulated and heated)	
Electr. boarding step retractable from driver's seat	
Electric boarding steps - 2 steps	
Loudspeaker above seat cluster incl. radio off-switch	
Electronic Trumatic heating system	
Ventilated double floor	
3-point safety belts throughout	
Number of fly-screened Reitz frame windows	
Fly-screened superstructure door	
Lockable TV cabinet	
Service hatches	
Rear shelf 'Surf' design	
Standard keys for full superstructure	
Carpeted superstructure	
Wardrobe light	
External light	
Lifting bunk	
Furniture decor	

## GALLEY

Refrigerator with AES (standard)	
Hob 3 flames	
Extractor fan	

## TOILET COMPARTMENT

Separate shower	
Freshwater tank heated in double floor	
Sewage tank heated in double floor	
Discharge valve heated in double floor	
Pressurised water pump	
Separate fittings for washbasin and shower	

## ELECTRICAL INSTALLATION

Electronic controller for superstructure el. system	
Electron.on-board control panel, additional functions	
Electrical high-capacity charger	
Superstructure battery	
Ceiling light controlled from boarding position	
Number of sockets 230 V	
Number of sockets 12 V	

## I 670 VB

Fiat Ducato 18 2.8 JTD	
Output	93/127 s
Wheelbase	3776
Tyres	215/75R16C
Techn. admissible total dimensions when loaded	3850
Dimensions in operating condition <sup>1)</sup>	3450
Payload <sup>2)</sup>	400
Braked trailer load	1350
Total length	6860
Total width	2300
Total height	3080
Internal width	2150
Standing height	1975
Dimensions of lifting bunk	195 x 142
Dimensions of front seat cluster	190 x 105
Dimensions of rear seat cluster/long. bench	70 x 65
Dimensions of rear bunk/rear seat cluster	2x(211 x 90)
Dimensions of 2nd rear bunk	
Bunks	4
Admissible number of persons	4
Payload	-
Rear supports	s
ABS	s
Cab air-conditioning system	s
Extendable rearview mirror, electrically adjustable and heated (2.40 m)	s
El. window lifts for driver and co-driver	s
Driver's and co-driver's seat in superstructure upholstery fabric	s
Cab seats with integral seat belts	s
Loudspeakers in cab	0
First-aid-kit, warning triangle	s
2 superstructure doors (with car lock)	s
Insulated glass windows in cab	s
Additional heating in cab (trumatic e)	s
Roller shutter (electric) on front window	s
Instrument panel and bracket for monitor	s
Electrical sun blind	s
Integrated black-out roller shutters	s
Carpet	s
GRP walls with Eura Mobil foam insulation (mineralised foam)	s
Double pressed sandwich roof, fully load-bearing	s
Wall thickness walls, roof, floor	35/36/42
Double floor (insulated and heated)	s
Electr. boarding step retractable from driver's seat	s
Electric boarding steps - 2 steps	-
Loudspeaker above seat cluster incl. radio off-switch	s
Electronic Trumatic heating system	C 6002
Ventilated double floor	s
3-point safety belts throughout	4
Number of fly-screened Reitz frame windows	4
Fly-screened superstructure door	0
Lockable TV cabinet	s
Service hatches	4
Rear shelf 'Surf' design	0
Standard keys for full superstructure	s
Carpeted superstructure	s
Wardrobe light	s
External light	s
Lifting bunk	s
Furniture decor	Tessin cherrywood
Refrigerator with AES (standard)	105 l
Hob 3 flames	s
Extractor fan	s
Separate shower	s
Freshwater tank heated in double floor	120 l
Sewage tank heated in double floor	120 l
Discharge valve heated in double floor	s
Pressurised water pump	s
Separate fittings for washbasin and shower	s
Electronic controller for superstructure el. system	s
Electron.on-board control panel, additional functions	s
Electrical high-capacity charger	s
Superstructure battery	2 x 105 Ah
Ceiling light controlled from boarding position	s
Number of sockets 230 V	3
Number of sockets 12 V	2

## I 680 HB/SB

Fiat Ducato 18 2.8 JTD	
Output	93/127 s
Wheelbase	4023 bwz.3700/775
Tyres	215/75R16C
Techn. admissible total dimensions when loaded	3850/4500
Dimensions in operating condition <sup>1)</sup>	3490/3630
Payload <sup>2)</sup>	360/870
Braked trailer load	1350/700
Total length	7190
Total width	2300
Total height	3080
Internal width	2150
Standing height	1975
Dimensions of lifting bunk	195 x 142
Dimensions of front seat cluster	
Dimensions of rear seat cluster/long. bench	135 x 65
Dimensions of rear bunk/rear seat cluster	200 x 133
Dimensions of 2nd rear bunk	
Bunks	4
Admissible number of persons	3
Payload	-
Rear supports	s
ABS	s
Cab air-conditioning system	s
Extendable rearview mirror, electrically adjustable and heated (2.40 m)	s
El. window lifts for driver and co-driver	s
Driver's and co-driver's seat in superstructure upholstery fabric	s
Cab seats with integral seat belts	s
Loudspeakers in cab	0
First-aid-kit, warning triangle	s
2 superstructure doors (with car lock)	s
Insulated glass windows in cab	s
Additional heating in cab (trumatic e)	s
Roller shutter (electric) on front window	s
Instrument panel and bracket for monitor	s
Electrical sun blind	s
Integrated black-out roller shutters	s
Carpet	s
GRP walls with Eura Mobil foam insulation (mineralised foam)	s
Double pressed sandwich roof, fully load-bearing	s
Wall thickness walls, roof, floor	35/36/42
Double floor (insulated and heated)	s
Electr. boarding step retractable from driver's seat	s
Electric boarding steps - 2 steps	-
Loudspeaker above seat cluster incl. radio off-switch	s
Electronic Trumatic heating system	C 6002
Ventilated double floor	s
3-point safety belts throughout	3
Number of fly-screened Reitz frame windows	5/6
Fly-screened superstructure door	0
Lockable TV cabinet	s
Service hatches	5
Rear shelf 'Surf' design	-
Standard keys for full superstructure	s
Carpeted superstructure	s
Wardrobe light	s
External light	s
Lifting bunk	s
Furniture decor	Tessin cherrywood
Refrigerator with AES (standard)	105 l
Hob 3 flames	s
Extractor fan	s
Separate shower	s
Freshwater tank heated in double floor	150 l
Sewage tank heated in double floor	120 l
Discharge valve heated in double floor	s
Pressurised water pump	s
Separate fittings for washbasin and shower	s
Electronic controller for superstructure el. system	s
Electron.on-board control panel, additional functions	s
Electrical high-capacity charger	s
Superstructure battery	2 x 105 Ah
Ceiling light controlled from boarding position	s
Number of sockets 230 V	3
Number of sockets 12 V	2

## I 690 HB

Fiat Ducato 18 2.8 JTD	
Output	93/127 s
Wheelbase	4023 bwz.3523/775
Tyres	215/75R16C
Techn. admissible total dimensions when loaded	3850/4500
Dimensions in operating condition <sup>1)</sup>	3510/3650
Payload <sup>2)</sup>	340/850
Braked trailer load	1350/700
Total length	7190
Total width	2300
Total height	3080
Internal width	2150
Standing height	1975
Dimensions of lifting bunk	190 x 142
Dimensions of front seat cluster	
Dimensions of rear seat cluster/long. bench	70 x 65
Dimensions of rear bunk/rear seat cluster	211 x 155
Dimensions of 2nd rear bunk	
Bunks	4
Admissible number of persons	4
Payload	-
Rear supports	s
ABS	s
Cab air-conditioning system	s
Extendable rearview mirror, electrically adjustable and heated (2.40 m)	s
El. window lifts for driver and co-driver	s
Driver's and co-driver's seat in superstructure upholstery fabric	s
Cab seats with integral seat belts	s
Loudspeakers in cab	0
First-aid-kit, warning triangle	s
2 superstructure doors (with car lock)	s
Insulated glass windows in cab	s
Additional heating in cab (trumatic e)	s
Roller shutter (electric) on front window	s
Instrument panel and bracket for monitor	s
Electrical sun blind	s
Integrated black-out roller shutters	s
Carpet	s
GRP walls with Eura Mobil foam insulation (mineralised foam)	s
Double pressed sandwich roof, fully load-bearing	s
Wall thickness walls, roof, floor	35/36/42
Double floor (insulated and heated)	s
Electr. boarding step retractable from driver's seat	s
Electric boarding steps - 2 steps	-
Loudspeaker above seat cluster incl. radio off-switch	s
Electronic Trumatic heating system	C 6002
Ventilated double floor	s
3-point safety belts throughout	4
Number of fly-screened Reitz frame windows	4
Fly-screened superstructure door	0
Lockable TV cabinet	s
Service hatches	5
Rear shelf 'Surf' design	0
Standard keys for full superstructure	s
Carpeted superstructure	s
Wardrobe light	s
External light	s
Lifting bunk	s
Furniture decor	Tessin cherrywood
Refrigerator with AES (standard)	105 l
Hob 3 flames	s
Extractor fan	s
Separate shower	s
Freshwater tank heated in double floor	120 l
Sewage tank heated in double floor	120 l
Discharge valve heated in double floor	s
Pressurised water pump	s
Separate fittings for washbasin and shower	s
Electronic controller for superstructure el. system	s
Electron.on-board control panel, additional functions	s
Electrical high-capacity charger	s
Superstructure battery	2 x 105 Ah
Ceiling light controlled from boarding position	s
Number of sockets 230 V	3
Number of sockets 12 V	2





# SPECIAL EQUIPMENT

Equipment: s = series o = Option (special equipment) - = not available

**X Please complete**

	Sport Fiat	Sport Mercedes	Additional weight in kg
<b>CHASSIS</b>			
<input type="checkbox"/> 2121 156 bhp engine (surcharge)	-	0	30
<input type="checkbox"/> 2142 ABS / ASC Mercedes (anti-slip control)	-	0 / S	10
<input type="checkbox"/> 2145 ABS Fiat Ducato 18 incl. Alko 2 axes	S	-	-
<input type="checkbox"/> 2146 ABS Fiat Ducato 18 incl. Alko 3 axes	S	-	-
<input type="checkbox"/> 2223 Alu rims 6.5 x 16" for Fiat Ducato 18	0	-	-
<input type="checkbox"/> 2224 Alu rims 6.5 x 16" for Fiat 3 axes	0 / -	-	-
<input type="checkbox"/> 2225 Alu rims 7 x 15" for Mercedes Sprinter 313	-	0 / -	-
<input type="checkbox"/> 2330 Load reduction to 3500 kg (depending on model)	0 / -	0 / -	-
<input type="checkbox"/> 2327 Load increase to 5000 kg (3 axes)	0 / -	-	6
<input type="checkbox"/> 2133 Automatic Fiat	0	-	60
<input type="checkbox"/> 2131 Automatic (Sprintshift) (in connection with ABS - 2832 and/or 2142 only) -	-	0	20
<input type="checkbox"/> 2361 Chassis - 3 axes instead of 2 axes (depending on model)	0 / -	-	70
<input type="checkbox"/> 2362 Chassis 4.6 t instead of 3.8 t for A 636 LS / I 636 LS in connection with 2832 and/or 2142 only	-	0 / -	795
<input type="checkbox"/> 2363 Chassis 6.0 t instead of 4.6 t for A 716 HB / I726 HB	-	0 / -	1120
<input type="checkbox"/> 2511 Window lifters electrical Fiat (within scope of Fiat comfort package only - 2835)	S	-	2
<input type="checkbox"/> 2531 Window lifters electrical Mercedes (within scope of Mercedes comfort package only - 2836)	-	S	-
<input type="checkbox"/> 2710 Air-conditioning system cab Fiat and heat-insulating glass	S	-	30
<input type="checkbox"/> 2731 Air-conditioning system cab Mercedes and heat-insulating glass	-	S	30
<input type="checkbox"/> 2835 Comfort package Fiat (electr. window lifters, electr. exterior rearview mirror and armrests)	S	-	4
<input type="checkbox"/> 2836 Comfort package Mercedes (electr. window lifters, electr. exterior rearview mirror and armrests)	-	S	4
<input type="checkbox"/> 2352 Air suspension with level control (for Alko 2 axes only)	0	-	38
<input type="checkbox"/> 2353 Air suspension with level control (for Alko 3 axes only)	0 / -	-	64
<input type="checkbox"/> 2312 Maxi-Chassis (Ducato 18 instead of 14) for Alko chassis - incl. ABS	S	-	65
<input type="checkbox"/> 2555 Fog lamps Integra	0	0	2
<input type="checkbox"/> 2352 Air suspension with level control (for Alko 2 axes only)	0	-	38
<input type="checkbox"/> 2353 Air suspension with level control (for Alko 3 axes only)	0 / -	-	64
<input type="checkbox"/> 2814 Wheel trims 15" - polished metal for Sprinter 413	-	0 / -	2
<input type="checkbox"/> 2812 Wheel trims 16"	0	0	2
<input type="checkbox"/> 2815 Wheel trims 16" - 3 axes	0 / -	-	2
<input type="checkbox"/> 2562 Widened mirror (up to 2.40 m)	S	S	-
<input type="checkbox"/> 2813 Mud flaps (2 off rear)	S	S	4
<input type="checkbox"/> 2821 Bumper - painted	S	S	2
<input type="checkbox"/> 2571 Tempomat for Fiat	0	-	3
<input type="checkbox"/> 2572 Tempomat for Mercedes (in connection with 2832/2142)	-	0	3
<b>CAB</b>			
<input type="checkbox"/> 3851 Dashboard rootwood - Fiat	0	-	1
<input type="checkbox"/> 3853 Dashboard rootwood - Mercedes	-	0	1
<input type="checkbox"/> 5580 Elimination of passenger door - side cabinet instead	0	0	-
<input type="checkbox"/> 3671 Cab carpet (one-piece)	S	S	2
<input type="checkbox"/> 3811 Fire extinguisher	0	0	4
<b>INTERCOM SYSTEM</b>			
<input type="checkbox"/> 3215 Speakers (2) in superstructure incl. radio off switch	S	S	1
<input type="checkbox"/> 3262 Navigation system in radio shaft, incl. LCD display, TMC, radio and CD - VDO Dayton	0	0	2
<input type="checkbox"/> 3261 Navigation system incl. LCD monitor in/on dashboard - VDO Dayton B189	0	0	2
<input type="checkbox"/> 3264 Navigation system incl. LCD monitor in/on dashboard, incl. TMC, Radio and CD - VDO Dayton - incl. radio installation facility	0	0	3
<input type="checkbox"/> 3263 Navigation system incl. LCD monitor in/on dashboard, incl. TMC, radio, CD and integral reversing camera - VDO Dayton - incl. radio installation facility	0	0	7
<input type="checkbox"/> 3211 Radio installation facility (aerial cab, 2 speakers cab)	0	0	1
<input type="checkbox"/> 3221 Radio incl. cassette - VDO Dayton - incl. radio installation facility	0	0	2
<input type="checkbox"/> 3223 Radio incl. CD player - VDO Dayton - incl. radio installation facility	0	0	2
<input type="checkbox"/> 3231 Radio incl. cassette, 10 CD-player CD - VDO Dayton - incl. radio installation facility	0	0	4

## Please complete

	Sport Fiat	Sport Mercedes	Additional weight in kg
<input type="checkbox"/> 3232 Radio incl. CD player, 10 CD-player CD - VDO Dayton - incl. radio installation facility	0	0	4
<input type="checkbox"/> 3861 Leather-covered steering wheel, wood trim, wooden gear lever and gear lever boot (not available with 2151)	0	-	-
<input type="checkbox"/> 3310 Reversing camera Integra including monitor in dashboard - surcharge	0	0	6
<b>SEATS</b>			
<input type="checkbox"/> 3546 Pilot seats in leather incl. armrests and rotating passenger seat (Integra) - surcharge	0	0	-
<input type="checkbox"/> 3812 First aid kit	S	S	-
<b>WINTER INSULATING MATS</b>			
<input type="checkbox"/> 3546 Pilotstolar med armstöd, klädda i läder, höger stol vändbar (pristillägg)	0	0	-
<input type="checkbox"/> 3645 Winter insulating mats Integra (glass insulation)	0	0	2
<b>SUPERSTRUCTURE</b>			
<input type="checkbox"/> 7655 Waste water tank 120 l total (depending on floor plan)	0 / -	0 / -	10
<input type="checkbox"/> 7318 Ultrasound alarm system incl. door contacts (interior security)	0	0	3
<input type="checkbox"/> 5122 Tow bar Alko (for Alko chassis)	0	-	25
<input type="checkbox"/> 5123 Tow bar Mercedes Sprinter 313/316 (depending on floor plan)	-	0	25
<input type="checkbox"/> 5575 Superstructure door incl. mosquito screen (surcharge)	0	0	-
<input type="checkbox"/> 5411 Exterior lighting system	S	S	1
<input type="checkbox"/> 5451 Exterior decoration Aqua (surcharge)	0	0	-
<input type="checkbox"/> 5441 Exterior shower	0	0	1
<input type="checkbox"/> 7231 Oven incl. grill and rotary skewer (not available for I670 VB, I680SB/HB, I726HB)	S	S	12
<input type="checkbox"/> 7238 Furniture adaptation for oven (required for models I656LS, I635HS/LS, I636LS, I726HS)	S	S	-
<input type="checkbox"/> 7322 2nd battery 105 A (incl. upgraded charger) surcharge	S	S	24
<input type="checkbox"/> 7325 Gel batteries (3 x 75 A) - incl. 35 A charger) surcharge	0	0	35
<input type="checkbox"/> 7324 Gel batteries (2 x 75 A gel) surcharge	0	0	-
<input type="checkbox"/> 5231 Attachment system for rear garage incl. 2 pairs of belts	0 / -	0 / -	4
<input type="checkbox"/> 5232 Pair of additional belts for attachment system	0 / -	0 / -	-
<input type="checkbox"/> 5233 Additional anchor rail for attachment system	0 / -	0 / -	2
<input type="checkbox"/> 6451 Corian tops (kitchen, table, washbasin)	0	0	12-23
<input type="checkbox"/> 6452 Corian tops bar version	0 / -	-	5
<input type="checkbox"/> 5533 "Heki 1" roof canopy, tilt-turn roof	0	0	22
<input type="checkbox"/> 5531 Additional roof canopy	0	0	2
<input type="checkbox"/> 5532 Roof fan electrical	0	0	-
<input type="checkbox"/> 5223 Roof rail incl. ladder and grid plate (painted white)	0	0	20
<input type="checkbox"/> 5224 Additional crossbar for roof rail (anodised aluminium)	0	0	2
<input type="checkbox"/> 5211 Boarding step electrical	S	S	-
<input type="checkbox"/> 5212 Boarding step (electrical) 2 steps - surcharge (not recommended for Alko chassis)	-	0	7
<input type="checkbox"/> 7631 Disposal hose	S	S	-
<input type="checkbox"/> 5141 Quick-Block bicycle rack for 3 cycles (max. 45 kg)	0	0	6
<input type="checkbox"/> 5142 Quick-Block bicycle rack for 4 cycles (max. 60 kg)	0	0	7
<input type="checkbox"/> 5143 Bicycle rack for 3 cycles electrically lowering (max. 45 kg)	0	0	15
<input type="checkbox"/> 6212 Interior-sprung mattress for double bed (not SB) - surcharge	0	0	6
<input type="checkbox"/> 6214 Interior-sprung mattress for double bed (SB only) - surcharge	0	-	6
<input type="checkbox"/> 6216 Interior-sprung mattress for stow-away bed - surcharge	0	0	6
<input type="checkbox"/> 6217 Interior-sprung mattresses for 2 single beds (EB) - surcharge	0 / -	-	6
<input type="checkbox"/> 7651 Fresh water tank 120 l total (depending on floor plan)	0 / -	0 / -	10
<input type="checkbox"/> 7513 Remote gas switch	0	0	1
<input type="checkbox"/> 7515 Gas level indicator (for 1 bottle)	0	0	1
<input type="checkbox"/> 7512 Gas-Socket	0	0	1
<input type="checkbox"/> 7275 Generator 2.5 kW incl. separate tank and installation (depending on floor plan)	0	0	approx. 60
<input type="checkbox"/> 5533 "Heki 1" roof canopy, tilt-turn roof	0	0	22
<input type="checkbox"/> 6656 Additional garage gate (l.h. side)	0 / -	0 / -	-

# SPECIAL EQUIPMENT

Equipment: s = series o = Option (special equipment) - = not available

**X Please complete**

	Sport Fiat	Sport Mercedes	Additional weight in kg
<input type="checkbox"/> 7212 Air-conditioning system 12 V	0	0	12
<input type="checkbox"/> 7211 Air-conditioning system 230 V	0	0	40
<input type="checkbox"/> 5111 Comfort supports rear	S	S	8
<input type="checkbox"/> 5112 Comfort supports front	0	-	8
<input type="checkbox"/> 5113 Comfort supports electrical (rear)	0	0	12
<input type="checkbox"/> 7252 Refrigerator incl. autom. selection of settings (AES) - surcharge	S	S	4
<input type="checkbox"/> 7251 Refrigerator incl. compressor 110 l - surcharge	0	0	-
<input type="checkbox"/> 7253 Refrigerator 135 l AES (depending on floor plan) - surcharge	0 / -	0 / -	10
<input type="checkbox"/> 5461 Painting of complete vehicle	0	0	-
<input type="checkbox"/> 6213 Slatted base in stow-away bed	S	S	-
<b>AWNINGS (for Activa, Contura and Integra incl. adapter section to "patented section")</b>			
<input type="checkbox"/> 5241 Awning 3 m mechanised	0	0	25
<input type="checkbox"/> 5242 Awning 3.5 m mechanised	0	0	31
<input type="checkbox"/> 5243 Awning 4 m mechanised	0	0	36
<input type="checkbox"/> 5244 Awning 4.5 m mechanised	0	0	44
<input type="checkbox"/> 5245 Awning 5 m mechanised	0	0	50
<input type="checkbox"/> 7235 Microwave 230 V (depending on floor plan)	0 / -	0 / -	10
<input type="checkbox"/> 5151 Motorbike platform (Fiat) - 18-chassis recommended - depending on floor plan	0 / -	-	25
<input type="checkbox"/> 5152 Motorbike platform (Mercedes) - depending on floor plan	-	0 / -	50
<input type="checkbox"/> 6432 Rear sliding door (depending on floor plan)	S / -	S / -	5
<input type="checkbox"/> 6321 Safety belts and headrests opposite to driving direction (removable belt rack incl. 2x2-point belt - increasing allowed number of seats) - fabric	0	0	20
<input type="checkbox"/> 7271 Solar system 1 x 75 W controlled	0	0	4
<input type="checkbox"/> 7272 Solar system 2 x 75 W controlled	0	0	7
<b>FABRIC COMBINATIONS (surcharge for serial installation)</b>			
<input type="checkbox"/> 6116 Upholstery fabric "Lima"	S	S	-
<input type="checkbox"/> 6118 Upholstery fabric "Flora"	0	0	-
<input type="checkbox"/> 6123 Upholstery fabric "Bana"	0	0	-
<input type="checkbox"/> 6122 Upholstery fabric "Multo"	0	0	-
<input type="checkbox"/> 6141 Leather upholstery	0 / -	0 / -	-
<input type="checkbox"/> 6152 Special upholstery fabric (supplied by customer)	0	0	-
<input type="checkbox"/> 6651 Surf design (surfboard stowing in intermediate deck - depending on floor plan and size)	0 / -	0 / -	3
<input type="checkbox"/> 6431 Storage cabinets instead of stow-away bed	0	0	-
<input type="checkbox"/> 7311 Socket 12 V additional	0	0	1
<input type="checkbox"/> 7312 Socket 220 V additional	0	0	1
<input type="checkbox"/> 6271 Carpet in superstructure : velvet beige with Lima and Flora upholstery fabrics	S	S	2-4
<input type="checkbox"/> 6274 Carpet in superstructure : velvet grey mottled for Milo, Multo and Bana upholstery fabrics	-	-	2-6
<input type="checkbox"/> 7625 Toilet ventilation system (suction)	0	0	1
<input type="checkbox"/> 7626 Toilet cassette (additional cassette) incl. separate gate (depending on floor plan)	0 / -	0 / -	8
<input type="checkbox"/> 3815 Safe	0	0	8
<input type="checkbox"/> 7511 Triomatic deLuxe incl. Ice-Ex	0	0	1
<b>TV SYSTEM</b>			
<input type="checkbox"/> 3441 Flat TV screen /15.1", TFT - in connection with 6431 only (no stow-away bed)	0 / -	0 / -	4
<input type="checkbox"/> 3421 Articulated satellite mast	0	0	8
<input type="checkbox"/> 3423 SAT aerial mechanised (incl. articulated mast and receiver)	0	0	11
<input type="checkbox"/> 3425 SAT aerial fully automatic (analogue)	0	0	21
<input type="checkbox"/> 3426 SAT aerial fully automatic (digital)	0	0	21
<input type="checkbox"/> 3427 SAT aerial for use whilst driving	0	0	25
<input type="checkbox"/> 3431 TV-Set (rotating retractor and aerial connection)	0	0	1





*Eura Mobil Tours*



*Eura Mobil Card*



**EURA MOBIL**

*WESTCROFT MOTORHOMES LIMITED*  
*Cannock Road, Wolverhampton WV10 8QU England*  
*Tel. 01902 731324*  
*Fax 01902 724494*  
*E-mail: sales@westcroftmotorhomes.com*  
*www.westcroftmotorhomes.com*

[www.euramobil.de](http://www.euramobil.de)

