

HYMER DuoMobil.

Pricelist valid from 01.07.2014



HYMER DuoMobil Great Britain

HYMER

Technical Data HYMER DuoMobil



	DuoMobil
Price £	94,460.-
Standard chassis	Fiat AL-KO Ducato Maxi
Standard Engine a)	2,3 Multijet
kW (H.P.)	109 (148)
Overall length approx. cm	779
Body width approx. cm h)	225
Overall width approx. cm i)	235
Internal width approx. cm	218
Overall height approx. cm g)	315
Maximum headroom approx. cm	198
Wheel base approx. mm	4300
Mass in running order approx. kg b)	3620
Maximum payload approx. kg c)	880
Maximum permitted mass kg	4500
Maximum permitted towing capacity kg e)	1500
Maximum permitted passengers d)	2 + 2 (o)
Insulation wall mm	35
Insulation roof mm	35
Insulation floor mm	35
Clearance of stowage compartment/garage doors or hatch W x H cm	95 x 121
Bed size front L x W approx. cm	195 x 150 bzw. 206 x 80 / 199 x 80
Bed size rear L x W approx. cm	202 x 137
Berths	2 + 2 (o)
Washroom W x D approx. cm	103 x 83
Separate shower W x D in cm (approx.)	73 x 70
Wardrobe W x D x H approx. cm	33 x 67 x 231 / 36 x 67 x 105
Kitchen W x D x H approx. cm	137 x 79 / 68 x 92
Refrigerator capacity approx. L	160
Warm water heating	Alde Compact 3020
Water supply approx. l	190
Water supply (approx litres, while driving)	20
Waste water tank approx. l	175
Battery AH	160
2nd Battery AH incl. additional loader	160 (o)
Sockets 12 V / 230 V / USB	3 / 18 / 4

o = Optional Equipment

o. d. = on request

rts = right

lks = left

G = garage

EB = bunk beds

Optional Equipment HYMER DuoMobil

f DuoMobil

Basis			
	Fiat Ducato Maxi 4,5 t, 3,0 Multijet, 130 KW/177 BHP, Euro 5+	1,930.-	○ 50
2344	Automatic transmission	1,670.-	○ 17
2399	AL-KO Comfort Suspension (ACS) - front axle comfort suspension	1,080.-	○ 3
2372	AL-KO Level Controller for rear axle (ALC)	1,250.-	○ 19
2305	AL-KO rear axle air suspension incl. option lift and drop	2,920.-	○ 38
2368	4-channel full air suspension	6,940.-	○ 78
31006	Bi-xenon headlamps including headlamp washer jets and auto. headlamp beam height control	830.-	○
832	Hydraulic lift steadies construction with automatic alignment front and back	6,020.-	○ 70
2449	Multi-function steering wheel 11)	330.-	○
2310	Steering wheel and shift lever knob in leather design	250.-	○
31007	Static cornering light	220.-	○ 0.5
2423	Sensor for inflation pressure	130.-	○ 1
42409	Seat heating for driver's and passenger's seat	580.-	○
2446	Style package interior (dashboard panel with applications coloured in aluminium, instrumental panel with chrome rings) 9)	130.-	○
2447	Style package interior (dashboard panel with applications coloured in bronze, instrumental panel with chrome rings) 9)	170.-	○
25276	16 inch aluminium rims x 4 2)	830.-	○ 4
25286	Spare wheel (16 inch steel) incl. mounting bracket in rear stowage compartment	290.-	○ 25
2317	Diesel tank 120 l	150.-	○ 50
20150	Tow bar 3)	1,330.-	○ 33
Body			
57549	Aluminium smooth plate Carrara White		●
57747	Exterior finish: Sierra grey metallic	2,000.-	○ 30
33402	Fantastic Vent above kitchen	380.-	○ 5
83514	Electric heated front window	500.-	○
33703	Midi-Heki 700 x 500 over dressing room	230.-	○ 8
33314	Garage flap on rear wall 100 x 65 cm	410.-	○ 5
	Awning with adapter, case in white or silver, 5,5 m 4)	1,500.-	○ 56
37680	Pull-out motorcycle rack, may also be used for 2 bicycles 3)	2,000.-	○ 32
34301	Security lock for driver's door	140.-	○ 0.5
34300	Security lock for living area entrance door	140.-	○ 0.5
83525	Insulating mat for windscreen, exterior	270.-	○ 3
801	Luxury corner steadies, rear x 2	250.-	○ 9
Outfitting			
87948	3rd seat with 3 point belt on seat bench on left in direction of travel	410.-	○ 30
87949	4th seat with 3 point belt on seat bench on right in direction of travel 1),7)	410.-	○ 30
34354	Electric roller shutter in front 2)	1,080.-	○ 10
83560	Insulating mat for driver's cabin footwell	110.-	○ 3
44173	Folding wood seat in the shower	140.-	○ 2
44823	Electrically activated pull-down bed	750.-	○ 3
44129	Additional cushion for conversion to beds on round seating group (splitted cushion)	130.-	○ 3
42501	Round upholstery for round seating group instead of angular	240.-	○
37267	Chequer plate floor and felt trim in rear garage	330.-	○ 18.5
59130	External shower in garage	230.-	○ 1
34400	Mini Safe obstructed in seating group 8)	330.-	○ 6
803	Thetford Pump Out with 65 litre tank	830.-	○ 15
Interior design			
651	Wood finish Trentino pear wood		●
640	Wood finish trim for dashboard 10)	320.-	○
87960	2 Headrests	160.-	○ 2
	Fabric combination Castello, Charbonnel, Santorin, Varuna		●
1867	Fabric combination Paradiso (Eco Tech Material)	830.-	○
1884	Leather- / fabric combination Tobago	1,250.-	○ 4
	Leather finish Caramel, Kiesel	2,250.-	○ 6.5
	Eclipse/Havanna carpet for driver's cabin and living area, supplied loose	330.-	○ 10

- Standard
- Optional Equipment
- ◆ Available upon request (No cost)
- Not available

Standard Equipment HYMER DuoMobil

Basis

- Daytime driving light integrated in HYMER head lamps
- Fiat Ducato Maxi Multijet 109 KW/ 148 BHP, Euro 5+
- Cruise control
- Automatic air conditioning with pollen filter, engine-driven
- Driver- and passenger airbag (Please consider: On passenger airbag it is not allowed, to fix child seats with restraint system on passenger seat.)
- Special coil springs for front axle, incl. Axle load increase
- Mud flaps on front and rear axle
- Suspended exterior mirror, in vehicle finish, electrically heated and adjusted, incl. wide-angle mirror
- Foglights
- Central locking for driver's- / entrance door and garage doors
- AL-KO frame
- ABS (anti-lock braking system) / EBD (electronic brake force distribution)
- ESP incl. ASR, Traction Plus and Hill Holder

Superstructure

- Appealing, modern exterior visual appearance due to round accumulative form in aluminium smooth metal
- Optimal Insulating due to approved PUAL-construction with foamed walls and foamed roof (35 mm roof- and wall thickness) and frame windows
- Comfort entrance door with window and inner shell
- Driver's door with electric window and illuminated entry
- Electric step for driver's door (automatic move-out on opening driver's door)
- Electric step, 2-stepped
- LED awning light with rain deflector
- GRP light construction floor with Styrofoam insulating
- GRP roof coating (GRP roof coating is not in exterior finish. The surface of the GRP coating doesn't comply to an painted exterior plate)
- Large garage door right and left on the direction of travel
- HYMER frosted glass roof vent 40 x 40 cm with pleated darkening blind and fly screen in bathroom
- Masking strip in brushed Titanium filling
- Insulating glazing for driver's cabin side windows and driver's door
- Folding darkening system in driver's cabin made of high quality pleated material
- HYMER panorama roof vent 80 x 50 cm with LED lighting over round seating group
- HYMER frosted glass roof vent 40 x 40 cm with darkening blind and flyscreen over separate shower
- Roof vent 40 x 40 cm with pleated darkening blind and fly screen over pull-down bed
- Hinged window in rear with pleated darkening blind and fly screen
- Hinged window in the rear on right and left in direction of travel with darkening blind and fly screen
- Roof vent 40 x 40 cm with darkening blind and fly screen over dressing room
- Provision for 3rd and 4th seat

Outfitting

- Enormous bicycle garage
- Medication cabinet
- Pull-down bed manually lowerable (along and across sleeping)
- 2nd shoe cupboard at entrance area as well as show compartments in both steps to bed
- Fly screen roller blind on entrance door
- Luxury table: swivels through 360°, lengthwise and across slidable with solid wood frame
- Wooden slatted frame in the shower
- Ceramic toilet Thetford
- 2 illuminated glass cabinet on rear board
- Laptop- and charger locker in the big rear board
- Integrated double floor with 30 cm
- Towel airing cupboard
- Sleeping comfort system with cup slatted frame and multi zone cold foam mattress (along and across sleeping)
- Pilote seats Aguti Ergolex upholstered in living area fabric, height- and tilt adjustable

Heating / A/C / On-board systems

- Warm water heating ALDE (incl. Booster in driver's cabin) incl. dash board convectors
- Complete interior illumination in LED
- Light central switch at bed (light off)
- Ambiance lighting and ceiling light dimmable
- Night lighting with changeover switch
- Heat exchanger for ALDE warm water heating
- Waste water tank 175 l, insulated and heated
- Fresh water tank 20/190 l, insulated and heated
- Ambiance lighting
- Boosted battery 12 V 160 Ah Gel
- Electric waste water tank drain

Multimedia

- Flat screen bracket
- Radio- / TV provision incl. TFT bracket, surface speaker, radio and DVB-T antenna, 12 V sockets

Kitchen

- Extra deep sink with fitted cutting board and high water tap
- Servo-Soft move in kitchen area
- Acrylic glass wall covering as splash guard
- Electric central locking for kitchen drawers
- Jumbo fridge 160 l
- Electric kitchen equipment move-out

Information

Important information

Important notes:

All prices are subject to an On The Road charge of £2000,00 to include, transportation from Germany, 12 months road fund licence, first registration fee, PDI, Valet, £40 fuel and number plates.

Any change in the original factory condition of your vehicle may impair vehicle handling and traffic safety.

Accessories and original spare parts recommended by HYMER AG are specially designed for your vehicle and approved by us. Your HYMER dealers offers these products and can provide you with information on technical specifications and carry out the necessary work professionally. Accessories, add-on parts and conversion parts not approved by HYMER AG may cause damage to your vehicle or impair traffic safety. Even if an expert's report, a homologation certificate or a type test certificate is available for this part, it does not imply that the nature of the product is in order.

We hope you appreciate that HYMER AG can accept no liability for damage caused by products not approved by HYMER AG or by unauthorised changes made to the vehicle.

Weight specifications are approximate. The payload quoted in the price list is reduced by the weights quoted in the price list when optional extras are fitted.

Specifications on scope of supply, dimensions and weights of vehicles are subject to deviations within factory tolerances (+/-5%) and permissible. They are correct to the knowledge available at the time of going to press and European homologation provisions. They may change up to the time of vehicle purchase or delivery. Your HYMER dealer will gladly provide you with information on changes and the standard scope of delivery.

Please remember that the specified axle loads must be complied with in particular when rear add-on parts, such as motorbike rack or towbar are fitted.

Prices quoted for optional extras are only valid as part of the standard new production. Retrofitting certain optional extras is not possible in some cases and may entail considerable extra costs.

This price list describes the series status at the time of going to press. Despite careful checking of the contents, printing errors are not excluded. During the course of the model year, we retain the right to make changes to equipment and make product improvements.

Layouts are mainly depicted with optional extras available at extra charge. They are not part of the standard equipment.

The water supply system is state of the art as of 07/2011 (EC Directive 2002/72/EC).

Before signing a contract of sale, please ask our authorised HYMER dealer for our current products and series status.

All prices are non-binding recommended sales prices in Sterling ex works including the valid statutory value added tax. Costs of freight, registration or handover are not included.

We reserve the right to change prices, design and equipment.

This price list replaces all previous versions.

Collection by the customer

Unfortunately it is not possible to collect your motorhome personally from the factory.

Technical Data

- a) Please note: Any other motor or chassis frame options, e.g. automatic transmission or air conditioning unit, are subject to surcharge and cause the vehicle weight to increase. For chassis frame related optional equipment, the additional weights of the individual chassis frame and/or motor options are given in the respective optional equipment lists.
- b) Mass in roadworthy condition according to EN1646-2 incl. basic equipment (75kgs for driver, filled fuel tank, water tank in driving condition filled with 20 litres, gas in aluminium cylinder 100% full, and electrical cable) in basic option. Masse in roadworthy condition (and payload or number of persons possible) varies according to motor or equipment options or depending on optional equipment attached. Deviations within the factory tolerance limits are possible and allowed.
- c) The mentioned payload depends on the mass in running order and will be reduced proportionally by the weight of the installed optional extras (the weights can be taken from the price list or can be asked by the dealer) and assumes optimal distribution. The maximum permitted payload consists of conventional load: 75 kg per passenger, user payload (10 kg personal baggage per passenger and driver, plus 10 kg per meter of the vehicle length) and remaining payload can be used for additional extras or baggage.
- d) The specified number of people decreases in relation to the increase in the total vehicle operating weight (b). In addition to this increase is the engine size difference compared to the basic variant, the optional extras fitted and the choice of suitable equipment variants. Refer to the weight specifications in the price list or request them directly from your HYMER dealer to make sure that you do not exceed the maximum permissible total weight and that there is sufficient loading capacity left for persons and the equipment and materials required.
- e) Up to 12% uphill grade: with increasing altitude, the engine power decreases inevitably. As of 1000 m above sea level and for each additional 1000 m each time 10% of the vehicle and trailer have to be reduced.
- g) Height changes if optional extras are fitted, e.g. satellite dish, roof railing, etc..
- h) External width is equivalent to the dimension from outer wall to outer wall.
- i) Total width is equivalent to dimension including wheel arches.

Comments

- 1) Just possible in connection with 3rd seat (Code 87948)
- 2) On ordering this Option, the Standard won't be delivered.
- 3) Tow bar and cycle rack can't be fixed at the same time.
- 4) Bracket for awning foots are supplied loose.
- 5) When ordering the following options these will be controlled by the Alarm System as well. (Rear flap, bicycle rack, cycle rack)
- 6) Just possible in Connection with flat Screen (Code 62317).
- 7) Not possible in Connection with Mini Safe (Code 34400).
- 8) Not possible in Connection with 4th seat (Code 87949).
- 9) Not possible in Connection with burl Wood finish (Code 640).
- 10) Not possible in Connection with Style Package (Code 2446 and 2447).
- 11) Just possible in Connection with Car Radio (Code 62303) or Navigation System (Code 87998).
- 12) HYMER original parts and accessories are not deliverable ex works. They just can be ordered and upgraded by your dealer. The complete range of HYMER original parts and accessories can be found in the Internet under www.hymer-original-zubehör.com
- 13) Article number just valid for DuoMobil.

HYMER AKTIENGESELLSCHAFT
Postfach 1140
D-88330 Bad Waldsee
www.hymer.com

www.facebook.com/hymerAG

This price list includes the series stand down in print. Despite reviewing the contents are not misprints. During the model year, we reserve the equipment changes and product improvements.

Please inform yourself before the contract with one of our authorized HYMER trading partners on the current product and stand series.