

2020

 **MOBILVETTA**
DESIGN






**SIGN OF
YOUR
DISTINCTION**

PRIVILEGES MOBILVETTA.

HIGH WAY OF TRAVELLING:
CONCRETENESS TO YOUR
EMOTION AND PRESTIGE TO GO
FURTHER.


Your LUXURY EXPERIENCE

Reach very special places
together with the people
you care most about. Enjoy
unique moments aboard
exclusive motorhomes
for aesthetic excellence
as well as functionality. A
sensory journey as well as real.



INNOVATION and TECHNOLOGY

Wealth of high level solutions,
know-how, continuous research,
control over the entire production
chain from design to construction.
**Concrete lifestyle towards new
horizons.**



ITALIAN STYLE

Unique and personal design:
precious materials, search
for beauty combined with
usefulness, exclusive style with
international taste, appreciated
throughout Europe. A sensory
journey as well as real. **Make
yourself recognisable.**



VALUE over TIME

The privilege of reliability and
excellence come along with
the Mobilvetta product: **10-year
warranty** against infiltration, a
competent and expert service.
In safe hands.



INTERPRETER for OUR TIME

A product with roots and a history
that knows how to **adapt to its time.**
It renews its offer and innovates its
product range while maintaining its
value over time.





**QUALITY AND RELIABILITY
PRIVILEGE.
GUARANTEED FOR 10 YEARS.**



**10-YEAR GUARANTEE AGAINST
INFILTRATION.**

10 Years Body Integrity Privilege is a service designed with a single objective: to ensure your motorhome over time by offering reliability and safety.

Mobilvetta 10 Years Body Integrity Privilege is the program that guarantees you a 10-year guarantee against infiltration, carrying out regular maintenance at the authorised Mobilvetta network and the tests provided for the control of infiltration to be carried out during the service coupons as per the specific deadline specified in the warranty booklet.*

*For the detailed conditions ask the authorised sales network.




- \\ **INSULATION AND WATERPROOFING**
- \\ **THERMAL INSULATION**
- \\ **SOUNDPROOFING**
- \\ **STRUCTURAL RESISTANCE**
- \\ **STABILITY TO EXTERNAL STRESSES**
- \\ **STURDINESS**
- \\ **DURATION**
- \\ **EASY TO REPAIR AND MAINTAIN**

THE PRIVILEGE OF **EXPERIENCE.** MOBILVETTA


FROM A LONG TRADITION A DESIGN THAT KNOWS HOW TO INTERPRET ITS TIME. IT IS FROM THE COMPETENCE OF THE MOBILVETTA STUDY CENTRE THAT VEHICLES ARE BORN THAT EVOLVE TOGETHER WITH THE WORLD AROUND THEM: HIGH-PERFORMANCE MATERIALS, CONSTRUCTION TECHNOLOGIES AND INNOVATIVE PRODUCTION PROCESSES.

Style, equipment and technique are the hallmarks of the external structure of Mobilvetta motorhomes: a unique style, elegant with a sporting soul, excellent equipment and high-performance materials, for a completely wood-free body with insulating resins insensitive to water and a cutting-edge construction technique that involves the use of fiberglass and aluminium, reinforcement elements and couplings to ensure high performance in terms of stability, structural strength and duration.




WALL

- **Absolutely no wood;**
- **Supporting** frame in thermosetting composite resin with **high resistance;**
- External wall in **fiberglass;**
- Internal wall in **fiberglass;**
- The inside of the walls is made of extruded material with a **high thermal insulation coefficient;**
- Total and uniform coverage of the walls: no thermal bridges in favour of **constant internal temperatures;**
- The bodies of Mobilvetta motorhomes are made in specialised production departments using a high-precision industrial process, which ensures a continuous **quality standard, of the highest level.**



ROOF

- External wall in **fiberglass;**
- Internal wall in **fiberglass;**
- The inside of the walls is made of extruded material with a **high thermal insulation coefficient;**
- Connection between wall and roof by means of an internal **aluminium reinforcement** (except Krosser and K.Silver);
- The curved part with 160 mm radius gives **strength** and **stability** to the living unit (except Krosser and K.Silver);
- The joint is internal for greater impermeability (except Krosser and K.Silver);



FLOOR

- **Absolutely no wood;**
- Supporting frame in high-resistant thermosetting composite resin: **lighter, more mechanically resistant;**
- Fiberglass lower cover for **greater protection from chip stones** during travel, salt on the streets, moisture, wear;
- Upper cover in **fiberglass coupled with non-slip PVC, highly resistant to wear;**
- Interior of the **floor made of extruded insulating material.**

The specifications contained herein may refer to only certain models of the range.

MOBILVETTA

THE PRIVILEGE OF **BEING,** AS WELL AS **APPEARING.**

BECAUSE A MOTORHOME IS WELL BUILT WHEN IT DOES WHAT IT IS DESIGNED TO DO: BE AT THE SERVICE OF YOUR EMOTIONS.

Each Mobilvetta motorhome is beautiful, contemporary, attractive and unique in style. In every kilometre you will feel the sensation of attacking the road, driving your motorhome that follows all your choices, without limit.

An aerodynamic line, excellent, resistant and selected materials. An aerodynamic line with a low Cx (coefficient of aerodynamic resistance) has a significant influence on the reduction of fuel consumption, on speed when travelling and on road holding as the pace increases.



The front of the motorhome models displays as a **single piece in fiberglass**. At the top, the fiberglass extends to protect part of the roof and incorporates a rooflight 40x40 cm in correspondence with the drop down bed inside. The use of fiberglass ensures greater strength and duration.

Downward mirrors in coach style, for motorhomes, well integrated in the general aesthetics and well positioned for a wide and free field of view.

The A pillars feature a reduced thickness to facilitate driver **visibility and control over the overall dimensions and movements** of the motorhome. The side windows, which are wide and flush-fitted, provide better visibility towards the outside, so as not to create turbulence or noise during the journey, even at higher speeds.



Rear terminal in abs, anthracite grey, which houses the lights: vertical LED lights, clearance lights and third stop light. It is not only a matter of style, being clearly visible is also an **advantage for your safety**.

Anthracite-coloured **aluminium strips** for a dynamic style that does not go unnoticed.

Elegant exterior lines, sporty character. A pleasant and linear design for the sides, a fluid and harmonious trait-d'union between the front, both the chassis cab and the exclusive nose of the motorhome, and the gritty rear, also thanks to dynamic graphics.

The upper roof cover descends "like a shell" to connect directly to the walls for a more fluid and streamlined appearance, as well as greater coverage and insulation.



The overcab is formed by a 33 mm thick external fibreglass sandwich panel roof that joins the lower part to an extremely resistant structural plane. The fibreglass walls ensure excellent insulation thanks to the polystyrene extruded material inside.

Low profile motorhome dome: fibreglass single-block or ABS with integrated skydome.



MOBILVETTA

THE PRIVILEGE OF COMBINING CONSTRUCTION TECHNOLOGY AND SAFETY.


THE ADVANTAGE OF EXCELLENT COMFORT, LOTS OF SPACE AND SOLIDITY.

The double technical flooring consists of a lower floor, resting on the chassis, and an upper floor, resting on a steel counterframe.

- \\ HIGHER STRUCTURAL STRENGTH
- \\ BETTER THERMICAL INSULATION
- \\ BETTER SOUND INSULATION
- \\ GREATER STORAGE CAPACITY
- \\ EASY ACCESS TO WATER SYSTEMS

Thermal insulation: the two floors provide a higher insulation of the living area from the outside.

Sound insulation: on the road, which reduces noise coming from the underside of the vehicle.



Structural strength: the floor of the motorhome rests on a high-strength steel reinforcement structure.



Possibility of greater storage because thanks to the double technical flooring it is possible to obtain functional hatches for objects and bottles both at the front and at the rear of the vehicle. Outside there are maxi-garages with opening bands.



The specifications contained herein may refer to only certain models of the range.

MOBILVETTA

THE PRIVILEGE OF BEING ABLE TO CHOOSE A STYLED PERFORMANCE.

FOR THE MOST DEMANDING MOTORHOME OWNERS THE OPPORTUNITY TO CHOOSE THE AL-KO AMC CHASSIS FOR THE K-YACHT TEKNO DESIGN AND K-YACHT TEKNOLINE RANGES.




K-YACHT TEKNO DESIGN 79
K-YACHT TEKNO DESIGN 85
K-YACHT TEKNO DESIGN 89



K-YACHT TEKNOLINE 79
K-YACHT TEKNOLINE 85
K-YACHT TEKNOLINE 86
K-YACHT TEKNOLINE 89
K-YACHT TEKNOLINE 90

The chassis is then equipped with a steel torsion bar axle with independent wheel suspension and extended track width, both lowered to take advantage of larger volumes.

Chassis and cab are perfectly connected by a cup coupling with knurling.



Some holes on the side members make the water flow out, keeping the weight lighter but with the same strength. The use of high-strength steel guarantees considerable stability.

The AL-KO chassis is made of a light, hot galvanised structure, which is very resistant to corrosion. The chassis is formed as an open "C" in a single piece thus ensuring rigidity and strength.



Advantages of the low chassis: **driving.**

Perfect driving dynamics and excellent ride comfort even in extreme road conditions;

Driving stability and road holding thanks to the low chassis and the use of high-strength steels;

Maximum rigidity thanks to the "c" profile structure;

Torsion bar suspension and independent wheel suspension ensure better grip even on the most uneven terrain.


Advantages of the low chassis: **storage.**

Double flooring with 250 mm span, externally covered in fibreglass;

The floor has practical storage compartments, also for bottles in the front living area and in the rear sleeping area;

Access to the double flooring for storage thanks to openable doors in the side straps;

Storage accessible from both sides of the motorhome.



Advantages of the low chassis: **systems.**

Greater freedom of positioning of tanks and systems in a frost-protected position because they are located in the double flooring.

MOBILVETTA

THE PRIVILEGE OF
PLENTY OF SPACE FOR
YOUR **DESTINATIONS.**



Garage with lighting. Maxi-garage with load platform, flush with no step. The garages have **sliding rings** that make it easier to attach objects to the inner wall. **Garage heated** by air vents.

Door with piston for easier opening (except Krosser). Doors that open to 150 degrees: **extremely simple access to loads.**

Storage door locks have a **double lock** for added security.



The garage doors are **protected on top with rain and splash-proof gaskets** that prevent moisture from entering or, in case of very low temperatures, the door does not freeze and ensures opening.



DESCRIPTION

- \\ **Fibreglass lower cover to protect against chip stones, external humidity and salt in the streets.**
- \\ **Internal insulation in extruded polystyrene, 30 mm, with structural strips for greater rigidity and tightness.**
- \\ **Upper fibreglass cover for greater heat insulation and mechanical resistance.**
- \\ **Linoleum flooring for wear surface protection and easier maintenance.**

KG 300 Kg

High load capacity: up to 300 kg of dynamically tested load (maximum technically loadable weight that affects the approved seats or the remaining total payload).

The centre bed models in the K-Yacht Teknodesign and K-Yacht Teknoline ranges offer an electrically operated **variable volume garage system.**



MOBILVETTA

THE PRIVILEGE OF A
SUIT **TAILORED** FOR **ALL**
SEASONS.

TO FOLLOW YOU IN EVERY DESTINATION, EVEN IN WINTER: HIGH PERFORMANCE, PERFECT CLIMATE, WELL-BEING ON BOARD. A MOTORHOME THAT FOLLOWS YOUR HOLIDAY STYLE THANKS TO HIGH LEVEL TECHNOLOGIES, HIGH PERFORMANCE MATERIALS IN TERMS OF INSULATION AND PROTECTION FROM EXTERNAL AGENTS.

GRADE 3 INSULATION



The specifications contained herein may refer to only certain models of the range.

High-performance insulation in extruded plastic and fibreglass for all models and types.

Fiberglass bodywork with hail protection.

Waste water tank built with **insulating material** of 20 mm and equipped with **antifreeze resistance** (K-Yacht Teknoline, Kea, Krosser).



COMBINED GAS HEATING 6000 W (4 KW FOR K-SILVER).

Internal ventilation designed for optimal performance, with hot air vents right where they are needed, in the most exposed and critical points of the living unit.

CP PLUS. BOOST FUNCTION FOR RAPID HEATING OF THE WATER AND THE COMPARTMENT;

PROGRAMMING FUNCTIONS AND AUTOMATIC TIMER. I-NET READY.



Manual windscreen blind with privacy function: protects from external light, protects internal privacy.



Heated floor with the use of self-adjusting heating cables (K-yacht Teknoline and Kea M and P) or with heating film (K-Yacht Tekno Design) depending on the model for a heat spread over the entire floor area.



Heated windscreen dual function defroster in winter and solar heat protection in summer (optional for motorhomes).



MOBILVETTA

THE PRIVILEGE OF BEING ABLE TO SHINE IN YOUR OWN LIGHT.

LIGHTING A MOTORHOME WELL IS JUST AS IMPORTANT AS CHOOSING THE RIGHT FURNITURE. THE LIGHT ALLOWS YOU TO FULLY ENJOY THE SPACES, TO CREATE AN ATMOSPHERE AND TO CARRY OUT EVEN IN THE EVENING YOUR FAVOURITE ACTIVITIES, SUCH AS READING A GOOD BOOK, COOKING, FINDING YOURSELF AROUND A TABLE.

Perfect lighting can transform and shape and form the soul of spaces. This is why the Mobilvetta study centre pays attention to the design of correct interior lighting as an essential element of living comfort.

The result is an interior lighting with a unique character and rich in style, able to furnish, as well as to give light: an innovative, distinctive and personal sign of your Mobilvetta motorhome.

Correct balance between natural light from the outside and artificial light inside.

Specific solutions for each environment of the motorhome depending on the activity that takes place there:



LED spotlights in the sleeping area to read a book without disturbing fellow travellers.



Courtesy marker lights on the floor for orientation if you move in the motorhome at night.



Indirect lighting, light frames and LED strips for pleasant and uniform atmospheres.

The specifications contained herein may refer to only certain models of the range.



Complete LED lighting: eco-sustainable, low environmental impact and future-proof. Because current trends are increasingly looking for energy savings, lighting efficiency, long service life and greater range.

Krosser P86 night photo

MOBILVETTA

THE PRIVILEGE OF **CHOICE.**
THE **2020 RANGE.**

K.YACHT TEKNO DESIGN



K-YACHT - TEKNO DESIGN - 79



K-YACHT - TEKNO DESIGN - 85



K-YACHT - TEKNO DESIGN - 89



K.YACHT TEKNOLINE



K-YACHT - TEKNOLINE - 79



K-YACHT - TEKNOLINE - 80



K-YACHT - TEKNOLINE - 85



K-YACHT - TEKNOLINE - 86



K-YACHT - TEKNOLINE - 89



K-YACHT - TEKNOLINE - 90



K-SILVER I



K-SILVER I56



K-SILVER I58



K-SILVER I59



KEA



KEA - M74



KEA - M76



KEA - M79



KEA - P65



KEA - P67



KEA - P68



KROSSER



KROSSER P70



KROSSER P86



KROSSER P90





K.YACHT TEKNO DESIGN

Photographs may show vehicles fitted with optional features and may contain photography props not included in the standard specification of the vehicle.





Sockets with USB input for recharging your tech devices.



Pull-out baskets for access column. TV holder can be rotated by 90°: adapts to different sitting and viewing positions, with extendable arm. Easy passage when not in use.



Table with folding top and modular dimensions. Comfort and travel space when closed (dim. 63x55 cm), large surface area that can be modulated when needed (dim. 63x110 cm).



Lin Bus smart technology that allows the adjustment of the lights of the rooms with proximity sensor.

Speakers for sound diffusion: to relax in your motorhome while listening to your favourite music.



Floor hatches for additional storage.

Heated floor with heating film.



Wall units with wooden backrests for stable, long-lasting and quieter furniture on the move. The aluminium profile inside the door lends greater stability to the structure as a whole. Rounded fitting on the aluminium wall unit. Maxi rooflight in the corridor and above the dinette.

Dinette sofa with double shaped armrest. Ergonomic two-seater sofa. Height-adjustable head restraint. Cab seats can be rotated 180° with covers coordinated with the upholstery.





Two big baskets with one curved door. Internal socket.



Sliding basket for easy extraction of everything you need. Containment baskets.

Soft-close drawers for a dampened automatic closure with locking control on the handles. Drawers with integrated cutlery tray. Multifunctional cutting board housing.



Aluminium taps made to an exclusive design by Mobilvetta Teknodesign: the special shape allows more space for greater functionality and freedom of movement.

Extractor hood. Combined refrigerator with freezer 150 l with automatic energy choice.

Shaped stainless steel drip tray.

Kitchen top in Light Stone, modelled on a continuous surface thanks to single-block moulding technology. With integrated washbasin.

Equipped with a light stone sink cover, flush with the top: a cover or extension of the surface that serves as an object holder, ladle holder or practical cutting board.

Kitchen and dinette side partition with containers.

Stainless steel cooker hob with three linear burners, durable over time and highly resistant to corrosion.

Brushed stainless steel effect laminate panel, splash-proof, easy to clean.






Soft touch roof.

Panoramic rooflight with flyscreen and blind: more air on warm summer evenings or a privileged view of the starry sky.



The bedside table is covered in eco-leather. Padding at the foot of the central bed, luxury style and greater protection of the compartment.



Ergonomic mattresses with honeycomb fabric bottom for proper breathability and sweet dreams. Slatted bases.

Cabinets with interior lighting.



Storage and cabinets under the bed (central and twin beds). Stowage obtained from the steps of the bed covered with carpet: a soft carpet to stand barefoot around the bed, greater protection and insulation from the floor, quality finish for an even more relaxing and exclusive environment.



LED lighting: LED spotlights in the sleeping area to read a book without disturbing fellow travellers, courtesy marker lights on the floor for orientation if you move in the motorhome at night indirect lighting, light frames and LED strips for pleasant and uniform atmospheres.


Toilet with wooden furniture.

Aluminium taps made to an exclusive design by Mobilvetta Teknodelign: the special shape allows more space for greater functionality and freedom of movement.



Shower with rooflight and LED light frame roof.

Toilet top in Light Stone, modelled on a continuous surface thanks to single-block moulding technology. With integrated washbasin.



Pull-out towel rails.

Heating nozzle under the towel rail.

Mirror with integrated tray.

Integrated toothbrush holder.

Lighting integrated in mirror. 220 V socket for hair dryer or electric shaver. Large window.





High mirrors with bus-type arm.

Pleated windscreen blinds.

Two-points entrance door with central locking and flyscreen.

External lighting.



Maximum visibility. An aerodynamic line with a low Cx (coefficient of aerodynamic resistance) has a significant influence on the reduction of fuel consumption, on speed when travelling and on road holding as the pace increases.

Manual cab climate control;
Cruise Control;
Double airbag;
High level control panel;
ESC and Hill Holder;
Traction + and Hill Descent;
Steering wheel controls;
Combi heating 6 kW.

16" wheels with alloy wheels.

External water connection with hot/cold water mixer and hand shower.

Multifunction external satellite TV-12/220 V socket.

Opening aluminium stripes with lockers.



Integrated DRL LED headlights.



GLAMOUR
Microfibre, standard



SUPREME
Faux leather, optional choice



EXCELSIOR
Real leather, optional choice



PRESTIGE
Faux leather, optional choice

K-YACHT TEKNO DESIGN 79



LENGHT 7,44 M
WIDTH 2,35 M






HOMOLOGATED SEATS 4
BERTHS 4

CENTRAL BED 140X190 CM
ELEVATING BED 138,5X193 CM

Motorhome with large and bright living area. Ergonomic two-seater sofa, with double shaped armrest. Cab seats can be rotated 180° with covers coordinated with the upholstery. Table with folding top.

Kitchen top in Light Stone with integrated washbasin, equipped with a light stone sink cover, flush with the top. Stainless steel cooker hob with three linear burners.

Double floor.

-  Combined refrigerator with freezer 150 l with automatic energy choice.
-  2 DIN Car Play radio. 4 Speakers for sound diffusion. Lin Bus smart technology that allows the adjustment of the lights.
-  Transversal toilet area, with separate shower and toilet. Sliding doors separate and give privacy from the living area and the rear bedroom.
-  Maxi queen-sized bed 140x190 cm with easy access from both sides. Sliding doors separate the bed from toilet and living area.
-  Garage: dimensions 910x1150 mm. Electrically operated variable volume garage system. 300 kg, High load capacity, technically loadable weight.



K-YACHT TEKNO DESIGN 85



LENGHT 7,44 M
WIDTH 2,35 M






HOMOLOGATED SEATS 4
BERTHS 4

TWIN BEDS 82X191/207 / 82X191/207 CM
ELEVATING BED 138,5X193 CM

Motorhome with large and bright living area. Ergonomic two-seater sofa, with double shaped armrest. Cab seats can be rotated 180° with covers coordinated with the upholstery. Table with folding top.

Kitchen top in Light Stone with integrated washbasin, equipped with a light stone sink cover, flush with the top. Stainless steel cooker hob with three linear burners.

Double floor.

-  Combined refrigerator with freezer 150 l with automatic energy choice.
-  2 DIN Car Play radio. 4 Speakers for sound diffusion. Lin Bus smart technology that allows the adjustment of the lights.
-  Separate toilet with independent shower. The toilet door closes and separates from living area.
-  Maxi twin beds with length 191/207 cm. Wardrobes with shelves or rods under the beds, easily accessible. Sliding doors separate the bed from toilet and living area.
-  Garage: dimensions 910x1150 mm. 300 kg, High load capacity, technically loadable weight.



K-YACHT TEKNO DESIGN 89



LENGHT 7,44 M
WIDTH 2,35 M






HOMOLOGATED SEATS 4
BERTHS 4

REAR BED 140X190 CM
ELEVATING BED 138,5X193 CM

Motorhome with large and bright living area. Ergonomic two-seater sofa, with double shaped armrest. Cab seats can be rotated 180° with covers coordinated with the upholstery. Table with folding top.

Kitchen top in Light Stone with integrated washbasin, equipped with a light stone sink cover, flush with the top. Stainless steel cooker hob with three linear burners.

Double floor.

-  Combined refrigerator with freezer 150 l with automatic energy choice.
-  2 DIN Car Play radio. 4 Speakers for sound diffusion. Lin Bus smart technology that allows the adjustment of the lights.
-  Separate toilet with independent shower. The toilet door closes and separates from living area.
-  Maxi queen-sized bed 140x190 cm with easy access from both sides. Sliding doors separate the bed from toilet and living area.
-  Garage: dimensions 910x1150 mm. Electrically operated variable volume garage system. 300 kg, High load capacity, technically loadable weight.





K.YACHT TEKNOLINE

Photographs may show vehicles fitted with optional features and may contain photography props not included in the standard specification of the vehicle.





LIVING AREA

K YACHT TEKNOLOGIJE

Height-adjustable head restraint.

Double-density expanded polyurethane seats.



Speakers for sound diffusion.



Dinette island table with 360° horizontal movement.



TV stand with extensible and adjustable arm.

Socket with USB input for recharging your tech devices.



Maxi rooflight in the corridor and above the dinette.

Wall units with wooden backrests: long-lasting and quieter on the move.

A padding covers the bottom of the sofas in the living area, luxury style and greater protection.

Table with folding top: modular dimensions. Comfort and travel space when closed (dim. 55x75 cm), large surface area that can be modulated when needed (dim. 110x75 cm).

Cab seats can be rotated 180° with covers coordinated with the upholstery. Integrated belt.

Dimmer - brightness control for all indoor environments in one switch.

Multifunctional touch-screen control unit.

Floor hatch for additional storage.

Heated flooring with the use of self-adjusting heating cables.







Extractor hood.

Combined refrigerator with freezer 150 l with automatic energy choice.

Sliding basket for easy extraction of everything you need, with safety lock.

Containment baskets: for arranging all the chef's equipment in the motorhome.



Single-lever taps for easy water temperature adjustment.



Black glass and stainless steel hob with three burners.

Methacrylate panel to protect the kitchen window from splashes, easy to clean.

Wall next to the dinette equipped for paper roll and cutting board holder.



Drawers with integrated cutlery tray and housing for the chopping board.

Soft-close drawers for a dampened automatic closure with locking control on the handles.



Panoramic rooflight with flyscreen and blind.

Sleeping area enriched with pleated blinds and padded panels.



Wall units with rounded doors, extremely spacious and practical and elegant shelf.

Ergonomic mattresses with honeycomb fabric bottom for proper breathability.



Electric up and down rear bed: choose where you want more space by adjusting the height of the rear bed, more volume in the garage or more space in the room (models 79, 89, 90).

Step storage areas.
Storage and cabinets under the bed (except 80).
Cabinets with interior lighting.



LED lighting: LED spotlights in the sleeping area to read a book without disturbing fellow travellers, courtesy marker lights on the floor for orientation if you move in the motorhome at night indirect lighting for pleasant and warm atmospheres.



Large window.

Shower with rooflight and LED spotlight.

Toilet with wooden furniture.

With hook for drying longer clothes (shower area).

Easy to clean acrylic stone toilet top with mirrored steel washbasin (except 80).

Mirror with integrated tray.

Integrated ceramic toothbrush and soap holder.

Towel rail at your fingertips under the sink.

Lighting integrated in mirror.



Teak wood panel for shower base.





Two-points entrance door with central locking and flyscreen.

External lighting.



High mirrors with bus-type arm.

Pleated windscreen blinds.



Maximum visibility. An aerodynamic line with a low Cx (coefficient of aerodynamic resistance) has a significant influence on the reduction of fuel consumption, on speed when travelling and on road holding as the pace increases.

Manual cab climate control; Cruise Control; Double airbag; High level control panel; ESC and Hill Holder; Traction + and Hill Descent; Combi heating 6 kW.

External water connection with hot/cold water mixer and hand shower.

Multifunction external satellite TV-12/220 V socket.

16" wheels with alloy wheels.



Opening aluminium bands with maxi-garage



Integrated DRL LED headlights.



ENVIRONMENT CLASSICO



ENVIRONMENT CAPPUCCINO



MOBY
Fabric combined with faux leather
Standard



PRESTIGE BROWN
Faux leather
Optional feature Cappuccino



COMFORT GREY
Faux leather
Optional feature



PRESTIGE
Faux leather
Optional feature



MADRAS
Real leather
Optional feature

K-YACHT TEKNO LINE 79








LENGHT 7.43 M HOMOLOGATED SEATS4 CENTRAL BED 140X190 CM
 WIDTH 2,35 M BERTHS 4 ELEVATING BED 138,5X193 CM

Motorhome with large and bright living area. L-form sofa with additional lateral seat. Cab seats can be rotated 180° with covers integrated in the dinette.

Kitchen top in acrylic stone with built-in sink in stainless steel. Equipped with sink cover in acrylic stone with bin integrated in the top.

Double floor.

-  Combined refrigerator with freezer 150 l with automatic energy choice.
-  4 Speakers for sound diffusion. Dimmer - brightness control for all indoor environments in one switch.
-  Transversal toilet area, with separate shower and toilet. Sliding doors separate and give privacy from the living area and the rear bedroom.
-  Maxi queen-sized bed 140x190 cm with easy access from both sides. Sliding doors separate the bed from toilet and living area.
-  Garage: dimensions 910x1150 mm. Electrically operated variable volume garage system. 300 kg, High load capacity, technically loadable weight.



K-YACHT TEKNO LINE 80








LENGHT 6.99 M HOMOLOGATED SEATS4 REAR ELEVATING BED 145X196 CM
 WIDTH 2,35 M BERTHS 4 FRONT ELEVATING BED 138,5X193 CM

Under 7 Metres. Motorhome with large and bright living area. L-form sofa with additional lateral seat. Cab seats can be rotated 180° with covers integrated in the dinette.

Maxi U-form living area in the rear part. Table with electric mechanismus. Retractable TV holder. A double elevating bed descends on the rear dinette.

Double floor.

-  Combined refrigerator with freezer 150 l with automatic energy choice.
-  4 Speakers for sound diffusion. Dimmer - brightness control for all indoor environments in one switch.
-  Compact toilet area with separate shower.
-  Maxi elevating bed that descends on the rear dinette.
-  Garage: dimensions 710x790/710x600 mm.



K-YACHT TEKNO LINE 85








LENGHT 7.38 M HOMOLOGATED SEATS4 TWIN BEDS 82X204 / 82X191 CM
 WIDTH 2,35 M BERTHS 4 ELEVATING BED 138,5X193 CM

Motorhome with large and bright living area. L-form sofa with additional lateral seat. Cab seats can be rotated 180° with covers integrated in the dinette.

Kitchen top in acrylic stone with built-in sink in stainless steel. Equipped with sink cover in acrylic stone with bin integrated in the top.

Double floor.

-  Combined refrigerator with freezer 150 l with automatic energy choice.
-  4 Speakers for sound diffusion. Dimmer - brightness control for all indoor environments in one switch.
-  Separate toilet with independent shower. Sliding doors separate toilet from living area.
-  Maxi twin beds 191/204 cm. Wardrobes with shelves or rods under the beds, easily accessible.
-  Garage: dimensions 910x1150 mm. 300 kg, High load capacity, technically loadable weight.



K-YACHT TEKNO LINE 86








Motorhome with large and bright living area. L-form sofa with additional lateral seat. Cab seats can be rotated 180° with covers integrated in the dinette.

Kitchen top in acrylic stone with built-in sink in stainless steel. Equipped with sink cover in acrylic stone with bin integrated in the top.

Double floor.

LENGHT 7,43 M HOMOLOGATED SEATS4 TWIN BEDS 81X191-207 / 81X191-207 CM
 WIDTH 2,35 M BERTHS 4 ELEVATING BED 138,5X190 CM

-  Combined refrigerator with freezer 150 l with automatic energy choice.
-  4 Speakers for sound diffusion. Dimmer - brightness control for all indoor environments in one switch.
-  Separate toilet with independent shower. Toilet door separates toilet from living area.
-  Maxi twin beds with length 207 cm. Wardrobes with shelves or rods under the beds, easily accessible. Sliding doors separate night area from living area.
-  Garage: dimensions 910x1150 mm. 300 kg, High load capacity, technically loadable weight.



K-YACHT TEKNO LINE 89








Motorhome with large and bright living area. L-form sofa with additional lateral seat. Cab seats can be rotated 180° with covers integrated in the dinette.

Kitchen top in acrylic stone with built-in sink in stainless steel. Equipped with sink cover in acrylic stone with bin integrated in the top.

Double floor.

LENGHT 7,43 M HOMOLOGATED SEATS4 CENTRAL BED 140X190 CM
 WIDTH 2,35 M BERTHS 4 ELEVATING BED 138,5X193 CM

-  Combined refrigerator with freezer 150 l with automatic energy choice.
-  4 Speakers for sound diffusion. Dimmer - brightness control for all indoor environments in one switch.
-  Separate toilet with independent shower. Toilet door separates toilet from living area.
-  Maxi queen-sized bed 140x190 cm with easy access from both sides. Sliding doors separate the bed from toilet and living area.
-  Garage: dimensions 910x1150 mm. Electrically operated variable volume garage system. 300 kg, High load capacity, technically loadable weight.



K-YACHT TEKNO LINE 90








Motorhome with large and bright living area. L-form sofa with additional lateral seat. Cab seats can be rotated 180° with covers integrated in the dinette.

Kitchen top in acrylic stone with built-in sink in stainless steel. Equipped with sink cover in acrylic stone with bin integrated in the top.

Double floor.

LENGHT 7,54 M HOMOLOGATED SEATS4 CENTRAL BED 160X190 CM
 WIDTH 2,35 M BERTHS 4 ELEVATING BED 138,5X193 CM

-  Combined refrigerator with freezer 150 l with automatic energy choice.
-  4 Speakers for sound diffusion. Dimmer - brightness control for all indoor environments in one switch.
-  Separate toilet with independent shower. Toilet door separates toilet from living area.
-  Maxi queen-sized bed with length 160x190 cm. Sliding doors separate toilet from living area.
-  Garage: dimensions 910x1150 mm. Electrically operated variable volume garage system. 300 kg, High load capacity, technically loadable weight.






K-SILVER I



Height-adjustable head restraint.

Double-density expanded polyurethane seats.




Maxi rooflight above the dinette.


A padding covers the bottom of the sofas in the living area, luxury style and greater protection.




Dinette island table with 360° horizontal movement.



Cab seats can be rotated 180° with covers coordinated with the upholstery. Integrated belt.



Floor hatch for additional storage.







Combined refrigerator with freezer, capacity 150 l with automatic energy choice.

Baskets and drawers with integrated cutlery tray.



Black glass and stainless steel hob with three burners.

Anti-scratch kitchen top with built-in sink in stainless steel.

Wall next to the dinette equipped with cutting board holder.



Methacrylate panel to protect the kitchen window from splashes, easy to clean.



Soft-close drawers for a dampened automatic closure with locking control on the handles.



Panoramic rooflight with flyscreen and blind.

Ergonomic mattresses with honeycomb fabric bottom for proper breathability.



Electric up and down rear bed: choose where you want more space by adjusting the height of the rear bed, more volume in the garage or more space in the room (models 58, 59).

Step storage areas. Storage and cabinets under the bed.



Fold-down bed that goes down into the cab leaving the dinette free.



Bedside tables for storage of objects.



LED lighting: LED spotlights in the sleeping area to read a book without disturbing fellow travellers, courtesy marker lights on the floor for orientation if you move in the motorhome at night indirect lighting for pleasant and warm atmospheres.

- Toilet with wooden furniture.
- Anti-scratch, antibacterial and easy to clean toilet top with superposed washbasin.
- Mirror with integrated tray.
- Integrated ceramic toothbrush and soap holder.
- Towel rail at your fingertips under the sink.
- Lighting integrated in mirror. 220 V socket for hair dryer or electric shaver.
- Large window.





High mirrors with bus-type arm.

Pleated windscreen blinds.

Two-points entrance door with central locking and flyscreen.

External lighting.

Rear and front Midi Heki rooflight

Maximum visibility. An aerodynamic line.



Manual cab climate control; Cruise Control; Double airbag; ESC and Hill Holder; CP Plus

Insulated grey water tank and drain valve with antifreeze resistance.

Aluminium bands.

16" wheels.



Integrated DRL LED headlights.



PRESTIGE
Faux leather
Standard



PRESTIGE BROWN
Faux leather
Optional feature





K-SILVER I56



Motorhome with large and bright living area. L-form sofa with additional lateral seat. Cab seats can be rotated 180° with covers integrated in the dinette.

Black glass and stainless steel hob with three burners.

LENGHT 7.40 M HOMOLOGATED SEATS4 TWIN BEDS 82X188 / 82X197 CM
 WIDTH 2,35 M BERTHS 4 ELEVATING BED 138,5X190 CM

-  Combined refrigerator with freezer 150 l with automatic energy choice.
-  Separate toilet with independent shower. Sliding doors separate toilet from living area.
-  Maxi twin beds with a lenght 197/188 cm. Wardrobes with shelves or rods under the beds, easily accessible.
-  Garage: dimensions 910x1150 mm. 300 kg, High load capacity, technically loadable weight.







K-SILVER I58



Motorhome with large and bright living area. L-form sofa with additional lateral seat. Cab seats can be rotated 180° with covers integrated in the dinette.

Black glass and stainless steel hob with three burners.

LENGHT 7.40 M HOMOLOGATED SEATS4 CETRAL BED 140X190 CM
 WIDTH 2,35 M BERTHS 4 ELEVATING BED 138,5X190 CM

-  Combined refrigerator with freezer 150 l with automatic energy choice.
-  Transversal toilet area, with separate shower and toilet. Sliding doors separate and give privacy from the living area and the rear bedroom.
-  Maxi queen-sized bed with a lenght 140x190 cm with easy access from both sides. Sliding doors separate the bed from toilet and living area.
-  Garage: dimensions 910x1150 mm. 300 kg, High load capacity, technically loadable weight.







K-SILVER I59



Motorhome with large and bright living area. L-form sofa with additional lateral seat. Cab seats can be rotated 180° with covers integrated in the dinette.

Black glass and stainless steel hob with three burners.

LENGHT 7.40 M HOMOLOGATED SEATS4 CETRAL BED 160X190 CM
 WIDTH 2,35 M BERTHS 4 ELEVATING BED 138,5X190 CM

-  Combined refrigerator with freezer 150 l with automatic energy choice.
-  Separate toilet with independent shower. Sliding doors separate toilet from living area.
-  Maxi rear bed 140x190 cm. Wardrobes with big dimensions.
-  Garage: dimensions 910x1150 mm. 300 kg, High load capacity, technically loadable weight.




Photographs may show vehicles fitted with optional features and may contain photography props not included in the standard specification of the vehicle.



KEA M & KEA P

 **MOBILVETTA**
DESIGN





Floor hatches for additional storage.



Extractable equipped column in the access area (except Kea M74, P67).

Backlit access handle.

Dimmer - brightness dimmer.

TV stand with extensible and adjustable arm.



Island dinette table with 360° rotation to find the best position according to the needs of travelling or parking.



Height-adjustable head restraint.

Socket with USB input for recharging your tech devices.

A padding covers the bottom of the sofas in the living area.

Storage compartment in the dinette sofa.



Cab seats can be rotated 180° with covers coordinated with the upholstery. Double-density expanded polyurethane seats.





Soft-close drawers for a dampened automatic closure with locking control by push lock for improved safety while on the move.



Anti-scratch laminate kitchen top with built-in sink in mirrored stainless steel.

Wall next to the dinette equipped for paper roll and multifunction cutting board. With LED light profile.

Single-lever taps for easy water temperature adjustment.

Extractor hood.

Combined refrigerator with freezer, capacity 150 l with automatic energy choice.



Drawers with integrated cutlery tray and housing for the chopping board.

Sliding basket for easy extraction of everything you need, with safety lock.

Containment baskets: for arranging all the chef's equipment in the motorhome.



NIGHT AREA

KEA P – KEA M

Soft Touch roof.

Panoramic rooflight with Flyscreen and blind.

Sleeping area enriched with pleated blinds and padded panels.

Wall units with rounded doors, extremely spacious and practical and elegant shelf.

Ergonomic mattresses with honeycomb fabric bottom for proper breathability.

Step storage areas.

Storage and cabinets under the bed (models with central and twin beds).

Cabinets with interior lighting.

Rear bed with manual up and down (Kea P68).

Kea M: overcab with two side windows, light and ventilation. Pull-up bed with pistons for easy access to the cab.



LED lighting: LED spotlights in the sleeping area to read a book without disturbing fellow travellers, courtesy marker lights on the floor for orientation if you move in the motorhome at night lighting on the wall unit with rear headboard for pleasant and warm atmospheres.





Wooden shower platform.



Integrated ceramic toothbrush and soap holder.

Mirrored steel sink.

Towel rail at your fingertips under the sink.



Shower with rooflight and LED spotlights.

Practical retractable hanger for drying even the longest clothing.

Toilet with wooden furniture.



Large window.

Lighting integrated in mirror. 220 V socket for hair dryer or electric shaver.



Seitz windows.



Overcab in fiberglass shell with side windows.



Opening aluminium bands with maxi-garage.



Low profiles dome with integrated Skydome.

External water connection with hot/cold water mixer and hand shower
Multifunction external satellite TV-12/220 V socket.

Two-points entrance door with central locking and flyscreen.

External lighting.



Manual cab climate control.
Cruise Control.
Double airbag.
High level control panel.
ESC and Hill Holder.
Combi heating 6 kW.

Integrated DRL LED headlights.
16" rim wheels with steel wheels.

Skid plate, front mask, black.

Bumpers painted in matching colour.



ENVIRONMENT CLASSICO



ENVIRONMENT CAPPUCCINO



MOBY
Fabric combined with faux leather
Standard



PRESTIGE BROWN
Faux leather
Optional feature Cappuccino



COMFORT GREY
Faux leather
Optional feature




PRESTIGE
Faux leather
Optional feature



MADRAS
Real leather
Optional feature

KEA M74







LENGTH 7.26 M HOMOLOGATED SEATS 4 REAR BED 220X140 CM
 WIDTH 2,35 M BERTHS 4 OVERCAB BED 140X190 CM

Overcab with L-form sofa with additional lateral seat.
 Island dinette table with 360° rotation.

Linear kitchen, hob with three burners.

Overcab with two windows.

Floor hatches for additional storage.

-  Combined refrigerator with freezer 150 l with automatic energy choice.
-  Spacious toilet with separate shower.
With window. Wooden shower platform.
-  Maxi rear bed 140x220 cm. Wardrobes with big dimensions.
-  Garage: dimensions 910x1150 mm. 300 kg, High load capacity, technically loadable weight.



KEA M76







LENGTH 7.32 M HOMOLOGATED SEATS 4 TWIN BEDS 82X191 / 82X204 CM
 WIDTH 2,35 M BERTHS 4 OVERCAB BED 140X190 CM

Overcab with L-form sofa with additional lateral seat.
 Island dinette table with 360° rotation.

L-form kitchen, hob with three burners.

Overcab with two windows.

Floor hatches for additional storage.

-  Combined refrigerator with freezer 150 l with automatic energy choice.
-  Separate toilet with independent shower. Sliding doors separate toilet from living area.
-  Maxi twin beds with a length up to 191/204 cm. Wardrobes under the beds, easily accessible.
-  Garage: dimensions 910x1210 mm. 300 kg, High load capacity, technically loadable weight.



KEA M79







LENGTH 7.38 M HOMOLOGATED SEATS 4 CENTRAL BED 140X193 CM
 WIDTH 2,35 M BERTHS 4 OVERCAB BED 140X190 CM

Overcab with L-form sofa with additional lateral seat.
 Island dinette table with 360° rotation.

L-form kitchen, hob with three burners.

Overcab with two windows.

Floor hatches for additional storage.

-  Combined refrigerator with freezer 150 l with automatic energy choice.
-  Separate toilet with independent shower. Sliding doors separate toilet from living area.
-  Maxi rear bed with a length 193x140 cm. Wardrobes with big dimensions.
-  Garage: dimensions 910x1210 mm. 300 kg, High load capacity, technically loadable weight.



KEA P65



Low profile with L-form sofa with additional lateral seat. Island dinette table with 360° rotation.





L-form kitchen, hob with three burners.

Double floor.

LENGTH 7.38 M
WIDTH 2,35 M

HOMOLOGATED SEATS 4
BERTHS 4

TWIN BEDS 81X192 / 81X201 CM
ELEVATING BED 114/111/131X191 CM

-  Combined refrigerator with freezer 150 l with automatic energy choice.
-  Separate toilet with independent shower. Sliding doors separate toilet and night area from living area
-  Maxi twin beds with a length up to 192/201 cm. Wardrobes under the beds, easily accessible.
-  Garage: dimensions 910x1150 mm. 300 kg, High load capacity, technically loadable weight.



KEA P67



Under 7 Metres. Low profile with L-form sofa with additional lateral seat. Island dinette table with 360° rotation.





L-form kitchen, hob with three burners.

Double floor.

LENGTH 6.99 M
WIDTH 2,35 M

HOMOLOGATED SEATS 4
BERTHS 4

REAR BED 220X140/128 CM
ELEVATING BED 113/131X191 CM

-  Combined refrigerator with freezer 150 l with automatic energy choice.
-  Compact toilet with separate shower. Wooden shower platform.
-  Maxi rear bed 140/128x220 cm. Wardrobes with big dimensions.
-  Garage: dimensions 910x1150 / 670x890 mm. 300 kg, High load capacity, technically loadable weight.



KEA P68



Low profile with L-form sofa with additional lateral seat. Island dinette table with 360° rotation.





L-form kitchen, hob with three burners.

Double floor.

LENGTH 7.38 M
WIDTH 2,35 M

HOMOLOGATED SEATS 4
BERTHS 4

CENTRAL BED S140X190 CM
ELEVATING BED 106/100,5/125,5X191 CM

-  Combined refrigerator with freezer 150 l with automatic energy choice.
-  Separate toilet with independent shower. Toilet door closes and separates from living area. Sliding doors separate the bed from toilet and living area.
-  Maxi rear bed with 140x190 cm. Wardrobes with big dimensions.
-  Garage: dimensions 910x1150 mm. 300 kg, High load capacity, technically loadable weight.





KROSSER


KROSSER MOBILVETTA

DOUBLE FLOOR, DOUBLE STORAGE.

The double technical flooring of the KROSSER consists of a lower floor (38 mm thick), resting on the chassis, and an upper floor (20 mm thick), resting on a steel counterframe.

- \\ **HIGHER STRUCTURAL RESISTANCE.**
- \\ **IMPROVED THERMAL AND SOUND INSULATION.**
- \\ **INCREASED STORAGE CAPACITY.**

Floor of the living unit without internal steps to move freely without the risk of stumbling. Access to the compartments via removable or hinged lids.



Insulated and heated fresh and grey water tanks located in the double floor above the rear axle.

Entrance step made of sandwich panels to ensure greater continuity of insulation from the cold coming from the lower part of the vehicle.

Lower floor thickness 38 mm: greater thermal insulation from the outside and greater protection against noise from the underside of the vehicle.

Thickness of upper floor 20 mm.



Possibility of greater storage because thanks to the double technical flooring it is possible to obtain functional hatches for objects and bottles both at the front and at the rear of the vehicle. Outside there are maxi-garages with opening bands.

Access to the double floor for storage on both sides of the vehicle thanks to large and practical hatches.

Access from inside the vehicle via hatches to the drain cocks and fresh water tank.

DOUBLE STORAGE, WITH A LOAD CAPACITY OF 690 LITRES



Front through storage 550 litres, with internal height of 19 cm.



Storage compartment access from the step 35 litres.

Storage compartment floor hatch 105 litres, with spring hinges.



Wall units with wooden backrests for stable, long-lasting and quieter furniture on the move.




Teak wood table, with folding top.

Modular dimensions.

Easy passage during the stop, comfort and travelling seat space: when closed (dim. 90x40 cm model 70 and 74x40 cm model 86 and 90), large surface area that can be modulated when opened (dim. 90x80 cm model 70 and 74x80 cm model 86 and 90).

TV stand with extensible and adjustable arm in the access area.

Ambient LED lights.



Cab seats can be rotated 150° with covers coordinated with the upholstery.

A padding covers the bottom of the sofas in the living area, luxury style and greater protection of the compartment.

Floor hatch for additional storage.



Soft touch roof.





Side wall equipped with spice rack, roll holder and towel holder, steel finish.

Methacrylate panel with wood finish for easy cleaning.

Containment baskets: for arranging all the chef's equipment in the motorhome.

Sliding basket for easy extraction of everything you need, with safety lock.



Anti-scratch kitchen top with built-in sink in mirrored stainless steel.

Equipped with a two-part sink cover that acts as a tray or practical cutting board.

Black glass and stainless steel hob with three linear burners.

Soft-close drawers for a dampened automatic closure with locking control by push lock.

Combined refrigerator with freezer up to 150 l with automatic energy choice.



Ergonomic mattresses and slatted bases.



Step storage areas. Storage, wardrobes or drawers under the bed (central and twin beds).




Rooflight on the bed with flyscreen and blind: more air on warm summer evenings or a privileged view of the starry sky.

Wall units with rounded doors, extremely spacious and practical and elegant shelf.

Sleeping area enriched with pleated blinds and padded panels.



LED lighting: LED spotlights in the sleeping area to read a book without disturbing fellow travellers, courtesy marker lights on the floor for orientation if you move in the motorhome at night indirect lighting for pleasant and warm atmospheres.



Shower with roof-mounted jet.

Toilet with wooden furniture.

Large wall mirror.

Wide washbasin, positioned for maximum practicality.



Practical hand shower and soap holder on the wall. Wall in laminate, Teak wood colour.

Wooden platform.





Rear with High Performance ABS details for increased heat resistance.
Direction indicator with "dynamic system".



ABS dome with dynamic and elegant design. With integrated Skydome.

Full LED lights.

XL door:
useful clearance 620 mm;
Two-points door with central locking;
integrated dustbin;
Window with blind.

External lighting.



Aluminium skirts with maxi-garage

Manual cab climate control;
Cruise control;
Double airbag;
ESC and Hill Holder;
Combi heating 6 kW.

Electric step.

16" rim wheels.

Bumpers painted in matching colour with the cab.



PRESTIGE
Faux leather
Standard



PRESTIGE BROWN
Faux leather
Optional feature

RENDER

KROSSER P70



LENGHT 7.47 M
WIDTH 2,35 M

HOMOLOGATED SEATS 4
BERTHS 4





REAR BED 215X135 CM
ELEVATING BED 113/124X190 CM

Low profile with L-form sofa with additional lateral seat. Teak wood table, when closed dim. 90x40 cm, when opened dim. 90x80 cm.

Linear kitchen, hob with three burners.

XL door: useful clearance 620 mm. Electric step.

Double storage, with a load capacity of 690 litres: front through storage, storage compartment access from the step, trap in the floor.

-  Combined refrigerator with freezer 150 l with automatic energy choice.
-  Spacious toilet with separate shower. Shower with roof-mounted jet.
-  Maxi rear bed with 215x136cm. Wardrobes with big dimensions.
-  Garage: dimensions 1300x1020 (720) mm with internal doors and lockers. 300 kg, High load capacity, technically loadable weight.



KROSSER P86



LENGHT 7.47 M
WIDTH 2,35 M

HOMOLOGATED SEATS 4
BERTHS 4





TWIN BEDS 80X200 / 80X195 CM
ELEVATING BED 128X190 CM

Low profile with L-form sofa with additional lateral seat. Teak wood table, when closed dim. 74x40 cm, when opened dim. 74x80 cm.

L-form kitchen, hob with three burners.

XL door: useful clearance 620 mm. Electric step.

Double storage, with a load capacity of 690 litres: front through storage, storage compartment access from the step, trap in the floor.

-  Combined refrigerator with freezer 150 l with automatic energy choice.
-  Separate toilet with independent shower. Sliding doors separate beds from living area. Shower with roof-mounted jet.
-  Maxi twin beds with a length up to 200 cm. Wardrobes with shelves or rods under the beds, easily accessible.
-  Garage: dimensions 1170x970(720) mm with internal doors and lockers. 300 kg, High load capacity, technically loadable weight.



KROSSER P90



LENGHT 7.47 M
WIDTH 2,35 M

HOMOLOGATED SEATS 4
BERTHS 4





CENTRAL BED 190X150 CM
ELEVATING BED 128(107)X190 CM

Low profile with L-form sofa with additional lateral seat. Teak wood table, when closed dim. 74x40 cm, when opened dim. 74x80 cm.

L-form kitchen, hob with three burners.

XL door: useful clearance 620 mm. Electric step.

Double storage, with a load capacity of 690 litres: front through storage, storage compartment access from the step, trap in the floor.

-  Combined refrigerator with freezer 150 l with automatic energy choice.
-  Separate toilet with independent shower. Sliding doors separate beds from living area. Shower with roof-mounted jet.
-  Maxi queen-sized bed 190x150 cm. Wardrobes with big dimensions.
-  Garage: dimensions 1170x970(720) mm with internal doors and lockers. 300 kg, High load capacity, technically loadable weight.





TECHNICAL DATA

MOBILVETTA

THE PRIVILEGE OF CHOOSING HOW TO TRAVEL IN SAFETY, COMFORT AND BEST PERFORMANCE.



Created from the continuous cooperation with manufacturers, Fiat Ducato is the perfect combination of chassis and living unit. There are many presettings to facilitate the transformation, a specific electrical system and a cab designed with reinforced uprights and pre-cut roof.

Comfort and road holding: independent front suspension wheels, reinforced springs specifically for motorhomes. Rigid rear axle suspension with specific leaf springs for motorhomes. Standard front and rear anti-roll bar. Hydraulic power steering. One of the lowest turning diameters in its class. Minimum effort when manoeuvring at slow speed.



Large windscreen, compact and functional front.

Extended rear track: 1980 mm. A width compared to the standard commercial vehicle track width greater of 19 cm. More width means more space for internal living and greater stability.

	140 Multijet ²	160 Power Multijet ²	180 Power Multijet ²
Power (cv)	140	160	180
Torque (Nm)	350	380	400
Turbines	Variable geometry	Variable geometry	Variable geometry

The new Euro 6d-TEMP engines

Euro 6d-TEMP vehicles comply with the limits set by the new European legislation (WLTP). In order to comply with the regulations, in addition to the usual diesel particulate filter, the new Euro 6d-TEMP engines adopt a post treatment based on the SCR (Selective catalytic Reduction) process through the use of a reduction agent known as "adBlue".

- \\ **REDUCED EMISSIONS**
- \\ **BETTER READINESS FOR OVERTAKING AND UPHILLS**
- \\ **GREATER DRIVING SATISFACTION**



Steering wheel with typical inclination of a car and possibility to be adjusted axially with a travel of 50 mm.



"Captain chair" driver's seats with integrated headrest, wider backrest, better lateral containment, double armrest.

On a pivoting plate, in addition to being adjustable in height and inclination, they can rotate 180° and once rotated they can slide forward to get closer to the dinette.

Spaced seats for easy, unobstructed access from the driver's cab to the living area.



The dashboard of the driver's cab includes bottle holders and storage compartments, visible or closed, integrated glass holder, storage for smartphones or MP3 players.

Headlights on the top: better light beam width on the road. Specific camping cars new tyres also suitable for long stops and with low rolling resistance to reduce consumption.



Standard equipment

- Manual cab climate control
- Cruise Control with Speed Limiter.
- ESC: Electronic Stability Control, monitors acceleration, speed and grip. Includes roll-over mitigation, which improves stability by reducing roll. It includes: LAC (Load Adaptive Control): monitors load distribution, ARS: prevents wheel slip during acceleration, MSR (Schleppmoment Regelung Motor): prevents loss of grip during sudden manoeuvres, HBA (Hydraulic Brake Assistance): helps with emergency braking, Hill Holder that keeps the vehicle stationary during uphill starts.
- ECO Pack (only 160 and 180 hp) includes: smart alternator, intelligent alternator that provides only the necessary energy, Start and Stop, for lower fuel consumption, electronic fuel pump, for energy saving and for a high efficiency of fuel use.

Among the options

- Traction +: is the device to control the stability of the vehicle in conditions of poor grip of a single driving wheel. It includes Hill Descent Control for controlled speed on
- Automatic transmission: 9-speed, for a relaxed and pleasant driving experience. Better performance: up to 12.5% more torque.

K-YACHT TEKNO DESIGN				
	WEIGHT (KG)	K-YACHT 79 TEKNO DESIGN	K-YACHT 85 TEKNO DESIGN	K-YACHT 89 TEKNO DESIGN
<i>S= standard O=optional - = not available</i>				
Chassis				
Mechanical unit	-	FIAT DUCATO	FIAT DUCATO	FIAT DUCATO
Engine, Power hp	-	2.3 MJ 140 CV	2.3 MJ 140 CV	2.3 MJ 140 CV
Maximum technically permissible weight (Kg)	-	3500	3500	3500
Weight unladen in running conditions (Kg - Minimum - Maximum)	-	3120 - 3150	3120 - 3160	3120 - 3150
Pay Load (Kg - Minimum - Maximum)	-	350 - 380	340 - 380	350 - 380
Wheelbase (mm)	-	4035	4035	4035
Maximum towable weight (kg)	-	2000	2000	2000
Wheels dimensions	-	16"	16"	16"
Manual air conditioning	-	S	S	S
Driver and Passenger airbag	-	S	S	S
Cruise Control with speed limiter	-	S	S	S
ABS / ESC / Traction+	-/7	S / S / S	S / S / S	S / S / S
Swivelling driver' and passenger's seat	-	S	S	S
Cab seat covers	-	-	-	-
Painted front bumper	-	-	-	-
DRL (Day running light)	-	S	S	S
2 DIN Radio / Bluetooth radio/ with steering wheel radio controls	2,5/2,5/0,4	S / - / S	S / - / S	S / - / S
Dimensions and places				
External length (mm) / External width (mm)	-/-	7440/2350	7440/2350	7440/2350
External height(mm) / Internal height (mm)	-/-	2890/2000	2890/2000	2890/2000
Homologated seats	-	4	4	4
Berths (optional dinette)	-	4	4	4
Fifth berths in dinette	94	-	-	-
Rear Bed (mm)	-	1400x1900	dx 820x1910/2070 sx 820x1910/2070	1400x1900
Bed in Dinette (mm)	-	-	-	-
Overcab bed (mm)	-	-	-	-
Elevating Bed (mm)	-	1385x1930	1385x1930	1385x1930
Additional seat rear bed	-	-	S	-
Locker (useful opening, mm)	-	910x1150	910x1150	910x1150
Max. internal garage height (mm)	-	1050	1190	1050
Floor / walls / roof thickness (mm)	-/-/-	22-38/33/33	22-38/33/33	22-38/33/33
Floor / walls / roof material (mm)	-/-/-	VTR/VTR/VTR	VTR/VTR/VTR	VTR/VTR/VTR
Fiberglass roof, hail-proof	-	S	S	S
Installations				
Burners / Gas oven / Suction hood	-/14/-	3/O/S	3/O/S	3/O/S
Tank capacity : clear water / wastewater (L**)	-	20 (115) /115	20 (118) /110	20 (118) /110
Automatic trivalent fridge (220V, 12V, gas) (L)	-	150	150	150
Standard heating system	-	Combined 6000 W CP PLUS	Combined 6000 W CP PLUS	Combined 6000 W CP PLUS
Space for 2 gas bottles (tot. Max 15 Kg)	-	S	S	S
Bathroom window (double opaque glass)	-	-	S	S
Shower tray with double drain	-	-	-	-
Integrated and isolated entry step	-/4	S / O	S / O	S / O
Heated garage locker	-	S	S	S
Technical double floor	-	S	S	S
Skylight				
Panoramic roof - OPEN SKY (mm)	-	-	-	-
Rear skylight (mm)	-	700x500	700x500	700x500
Central skylight (mm)	-	400x400	400x400	400x400
Dinette skylight (mm)	-	700x500	700x500	700x500
Skylight toilette/shower (mm)	-	400x400 / 280x280	280x280 / 280x280	280x280 / 280x280
400x400 skylight (mm) with fan	1	O	O	O
Double-glazed windows with blind / mosquito net	-	S	S	S
Equipments				
Pleated cab blind	-	S	S	S
Cab / body carpet	-/7	S/O	S/O	S/O
Rear bed height adjustment	-	S	-	S
Beds with staves	-	S	S	S
Swivelling LCD holder	-	S	S	S
Internal LED lightening	-	S	S	S
Entrance door with fixed window	-	S	S	S
Flyscreen for entrance door	-	S	S	S
Entrance door with two central locking points	-	S	S	S
Strip opening with locker / Front through storage	-	S/-	S/-	S/-
External LED light	-	S	S	S

LEGEND:
S = STANDARD | **O** = OPTIONAL FEATURE | **-** = NOT AVAILABLE | **VTR** = FIBERGLAS | **DX** = RIGHT | **SX** = LEFT

K-YACHT TEKNO LINE					
K-YACHT 79 TEKNOLINE	K-YACHT 80 TEKNOLINE	K-YACHT 85 TEKNOLINE	K-YACHT 86 TEKNOLINE	K-YACHT 89 TEKNOLINE	K-YACHT 90 TEKNOLINE
<i>S= standard O=optional - = not available</i>					
Chassis					
FIAT DUCATO	FIAT DUCATO	FIAT DUCATO	FIAT DUCATO	FIAT DUCATO	FIAT DUCATO
2.3 MJ 140 CV	2.3 MJ 140 CV	2.3 MJ 140 CV	2.3 MJ 140 CV	2.3 MJ 140 CV	2.3 MJ 140 CV
3500	3500	3500	3500	3500	3500
3125 - 3160	3095 - 3165	3115 - 3160	3115 - 3160	3115 - 3160	3115 - 3160
340 - 375	335 - 405	340 - 385	340 - 385	340 - 385	340 - 385
4035	3800	4035	4035	4035	4035
2000	2000	2000	2000	2000	2000
16"	16"	16"	16"	16"	16"
S	S	S	S	S	S
S	S	S	S	S	S
S	S	S	S	S	S
S / S / S	S / S / S	S / S / S	S / S / S	S / S / S	S / S / S
S	S	S	S	S	S
-	-	-	-	-	-
-	-	-	-	-	-
S	S	S	S	S	S
- / O / O	- / O / O	- / O / O	- / O / O	- / O / O	- / O / O
Dimensions and places					
7430/2350	6990/2350	7380/2350	7430/2350	7430/2350	7540/2350
2890/2000	2890/2000	2890/2000	2890/2000	2890/2000	2890/2000
4	4	4	4	4	4
4	4	4	4	4	4
O	O	O	O	O	-
1400x1900	1450x1960	dx 820x2040 sx 820x1910	dx 820x1910/2070 sx 820x1910/2070	1400x1900	1600x1900
1150x2100	1050x2100	1150x2100	-	1100x2100	-
-	-	-	-	-	-
1385x1930	1385x1930	1385x1930	1385x1930	1385x1930	1385x1930
-	-	S	S	-	-
910x1150	dx 710x790 sx 710x600	910x1150	910x1150	910x1150	910x1150
1200	640	1220	1220	1220	1150
54-12/33/33	54-12/33/33	54-12/33/33	54-12/33/33	54-12/33/33	54-12/33/33
VTR/VTR/VTR	VTR/VTR/VTR	VTR/VTR/VTR	VTR/VTR/VTR	VTR/VTR/VTR	VTR/VTR/VTR
S	S	S	S	S	S
Installations					
3/O/S	3/O/S	3/O/S	3/O/S	3/O/S	3/O/S
20 (118) /100	20 (118) /100	20 (118) /100	20 (88) /100	20 (118) /100	20 (88) /100
150	150	150	150	150	150
Combined 6000 W CP PLUS	Combined 6000 W CP PLUS	Combined 6000 W CP PLUS	Combined 6000 W CP PLUS	Combined 6000 W CP PLUS	Combined 6000 W CP PLUS
S	S	S	S	S	S
-	S	S	S	S	S
-	-	-	-	-	-
S / O	S / O	S / O	S / O	S / O	S / O
S	S	S	S	S	S
S	S	S	S	S	S
Skylight					
-	-	-	-	-	-
700x500	700x500	700x500	700x500	700x500	700x500
-	400x400	-	-	-	-
900x600	700x500	900x600	900x600	900x600	900x600
280x280 / 280x280	280x280	280x280 / 280x280	280x280 / 280x280	280x280 / 280x280	280x280 / 280x280
-	O	-	-	-	-
S	S	S	S	S	S
Equipments					
S	S	S	S	S	S
S/O	S/O	S/O	S/O	S/O	S/O
S	-	-	-	S	S
S	S	S	S	S	S
S	S	S	S	S	S
S	S	S	S	S	S
S	S	S	S	S	S
S	S	S	S	S	S
S	S	S	S	S	S
S	S	S	S	S	S
S/-	S/-	S/-	S/-	S/-	S/-
S	S	S	S	S	S

* The values shown represent the minimum value of the vehicle in the basic configuration, and the maximum value that includes the maximum weight of accessories available and that can be installed in the basic configuration in the factory.

**To increase the vehicle payload, when travelling it is possible to reduce the fresh water tank capacity to approx. 20 lt.

WEIGHT (KG)	K-SILVER I			KEA M			
	K-SILVER I 56	K-SILVER I 58	K-SILVER I 59	KEA M74	KEA M76	KEA M79	
<i>S= standard O=optional - = not available</i>							
Chassis							
Mechanical unit	-	Fiat Ducato	Fiat Ducato	Fiat Ducato	FIAT DUCATO	FIAT DUCATO	FIAT DUCATO
Engine, Power hp	-	2.3 MJ - 140 CV	2.3 MJ - 140 CV	2.3 MJ - 140 CV	2.3 MJ 140 CV	2.3 MJ 140 CV	2.3 MJ 140 CV
Maximum technically permissible weight (Kg)	-	3500	3500	3500	3500	3500	3500
Weight unladen in running conditions (Kg - Minimum - Maximum)	-	Min. 3063 - Max. 3158	Min. 3083 - Max. 3158	Min. 3063 - Max. 3158	3125 - 3165	3115 - 3160	3115 - 3160
Pay Load (Kg - Minimum - Maximum)	-	Min. 437 - Max. 342	Min. 417 - Max. 342	Min. 437 - Max. 342	335 - 375	340 - 385	340 - 385
Wheelbase (mm)	-	4035	4035	4035	4035	4035	4035
Maximum towable weight (kg)	-	2000	2000	2000	2000	2000	2000
Wheels dimensions	-	16"	16"	16"	15"	15"	15"
Manual air conditioning	-	S	S	S	S	S	S
Driver and Passenger airbag	-	S	S	S	S	S	S
Cruise Control with speed limiter	-	S	S	S	S	S	S
ABS / ESC / Traction+	-/f7	S/S/O	S/S/O	S/S/O	S/S/O	S/S/O	S/S/O
Swivelling driver' and passenger's seat	-	S	S	S	S	S	S
Cab seat covers	-	-	-	-	S	S	S
Painted front bumper	-	-	-	-	S	S	S
DRL (Day runnig light)	-	S	S	S	O	O	O
2 DIN Radio / Bluetooth radio/ with steering wheel radio controls	2,5/2,5/0,4	-/O/O	-/O/O	-/O/O	O/O/O	O/O/O	O/O/O
Dimensions and places							
External length (mm) / External width (mm)	-/-	7400 / 2350	7400 / 2350	7400 / 2350	7260/2350	7320/2350	7380/2350
External height(mm) / Internal height (mm)	-/-	2890 / 2000	2890 / 2000	2890 / 2000	3080/2000	3080/2000	3080/2000
Homologated seats	-	4	4	4	4	4	4
Berths (optional dinette)	-	4	4	4	4	4	4
Fifth berths in dinette	94	O	O	O	O	O	O
Rear Bed (mm)	-	dx 820x1970 sx 820x1880	1400x1900	1600x1900	1400x2200	dx 820x2040 sx 820x1910	1400x1930
Bed in Dinette (mm)	-	1200x2100	1200x2100	1200x2100	1250x2100	1100x2100	1100x2100
Overcab bed (mm)	-	-	-	-	1400x1900	1400x1900	1400x1900
Elevating Bed (mm)	-	1385x1900	1385x1900	1385x1900	-	-	-
Additional seat rear bed	-	S	-	-	-	-	-
Locker (useful opening, mm)	-	910x1150	910x1150	910x1150	910x1250	910x1150	910x1150
Max. internal garage height (mm)	-	1240	1190	1190	1300	1220	1150
Floor / walls / roof thickness (mm)	-/-/	54/33/33	54/33/33	54/33/33	54/33/33	54/33/33	54/33/33
Floor / walls / roof material (mm)	-/-/	VTR/VTR/VTR	VTR/VTR/VTR	VTR/VTR/VTR	VTR/VTR/VTR	VTR/VTR/VTR	VTR/VTR/VTR
Fiberglass roof, hail-proof	-	S	S	S	S	S	S
Installations							
Burners / Gas oven / Suction hood	-/14/-	3 / O / -	3 / O / -	3 / O / -	3/O/S	3/O/S	3/O/S
Tank capacity : clear water / wastewater (L**)	-	20 (120) / 110	20 (120) / 110	20 (120) / 110	20 (118) /100	20 (118) /100	20 (118) /100
Automatic trivalent fridge (220V, 12V, gas) (L)	-	150	150	150	150	150	150
Standard heating system	-	Combi 4000 W	Combi 4000 W	Combi 4000 W	Combined 6000 W CP PLUS	Combined 6000 W CP PLUS	Combined 6000 WCP PLUS
Space for 2 gas bottles (tot. Max 15 Kg)	-	S	S	S	S	S	S
Bathroom window (double opaque glass)	-	S	-	S	S	S	S
Shower tray with double drain	-	-	-	-	-	-	-
Integrated and isolated entry step	-/4	S/O	S/O	S/O	S/O	S/O	S/O
Heated garage locker	-	S	S	S	S	S	S
Technical double floor	-	-	-	-	-	-	-
Skylight							
Panoramic roof - OPEN SKY (mm)	-	-	-	-	-	-	-
Rear skylight (mm)	-	700x500	700x500	700x500	700x500	700x500	700x500
Central skylight (mm)	-	400x400	400x400	400x400	-	-	-
Dinette skylight (mm)	-	700x500	700x500	700x500	900x600	900x600	900x600
Skylight toilette/shower (mm)	-	280x280 / -	280x280 / -	280x280 / -	280x280	280x280 / 280x280	280x280 / 280x280
400x400 skylight (mm) with fan	1	O	O	O	-	-	-
Double-glazed windows with blind / mosquito net	-	S	S	S	S	S	S
Equipments							
Pleated cab blind	-	S	S	S	O	O	O
Cab / body carpet	-/7	S/O	S/O	S/O	S/O	S/O	S/O
Rear bed height adjustment	-	-	S	S	-	-	S
Beds with staves	-	S	S	S	S	S	S
Swivelling LCD holder	-	S	S	S	S	S	S
Internal LED lightening	-	S	S	S	S	S	S
Entrance door with fixed window	-	S	S	S	S	S	S
Flyscreen for entrance door	-	S	S	S	S	S	S
Entrance door with two central locking points	-	S	S	S	S	S	S
Strip opening with locker / Front through storage	-	-/-	-/-	-/-	S/-	S/-	S/-
External LED light	-	S	S	S	S	S	S

WEIGHT (KG)	KEA P			KROSSER		
	KEA P65	KEA P67	KEA P68	KROSSER P70	KROSSER P86	KROSSER P90
<i>S= standard O=optional - = not available</i>						
Chassis						
Mechanical unit	-	Fiat Ducato	Fiat Ducato	Fiat Ducato	FIAT DUCATO	FIAT DUCATO
Engine, Power hp	-	2.3 MJ 140 CV	2.3 MJ 140 CV	2.3 MJ 140 CV	2.3 MJ 140 CV	2.3 MJ 140 CV
Maximum technically permissible weight (Kg)	-	3500	3500	3500	3500	3500
Weight unladen in running conditions (Kg - Minimum - Maximum)	-	3115 - 3160	3005 - 3160	3115 - 3160	3103 - 3157	3103 - 3157
Pay Load (Kg - Minimum - Maximum)	-	340 - 385	340 - 495	340 - 385	397 - 343	397 - 343
Wheelbase (mm)	-	4035	3800	4035	4035	4035
Maximum towable weight (kg)	-	2000	2000	2000	2000	2000
Wheels dimensions	-	15"	15"	15"	16"	16"
Manual air conditioning	-	S	S	S	S	S
Driver and Passenger airbag	-	S	S	S	S	S
Cruise Control with speed limiter	-	S	S	S	S	S
ABS / ESC / Traction+	-	S/S/O	S/S/O	S/S/O	S/S/O	S/S/O
Swivelling driver' and passenger's seat	-	S	S	S	S	S
Cab seat covers	-	S	S	S	S	S
Painted front bumper	-	S	S	S	S	S
DRL (Day runnig light)	-	O	O	O	O	O
2 DIN Radio / Bluetooth radio/ with steering wheel radio controls	2,5/2,5/0,4	-/O/O	-/O/O	-/O/O	-/O/S	-/O/S
Dimensions and places						
External length (mm) / External width (mm)	-/-	7380 / 2350	6990 / 2350	7380 / 2350	7470 / 2350	7470 / 2350
External height(mm) / Internal height (mm)	-/-	2900 / 2120	2900 / 2120	2900 / 2120	3050 / 2080	3050 / 2080
Homologated seats	-	4	4	4	4	4
Berths (optional dinette)	-	4	4	4	4	4
Fifth berths in dinette	94	O	O	O	-	-
Rear Bed (mm)	-	dx 820x1990 sx 820x1910	1400x1280x2200	1400x1900	2150x1350	dx 2000x800 sx 1950x800
Bed in Dinette (mm)	-	1150x2100	1150x2100	1100x2100	-	-
Overcab bed (mm)	-	-	-	-	-	-
Elevating Bed (mm)	-	1140/1310/1110x1910	1140/1310/1110x1910	1060/1255/1005x1910	1900x1330(1240)	1900x1280(1070)
Additional seat rear bed	-	S	-	-	-	-
Locker (useful opening, mm)	-	910x1150	dx 910x1150 sx 670x890	910x1150	dx 1300x1020(720) sx1300x1020(720)	dx 1170x970(720) sx1070x920(720)
Max. internal garage height (mm)	-	1220	1260	1200	1350	1190
Floor / walls / roof thickness (mm)	-/-/	54-12/33/33	54-12/33/33	54-12/33/33	38-22/31/31	38-22/31/31
Floor / walls / roof material (mm)	-/-/	VTR/VTR/VTR	VTR/VTR/VTR	VTR/VTR/VTR	VTR/VTR/VTR	VTR/VTR/VTR
Fiberglass roof, hail-proof	-	S	S	S	S	S
Installations						
Burners / Gas oven / Suction hood	-/14/-	3/O/S	3/O/S	3/O/S	3/O/S	3/O/S
Tank capacity : clear water / wastewater (L**)	-	20 (118) /100	20 (118) /100	20 (118) /100	20 (80) /80	20 (80) /80
Automatic trivalent fridge (220V, 12V, gas) (L)	-	150	150	150	150	150
Standard heating system	-	Combined 6000 W CP PLUS	Combined 6000 W CP PLUS	Combined 6000 W CP PLUS	Combined 6000 W CP PLUS	Combined 6000 W CP PLUS
Space for 2 gas bottles (tot. Max 15 Kg)	-	S	S	S	S	S
Bathroom window (double opaque glass)	-	S	S	S	S	S
Shower tray with double drain	-	-	-	-	-	-
Integrated and isolated entry step	-/4	S/O	S/O	S/O	-	-
Heated garage locker	-	S	S	S	S	S
Technical double floor	-	-	-	-	-	-
Skylight						
Panoramic roof - OPEN SKY (mm)	-	-	-	-	-	-
Rear skylight (mm)	-	700x500	700x500	700x500	700x500	700x500
Central skylight (mm)	-	400x400	400x400	400x400	400x400	400x400
Dinette skylight (mm)	-	700x500	700x500	700x500	900x600	900x600
Skylight toilette/shower (mm)	-	280x280 / -	280x280 / -	280x280 / -	280x280	280x280 / 280x280
400x400 skylight (mm) with fan	1	O	O	O	-	-
Double-glazed windows with blind / mosquito net	-	S	S	S	S	S
Equipments						
Pleated cab blind	-	S	S	S	S	S
Cab / body carpet	-/7	S/O	S/O	S/O	S/O	S/O
Rear bed height adjustment	-	-	S	S	-	-
Beds with staves	-	S	S	S	S	S
Swivelling LCD holder	-	S	S	S	S	S
Internal LED lightening	-	S	S	S	S	S
Entrance door with fixed window	-	S	S	S	S	S
Flyscreen for entrance door	-	S	S	S	S	S
Entrance door with two central locking points	-	S	S	S	S	S
Strip opening with locker / Front through storage	-	-/-	-/-	-/-	-/S	-/S
External LED light	-	S	S	S	S	S

LEGEND:
S = STANDARD | O = OPTIONAL FEATURE | - = NOT AVAILABLE | VTR = FIBERGLAS | DX = RIGHT | SX = LEFT

* The values shown represent the minimum value of the vehicle in the basic configuration, and the maximum value that includes the maximum weight of accessories available and that can be installed in the basic configuration in the factory.

**To increase the vehicle payload, when travelling it is possible to reduce the fresh water tank capacity to approx. 20 lt.



The masses indicated in this catalogue refer to the provisions of European Directive 2007/46/EC.

MASS IN RUNNING ORDER

It includes the weight of the empty base vehicle, of the driver (75 kg), 100% of the fuel (60-l tank), fresh water (tank filled with 20 l while travelling), and a gas tank for living purposes (20 kg).

The mass in running order, and consequently the payload and/or certified seats may vary depending on the accessories installed.

PAYLOAD

This consists of the difference between the maximum technically permissible laden mass and the mass in running order. It includes elements for living purposes, the transported passengers defined by the manufacturer (driver excluded), and the personal effects.

The payload calculation is based on the following parameters: 75 kg for each passenger (driver excluded), 10 kg of baggage for each passenger and for the driver, 10 kg for each metre of length of the vehicle, plus the remaining payload, which can be used for the installation of accessories or for additional baggage.

All masses and loads of the empty vehicle have a tolerance of +/- 5%, in compliance with Directive 2007/46/EC.

Any optional equipment increases the mass in running order and decreases the payload.

The weight of non-standard accessories is not included in the mass in running order indicated in this catalogue.

Additional accessories and devices reduce the payload by a quantity equal to their weight; the incidence of the weight of the individual accessories is shown in the special column in the technical data sheets or can be requested at our dealers.

In case certain accessories are installed (for example, additional elements such as coupling device or motorbike rack), the mass of these accessories will affect the payload, possibly reducing it along with the number of certified seats.

Please make sure that the maximum loads on the axles and the maximum technically permissible load mass are not exceeded during the complete loading phase of the vehicle. The regulations and requirements of each country may entail changes in the characteristics of this table.

The number of certified seats may vary depending on the traffic regulations in force in each country.



Sea S.p.A. operates with an
Integrated Environment
and Safety Management System.

Certificate number: ISO14001: 2939;
ISO9001: 11841



www.mobilvetta.it

MOBILVETTA reserves itself the right to change the characteristics and the furnishings of all its models with no advance notice required; all data contained in this leaflet must therefore be considered approximate and non-binding. Despite thorough checks of the contents, we cannot exclude possible printing and/or translating errors.

This catalogue does not constitute contractual documentation. Any reproduction, including in part, of the text or of the content of this document is prohibited.

The indicated weights are exclusively approximated. Tolerances of +/-5 % are allowed. Generally speaking, special equipment and options increase the no-load weight and entail a reduction in the payload. We hereby decline any and all responsibility in case structural changes are made to the vehicle; any assembly, disassembly or changes carried out by unauthorised workshops may jeopardise your safety and cause the warranty clauses to be forfeited. For additional information on installation and technical details, please contact one of our dealers.