

**TECHNICAL SPECIFICATIONS  
AND FEATURES  
2021/2022**

  
**EURA MOBIL**



*Your  
Quality Time.*



# CONTENTS

04 The advantages of Eura Mobil.

## COACHBUILTS

06 **Activa One**  
14 Standard features  
16 Special features

## LOW-PROFILE

20 **Profila T**  
28 **Profila RS**  
36 **Contura**  
44 Standard features  
46 Special features

## A-CLASS

52 **Integra Line**  
60 **Integra**  
68 Standard features  
70 Special features

74 SAFETY STANDARDS

76 INDEPENDENCE

78 GRP CHASSIS

80 UPHOLSTERY SUMMARY

82 FLOOR PLAN SUMMARY

## ALL-INCLUSIVE TRAVEL WITH YOUR EURA MOBIL



Set off and leave the worries of everyday life behind – your Eura Mobil will help you do exactly this in every conceivable way. With their functions and characteristics inspired by years of practical experience, our motorhomes make travelling an endless delight. Whether it be the generous storage space, protection from the weather thanks to the GRP chassis, stability during winter and comfortable underfloor heating thanks to heated double floors, insurance benefits or generous warranties – we've thought of everything you could need to make your holiday worry-free.

# SET YOUR OWN STANDARD AND COMPARE YOURSELF!

*What  
Eura Mobil offers:*

**Bonded and all-round sealed body composite made of hail-protected glass-fibre reinforced plastic (GRP) in Eura Mobil Sealed Structure technology**

→ Material composite from aeronautical engineering: high torsional stiffness, best bonding strength (3.5t on 1m profile length), seamless sealing against moisture penetration, the hail-protected surface material enables lower third-party, fire and theft premiums with many insurance companies than with comparable vehicles with aluminium sheeting

**Heated and insulated double floor**

→ Frost-protected “basement”, all technical installations are installed protected in the double floor instead of inside the vehicle or on the underbody

**Additional storage compartments in the double floor with access from the interior**

→ Raised floor offers additional storage possibilities for exterior storage compartments or floor compartments accessible from the inside

**Winter-proof according to EN 1646-2**

→ Rapid heating of the vehicle interior and guarantee of full functionality of the water system even in severe frost (test cycle with -15 degrees outside temperature)

*What  
others offer:*

.....

.....

.....

.....

.....

.....

.....

.....

*What  
Eura Mobil offers:*

**Wood-free GRP walls with continuous insulation**

→ Rot-proof even in case of moisture penetration, easy to repair, efficient insulation without cold bridges in the wall

**Robust furniture with aluminium profile reinforcements (3-year warranty)**

→ Torsion-resistant furniture with long service life and low noise development during travel

**Wall units with sturdy metal uprights and noise damping**

→ Durable, quietly closing wall unit flaps and flap protection during travel

**Lightweight GRP floor panel**

→ Weight reduction for more payload and floor panel resistant to moisture, road salt, dirt and operating materials

**10-year leak-proof guarantee on the body (up to 150,000km)**

→ Eura Mobil represents high reliability and thus guarantees you a high degree of safety and risk protection against possible bodywork defects

**Water tanks protected in the insulated and heated raised floor**

→ Water tanks are well protected against mechanical damage as well as possible frost-related functional restrictions

*What  
others offer:*

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

*What  
Eura Mobil offers:*

- Underfloor heating effect in the floor you walk on**  
→ Pleasant floor temperature – barefoot walking even in winter!
- Beds with slatted frame and 7-zone cold foam mattresses**  
→ Well-ventilated beds with comfortable mattresses for a relaxed night's sleep
- Wide surface-mounted door with window**  
→ Easy access, more brightness, view of visitors in front of the door
- Insulated frame windows flush with the outer wall with mosquito screens**  
→ Harmonious integration into the vehicle design, efficient insulation
- Robust aluminium body sills**  
→ Sturdy scuff plate against light collision damage
- 2 quick-acting drain valves for fresh water in the heated and insulated double floor**  
→ Convenient water tank emptying from the inside
- Electrically operated drain valve for waste water or manual drain cock (for coachbuilt models) in the heated area**  
→ Simple and clean emptying of the waste water tank
- Mini-Heki skylights**  
→ Easy to open, durable skylights with multiple ventilation positions

*What  
others offer:*

- .....
- .....
- .....
- .....
- .....
- .....
- .....
- .....

*What  
Eura Mobil offers:*

- Minimum 140-litre fresh water tank capacity**  
→ Large fresh water capacity for more self-sufficiency from the external water supply
- Pressurised water system**  
→ Delay-free response of the water system, water pressure like at home
- Fresh water system made of hard-flex plastic, waste water system as pipe system**  
→ Fixed pipelines without “sags” ensure safe water drainage and low residual quantities when the system is emptied
- Kitchen with sturdy metal roll-top drawers and soft-stop retraction (from Profila)**  
→ Smooth-running, durable drawers with convenient and quiet closing function

*What  
others offer:*

- .....
- .....
- .....
- .....
- .....

# ACTIVA ONE



# ACTIVA ONE: THE FAMILY MOBILE FOR SPECIAL REQUIREMENTS



Robust family motor home for premium demands with well thought-out room layout. Up to 6 seats and sleeping berths. Superb winter properties thanks to heated double floor and continuously insulated walls.

- + *GRP bodywork uses bonding technology from aviation*
- + *Floor-wall bonding technique using PU bars*
- + *Up to 2,000 kg towing load*
- + *Full-length double floor*
- + *Rot-protected GRP chassis*
- + *Wood-free walls with continuous insulation*
- + *Robust furniture with aluminium profile reinforcements (3-year guarantee)*
- + *Bonded and all-round-sealed body composite made of hail-protected glass-fibre reinforced plastic (GRP) featuring Eura Mobil Sealed Structure Technology*
- + *10-year leak guarantee (up to 150,000 km)*
- + *Underfloor heating effect in the floor you walk on*
- + *Lightweight-construction floor plate made from GRP*
- + *Insulated and heated coachbuilt*
- + *“Cellar storage space” for travel equipment in the double floor*
- + *Robust aluminium panels*
- + *Hail-protected walls and roof*

# ACTIVA ONE

## MODEL-SPECIFIC FEATURES

- > 37 cm high, continuous storage space in the double floor
- > Winter-proof according to EN 1646
- > Isofix child seat attachment (except 570 HS and 650 HS)
- > Water tanks protected in insulated and heated double floor
- > 79 cm high, heated coachbuilt with folding floor
- > Storage space in the double floor can be individually divided up at the dealership
- > Electric entry step
- > Body door with window
- > Bright and modern "Beach Home" interior with beach feeling



 **Eura Mobil**  
**Sealed Structure**





### A ONE 550 MS

Total length:	5.89 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4 (6)
Sleeping areas:	4

- + Extra-short with easy handling
- + Large storage space in the double floor
- + Practical external storage compartment with access from the inside as well
- + Large floor-to-ceiling wardrobe
- + Up to 6 belted seats
- + Hidden detail: pull-out towel rails in the kitchen
- + Rear washroom with separate shower



### A ONE 570 HS

Total length:	5.99 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping areas:	4

- + Compact length combined with spacious, bright rear seating area
- + Large storage space under the rear seating group
- + Exclusively from Eura Mobil: Belt anchorage of the seating group with aluminium profiles in the side wall
- + No storage space restriction due to belt frame
- + Combination washroom with swivel washbasin and integrated shower
- + Great spatial effect due to unobstructed, open view
- + Longitudinal kitchen with 142-litre refrigerator in single arrangement



### A ONE 650 HS

Total length:	6.50 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping areas:	4

- + Exclusively from Eura Mobil: Single bed comfort in the coachbuilt at a manageable length of 6.50 m
- + Sliding door to the driver's cabin
- + Single beds can be converted into double bed
- + Two large wardrobes under single beds
- + Spacious, bright rear seating area
- + Combination washroom with swivel washbasin and integrated shower
- + Kitchen with 142-litre refrigerator in single arrangement
- + Retractable TV pull-out at the seating group (optional)



### A ONE 690 HB

Total length:	6.99 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4 (6)
Sleeping areas:	6

- + Classic with two comfortable double beds
- + Huge garage
- + Large floor-to-ceiling wardrobe
- + Up to 6 belted seats
- + Combination washroom with swivel washbasin and integrated shower



### A ONE 690 VB

Total length:	6.99 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4 (6)
Sleeping areas:	4 (6)

- + The variable family layout
- + Extra seating group for little ones in the rear
- + Bunk beds in the rear, convertible into two double beds with pull-out slatted frames
- + Up to 6 fixed sleeping berths
- + Up to 6 belted seats
- + Large floor-to-ceiling wardrobe
- + Combination washroom with swivel washbasin and integrated shower

## ACTIVA ONE

**BASIC VEHICLE**

Engine model, Euro 6d Final	
Engine models (optional)	
Chassis	
Fuel tank	l

**DIMENSIONS AND WEIGHTS**

Double floor height	cm
Load volume in the double floor (double floor + rear storage space)	l
Size of storage door at the rear	cm
Wheelbase	m
Tyres	
Total techn. perm. weight when laden	kg
Weight in ready-to-drive state <sup>1)</sup>	kg
Trailer weight, braked <sup>2)</sup>	kg
Total length	m
Total width	m
Overall height	m
Interior width	m
Standing height	m
Coachbuilt height	cm
Dimensions of front side seating group	cm
Dimensions of rear bed	cm
Dimensions of coachbuilt bed	cm
Dimensions of rear seating group	
Sleeping areas	
Permissible number of people	
3-point seatbelts total	
Number of Isofix	
Window with mesh grille	
Number of service flaps	
Wall thickness of walls, roof, floor	mm
Fresh water / waste water tank	l
Battery capacity	Ah
Refrigerator	l



### A ONE 550 MS

Fiat Ducato 16" / 3.5 t

### A ONE 570 HS

Fiat Ducato 16" / 3.5 t

### A ONE 650 HS

Fiat Ducato 16" / 3.5 t

### A ONE 690 HB

Fiat Ducato 16" / 3.5 t

### A ONE 690 VB

Fiat Ducato 16" / 3.5 t

88 kW (120 HP)	88 kW (120 HP)	88 kW (120 HP)	88 kW (120 HP)	88 kW (120 HP)
103 kW(140 HP), 118 kW (160 HP), 130 kW (180 HP)	103 kW(140 HP), 118 kW (160 HP), 130 kW (180 HP)	103 kW(140 HP), 118 kW (160 HP), 130 kW (180 HP)	103 kW(140 HP), 118 kW (160 HP), 130 kW (180 HP)	103 kW(140 HP), 118 kW (160 HP), 130 kW (180 HP)
Fiat CCS low-slung frame	Fiat CCS low-slung frame	Fiat CCS low-slung frame	Fiat CCS low-slung frame	Fiat CCS low-slung frame
75 Diesel + 19 l Ad Blue	75 Diesel + 19 l Ad Blue	75 Diesel + 19 l Ad Blue	75 Diesel + 19 l Ad Blue	75 Diesel + 19 l Ad Blue
37	37	37	37	37
1300	1700	1700	3800	1700
65 x 115	65 x 55	85 x 105	82 x 105	85 x 115
3.45	3.45	3.80	4.04	4.04
225/75 R16CP	225/75 R16CP	225/75 R16CP	225/75 R16CP	225/75 R16CP
3,500 /3,650 (optional) // 4,250 // 4,400 (optional)	3,500 /3,650 (optional) // 4,250 // 4,400 (optional)	3,500 /3,650 (optional) // 4,250 // 4,400 (optional)	3,500 /3,650 (optional) // 4,250 // 4,400 (optional)	3,500 /3,650 (optional) // 4,250 // 4,400 (optional)
2,810 // 2,850 (optional)	2,810 // 2,850 (optional)	2,860 // 2,900 (optional)	2,880 // 2,920 (optional)	3,000 // 3,040 (optional)
2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)
5.89	5.99	6.50	6.99	6.99
2.32	2.32	2.32	2.32	2.32
3.13	3.13	3.13	3.13	3.15
2.17	2.17	2.17	2.17	2.17
1.98	1.98	1.98	1.98	1.98
78	78	78	78	78
190 x 100	-	-	190 x 100	190 x 100
-	200 x 140 (conversion of the seating group)	200 x 140 (conversion of the seating group)	140 x 200	200 x 70 (x2)/ 200 x 130(x2)
200 x 150	200 x 150	200 x 150 // 2 x 200 x 80	200 x 150	200 x 150
-	200 x 140	200 x 140	-	-
4	4	4	6	6
4 (6) optional*	4	4	4 (6) optional*	4 (6) optional*
4 (6) optional*	4	4	4 (6) optional*	4 (6) optional*
2	-	-	2	2
3	5	5	5	4
2	3 (4) optional	3 (4) optional	3 (4) optional	2 optional
30 / 30 / 38	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38
140 (25)*** /150	150 (25)*** /150	150 (25)*** /150	140 (25)*** /150	140 (25)*** /150
80 Gel	80 Gel	80 Gel	80 Gel	80 Gel
142	142	142	142	142

# ACTIVA ONE OPTIONAL FEATURE PACKAGES

## OPTIONAL FEATURE PACKAGES

### CHASSIS PACKAGE

2841

#### OPTIONAL FOR THE: ACTIVA ONE

##### Special features

DAB aerial in the right external mirror  
 Captain's chair seats  
 Electric external mirrors  
 Carpet in the driver's cab  
 Fiat radio preparation incl. DAB+  
 Bumpers painted in the vehicle colour

### DESIGN PACKAGE

2874

#### OPTIONAL FOR THE: ACTIVA ONE

##### Special features

16" alloy wheels Light / Maxi  
 Radiator grille piano black paint black incl. chrome applications  
 Fog lights with cornering light

### TRAVEL PACKAGE

PTR05, PRT06,  
PTR07

#### OPTIONAL FOR THE: ACTIVA ONE

##### Special features

Chassis package  
 Pre-cabling for solar power system + TV  
 Heki skylight roof hood  
 Mesh screen for cabin door  
 Dimming system for the driver's cab (windscreen and side windows)  
 Garage door in addition (depending on floor plan)  
 Background lighting  
 Moniceiver



**PRESTIGE PACKAGE**

2840  
only in combination with 2841

**OPTIONAL FOR THE: ACTIVA ONE****Special features**

Automatic air conditioning (surcharge against manual air conditioning)

Steering wheel with control elements

Leather steering wheel with leather gear knob

Wireless charger

Naviceiver with double rear-view camera (surcharge compared to moniceiver)

**DRIVING ASSISTANCE PACKAGE**

2878

**OPTIONAL FOR THE: ACTIVA ONE****Special features**

Brake Assist

Automatic dimming

Lane departure assistant

Rain and twilight sensor

Traffic sign recognition

**PLUG-IN PACKAGE**

PPI01

**OPTIONAL FOR THE: ACTIVA ONE****Special features**

External shower cold/warm

External gas socket

Multi-function socket

SOG toilet ventilation

**ENERGY PLUS PACKAGE**

PEP01

**OPTIONAL FOR THE: ACTIVA ONE****Special features**

Lithium battery with charging booster

2nd Lithium battery

# COACHBUILTS STANDARD FEATURES

S = Standard O = Optional  
P = Package contents - = Not possible

	ACTIVA ONE
<b>CHASSIS</b>	
120 HP engine, Euro 6d Final	S
CCS wide track low-slung frame (1,980 mm gauge)	S
Cruise control	S
Manual air conditioning	S
ABS + ASR	S
Driver / passenger airbag	S
Fix & Go breakdown kit	S
Daytime running light	S
ESP including Traction+ and hill descent control	S
16" wheels	S
<b>SUPERSTRUCTURE</b>	
Superstructure winter-proof according to EN 1646	S
Bodywork fully protected from hail with walls and roof made from GRP	S
Lightweight construction double floor throughout, insulated and heated	S
Storage space in the double floor GRP-coated (floor and walls)	S
Lightweight construction floor plate made from GRP and additional aluminium profile reinforcement	S
Wood-free GRP walls, insulated throughout	S
Floor-wall joint without cold bridges	S
Roof edge profile made from painted aluminium with joint sealing	S
Coachbuilt edge profile made from GRP with joint sealing	S
Sturdy chassis side skirts made from painted aluminium	S
Heated and insulated coachbuilt	S
2 windows in the coachbuilt	S
Fold-out coachbuilt floor	S
Safety mesh in the coachbuilt	S
Wall thickness of walls/roof/floor: 30/30/38 mm	S
Extra-large garages thanks to 37 cm high double floor	S
Electric access step	S
Trumatic Combi 4 heating	S
Seitz insulated window with mesh screen flush with the external wall	S

	ACTIVA ONE
Service flaps with double seal, insulated inlay and self-closing locks	S
Single-key system for the entire superstructure	S
Access door with window and waste bin	S
Large tail lights in a modern design	S
Mini Heki skylight over rear section	S
Mini Heki skylight over front section	S
Isofix, 2 x in the direction of travel (except AO 650 HS and AO 570 HS) in the seating group	S
<b>LIVING SPACE</b>	
Two-tone furniture décor in wild oak and beach white	S
Curtain to the driver's cab (depending on floor plan)	S
Wall units with aluminium profile reinforcement	S
Noise insulation for wall unit doors	S
7-zone cold foam mattresses	S
Flooring with footstep sound absorption	S
Upholstered fabrics: Dara	S
<b>KITCHEN</b>	
140-litre refrigerator	S
3-ring hob with electric ignition, glass cover and large work surface	S
Drawers with metal roller runners	S
Deep wall units; divided, with slide guard	S
Water tap with rotating non-drip outlet	S
<b>WASHROOM</b>	
Plenty of space to move around thanks to ergonomically optimised room division	S
Centre washrooms with integrated shower cubicle (570 HS, 650 HS, 690 HB, 690 VB)	S
Rear washroom with separate shower cubicle (550 MS)	S
Storage closet and mirror	S
Cassette WC with large roller-mounted tank	S
<b>WATER INSTALLATION</b>	
Fresh water system made from Hartflex plastic	S
140-litre fresh water tank insulated and heated inside* (150 litres on 570 and 650 HS)	S

	ACTIVA ONE
2 quick-acting drain valves for fresh water in the heated and insulated double floor	S
150-litre waste water tank insulated and heated in the double floor	S
Fittings with ceramic cartridges	S
Siphons to prevent odours	S
Pressurised water system complies at least with the state of the technological art set out in 03/2009 (Directive 2002/72/EC)	S
<b>ELECTRICAL INSTALLATION</b>	
Electrical distributor panel easily accessible under the passenger seat	S
80 Ah gel battery	S
On-board control panel with separate displays for water, battery and charging voltage	S
LED reading spotlights with real glass	S
Light switch system with household logic system	S
Ceiling lights	S
Number of 230 V power sockets: 2	S
Number of 12 V power sockets: 1	S
16 A charger	S
USB ports: 1	S



# COACHBUILTS SPECIAL FEATURES



S = standard equipment O = optional equipment at extra charge  
P = optional package equipment - = not possible

		A ONE 550 MS	A ONE 570 HS	A ONE 650 HS	A ONE 690 HB	A ONE 690 VB	Weight in kg	Price in euros
<b>PACKAGES</b>								
PEP01-22	Energy Plus package	O	O	O	O	O	4.5	€4,290.00
PPI01-22	Plug-in package	O	O	O	O	O	6	€990.00
PTR05-22	Travel package AO 570HS/650HS	-	O	O	-	-	47.5	€2,990.00
PTR06-22	Travel package AO 690	-	-	-	O	O	48.5	€2,990.00
PTR07-22	Travel package AO 550MS	O	-	-	-	-	44.5	€2,990.00
2840-22	Prestige package AO/PT/RS/CT (surch. comp. to Chassis package)	O	O	O	O	O	0	€1,590.00
2841-22	Chassis package AO/PT/RS/CT	O	O	O	O	O	0	€1,190.00
2874-22	Design package AO/CT	O	O	O	O	O	0	€1,290.00
2878-22	Driving assistance package	O	O	O	O	O	1	€1,090.00
<b>CHASSIS OPTION – ENGINE</b>								
2192-22	Fiat 140 HP motor (surcharge compared to 120 HP)	O	O	O	O	O	0	€990.00
2193-22	Fiat 160 HP motor (surcharge compared to 120 HP)	O	O	O	O	O	0	€3,390.00
2194-22	Fiat 180 HP motor (surcharge compared to 120 HP)	O	O	O	O	O	0	€5,290.00
<b>CHASSIS OPTION – SUPERIMPOSED LOAD</b>								
2324-22	Increase of total mass to 3.65t	O	O	O	O	O	0	€440.00
2330-22	Red of tot. mass to 3.5 t	O	O	O	O	O	0	€190.00
2358-22	Reinforced front axle springs	O	O	O	O	O	0	€790.00
<b>EXTERIOR DESIGN – OTHER OPTIONS</b>								
2131-22	Automatic transmission Fiat	O	O	O	O	O	18	€3,790.00
2251-22	Spare wheel (depending on floor plan)	O	O	O	O	O	45	€790.00
2311-22	Maxi chassis 4.25t	O	O	O	O	O	40	€1,790.00
2313-22	Chassis - Maxi 4.4t (160 HP / 180 HP)	O	O	O	O	O	40	€1,790.00
2371-22	Fuel tank, 90 litre	O	O	O	O	O	13.5	€240.00
<b>SUPERSTRUCTURE OPTION – EXTERIOR</b>								
2581-22	Superstructure door with central locking	O	O	O	O	O	1.5	€440.00
5111-22	Rear comfort supports	O	O	O	O	O	8	€540.00
5122-22	Trailer coupling	O	O	O	O	O	35	€1,940.00
5412-22	Multi-function socket	O	O	O	O	O	2	€340.00










		A ONE 550 MS	A ONE 570 HS	A ONE 650 HS	A ONE 690 HB	A ONE 690 VB	Weight in kg	Price in euros
5441-22	External shower (cold/warm)	0	0	0	0	0	1	€290.00
5512-22	Window in toilet room	0	-	-	-	-	4	€340.00
5521-22	Roof - "Sun Roof" panoramic glass roof	0	0	0	0	0	24.5	€1,290.00
5534-22	Electric roof fan	0	0	0	0	0	5.5	€290.00
5535-22	Heki	0	0	0	0	0	23	€1,190.00
5576-22	Mesh screen for cabin door	0	0	0	0	0	5	€390.00
6651-22	Service flap at the rear	-	0	0	0	-	3	€640.00
6656-22	Garage door service flap	-	-	-	0	0	4	€540.00
<b>SUPERSTRUCTURE OPTION – INTERIOR</b>								
3613-22	Driver cab all-round insul.	0	0	0	0	0	5	€540.00
3661-22	Driver cab therm. divid. curt.	0	0	-	0	0	4	€340.00
3680-22	Driver's cab dimming system	0	0	0	0	0	7	€640.00
6224-22	Additional bed for 2 people	S	S	S	S	S	11	€640.00
6321-22	Safety belts + headrests	0	-	-	0	0	30	€790.00
6323-22	Safety belts and head rests in direction of travel at the rear	-	S	S	-	-	30	€0.00
6435-22	Table extension	0	-	-	0	0	3.5	€340.00
7812-22	Background lighting	0	0	0	0	0	8	€540.00
<b>SUPERSTRUCTURE OPTION – BIKE CARRIER</b>								
5146-22	Bicycle carrier extension kit 4-way	0	0	0	0	0	2	€140.00
5147-22	Bicycle carrier 2-way	0	0	0	0	0	13	€540.00
5148-22	Lowerable E-bike carrier	-	-	-	0	0	16	€1,540.00
7510-22	Autonom. E-bike charger	0	0	0	0	0		€3,140.00
<b>SUPERSTRUCTURE OPTION – AWNINGS</b>								
5242-22	3.5 m awning	0	0	-	-	-	28	€1,190.00
5243-22	4 m awning	-	-	0	-	-	28	€1,390.00
5244-22	4.5 m awning	-	-	-	0	0	36	€1,590.00
<b>SUPERSTRUCTURE OPTION – HEATING</b>								
7220-22	Warm air heating	S	S	S	S	S	0	€0.00
7224-22	Heat exchangers	0	0	0	0	0	0	€990.00
7228-22	Combi 6 E heating	0	0	0	0	0	0	€640.00

# COACHBUILTS SPECIAL FEATURES



S = standard equipment O = optional equipment at extra charge  
P = optional package equipment - = not possible

		A ONE 550 MS	A ONE 570 HS	A ONE 650 HS	A ONE 690 HB	A ONE 690 VB	Weight in kg	Price in euros
<b>SUPERSTRUCTURE OPTION – KITCHEN</b>								
7230-22	Extractor hood	O	O	O	O	O	3	€490.00
7238-22	Oven	O	O	O	O	O	15	€990.00
7255-22	Large refrigerator	S	S	S	S	S	18	€1,090.00
<b>SUPERSTRUCTURE OPTION – TECHNICAL SERVICES</b>								
5221-22	Roof-mounted air-conditioning system, 230 V	O	O	O	O	O	35	€2,690.00
7321-22	Lithium battery (1x)	O	O	O	O	O	-13	€2,790.00
7324-22	2nd Lithium battery (1x)	O	O	O	O	O	17	€2,740.00
7327-22	2nd gel battery - 80 Ah	O	O	O	O	O	27	€490.00
7341-22	Pre-cabing	O	O	O	O	O	1.5	€290.00
7512-22	External gas socket	O	O	O	O	O	1	€290.00
7516-22	Dual-control CS with de-icer	O	O	O	O	O	1	€490.00
7625-22	Toilet ventilation (SOG)	O	O	O	O	O	2	€290.00
<b>SUPERSTRUCTURE OPTION – FABRICS</b>								
6111-22	Driver's cab seat in structured upholstered fabric	O	O	O	O	O	4	€340.00
6113-22	"Milano" upholstery fabric	O	O	O	O	O	0	€490.00
6114-22	"Livorno" upholstery fabric	O	O	O	O	O	0	€490.00
6132-22	"Dara" upholstery fabric	S	S	S	S	S	0	€0.00
6191-22	"Mara" décor	O	O	O	O	O	0	€0.00
6192-22	"Maka" décor	S	S	S	S	S	0	€0.00
6193-22	"Lasca" décor	O	O	O	O	O	0	€0.00
6510-22	Décor pack	O	-	-	O	O	18	€1,090.00
6511-22	Décor package for rear seating group	-	O	O	-	-	13	€1,090.00
<b>SUPERSTRUCTURE OPTION – MULTIMEDIA</b>								
3215-22	Loudspeakers (2) in the superstructure	O	O	O	O	O	4	€340.00
3237-22	Moniceiver with rear-view camera	O	O	O	O	O	1	€1,290.00
3238-22	Naviceiver with rear-view camera	O	O	O	O	O	1	€2,290.00
3441-22	Flat screen wall bracket in the rear	-	O	O	-	-	1.2	€640.00
3460-22	TV pull-out in the front	O	-	-	O	O	4	€640.00

							Weight in kg	Price in euros
<b>SUPERSTRUCTURE OPTION – OTHER OPTIONS</b>								
6273-22	Carpeted floor in the superstructure	0	0	0	0	0	8	€440.00
<b>SUPERSTRUCTURE OPTION – FURNITURE DÉCOR</b>								
6471-22	"Beach Home" furniture décor	S	S	S	S	S	0	€0.00
<b>MISCELLANEOUS</b>								
9009	Gas safety certificate, COC documents or vehicle paperwork, TÜV approval and pre-carriage (mandatory)	0	0	0	0	0	0	€410.00
A801	Transfer costs (mandatory)	0	0	0	0	0	0	€590.00

# PROFILA T



## PROFILA T: THE ELEGANT COMFORT TOURER.

Modern low-profile model with lightweight technology, double floor and extensive features. Spacious room layout with stylish, high-quality interior. Manageable handling and very good all-season characteristics.

- + *12 cm high heated double floor with floor storage compartments*
- + *Elegant roof transition between cab and body thanks to modern CAD design and high fitting accuracy of the GRP components used*
- + *All layouts < 3.5 T mass in ready-to-drive condition*
- + *Large rear garages thanks to rear lowering with fully insulated underbody trough*
- + *Winter-proof according to EN 1646-2*
- + *Wood-free walls with continuous insulation (rot-proof)*
- + *Robust furniture with aluminium profile reinforcements (3-year guarantee)*
- + *Bonded and all-round-sealed body composite made of hail-protected glass-fibre reinforced plastic (GRP) featuring Eura Mobil Sealed Structure Technology*
- + *10-year leak guarantee (up to 150,000 km)*
- + *Water tanks heated and insulated in the double floor or in double floor trough*
- + *Electrically controlled waste water tank drainage*
- + *From 7.50 m length Alde hot water heating*
- + *Central technology compartment*



PROFILA  
T  
ELEGANT  
COMFORT  
TOURER

# PROFILA T

## MODEL-SPECIFIC FEATURES

- > 140 HP engine, Euro 6d-Final
- > Noise-insulated window roller blinds (Seitz comfort roller blinds)
- > Dimmable ambient lighting
- > Illuminated entrance area with storage facilities
- > Kitchen base unit complete with pull-outs instead of doors
- > Worktop illuminated from underneath for illumination of the kitchen pull-outs
- > Sink cover with 2-piece chopping board
- > Comfort rain shower with back-lit shower column (depending on floor plan)
- > Shower grate in the washroom
- > Single-bed floor plans with adjustable bed frame and pull-out for conversion into a double bed
- > Bed headboard with ambient lighting
- > USB port for charging mobile devices
- > Garage lowering with insulated trough
- > Anchor rail for rear garage
- > Seitz frame windows flush with the outer wall
- > Waste water tank in insulated and heated floor trough / or in double floor
- > Electric waste water tank emptying at the push of a button
- > Winter-proof according to EN 1646-1
- > Superstructure door with window and waste bin
- > Mini-Heki above rear bed
- > Ambient lighting
- > 16" wheels
- > External lighting
- > 230 V socket in the washroom
- > Combi 6 heating starting with 720 EB, 720 EF
- > Alde hot water heating for models from 7.50m length
- > Front passenger airbag
- > Traction+ with hill descent control
- > Manual air conditioning system in the driver's cab



### PT 660 EB

Total length:	6.99 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	2/4 (optional)

- + Two 2m long comfort single beds
- + Extra-large rear garage with large loading volume
- + Comfortable L-shaped seating group with side bench seat
- + Screen pull-out at the seating group (optional)
- + Washroom with integrated shower and swivel washbasin
- + Longitudinal kitchen with extra-wide pull-outs and 142-litre refrigerator





### PT 675 SB

Total length:	6.99 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	2/4 (optional)

- + Longitudinally installed double bed with particularly comfortable entry height
- + Rear bathroom with integrated shower cubicle
- + Ergonomically designed corner kitchen with 175-litre refrigerator in individual arrangement
- + Large storage space under the rear bed for camping furniture etc.
- + Floor-to-ceiling wardrobe
- + Comfortable L-shaped seating group with 1.1 m-wide sofa on the passenger side
- + Generous open space effect due to free lines of sight



### PT 695 EB

Total length:	6.99 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	4 (5) (optional)
Sleeping berths:	2/4 (optional)

- + Single beds in the rear
- + Large rear garage
- + Ergonomically designed corner kitchen with 142-litre refrigerator
- + optional seat or second wardrobe on the passenger side
- + Comfortable L-shaped seating group



### PT 720 EB

Total length:	7.41 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	4 (5) (optional)
Sleeping berths:	2/4 (optional)

- + Single beds in the rear
- + Large rear garage
- + Rear bathroom with separate shower
- + Washroom as separate dressing room variably closable on both sides with sliding doors
- + Ergonomically designed corner kitchen with 142-litre refrigerator in individual arrangement
- + Comfortable L-shaped seating group with single seat on the passenger side



### PT 720 EF

Total length:	7.57 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	2/4 (optional)

- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top, height adjustable
- + Single beds in the rear
- + Large rear garage
- + Rear bathroom with separate shower
- + Washroom as separate dressing room variably closable on both sides with sliding doors
- + Kitchen with retractable tap and foldable worktop extension



### PT 720 QF

Total length:	7.57 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	2 (4) (optional)

- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top
- + Central queen bed in the rear
- + Bed with sliding slatted frame, adjustable headboard and linen compartment
- + Large rear garage thanks to height-adjustable bed
- + Washroom variably closable on both sides with sliding doors
- + Kitchen with retractable tap and foldable worktop extension



### PT 730 EF

Total length:	7.57 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	2 (4) (optional)

- + Single beds with low entry height
- + Large storage spaces under the beds
- + Rear washroom across the entire width of the vehicle with separate shower
- + Bedroom separated from the living room with sliding door
- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top
- + Kitchen with retractable tap and foldable worktop extension

# PROFILA T



## PT 660 EB

Fiat Ducato 16" / 3.5 t

## PT 675 SB

Fiat Ducato 16" / 3.5 t

### BASIC VEHICLE

Engine model, Euro 6d Final		103 kW (140 HP)	103 kW (140 HP)
Engine models (optional)		118 kW (160 HP), 130 kW (180 HP)	118 kW (160 HP), 130 kW (180 HP)
Chassis		Fiat CCS low-slung frame	Fiat CCS low-slung frame
Fuel tank	l	75 Diesel + 19 l Ad Blue	75 Diesel + 19 l Ad Blue

### DIMENSIONS AND WEIGHTS

Double floor height	cm	11	11
Load capacity in the rear storage area	l	2,700	1,500
Size of storage door at the rear	cm	85 x 115	85x70
Wheelbase	m	4.04	4.04
Tyres		225/75 R16CP	225/75 R16CP
Total techn. perm. weight when laden	kg	3,500 / 3,650 (optional) // 4,250 // 4,400 (optional)	3,500 / 3,650 (optional) // 4,250 // 4,400 (optional)
Weight in ready-to-drive state <sup>1)</sup>	kg	2,860 // 2,900	2,840 // 2,880 (optional)
Weight in ready-to-drive state Mondial <sup>1)</sup>	kg	2,930 // 2,970	2,910 // 2,950 (optional)
Trailer weight, braked <sup>2)</sup>	kg	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)
Total length	m	6.99	6.99
Total width	m	2.32	2.32
Total height incl. Heki	m	2.86	2.86
Interior width	m	2.17	2.17
Standing height	m	1.98	1.98
Dimensions of front side seating group	cm	115 x 105	115 x 105
Bed conversion of the seating group <sup>3)</sup>	cm	200 x 115	200 x 124
Dimensions of rear bed	cm	195 x 80, 195.80	195 x 137
Dimension of longitudinal bench	cm	55 x 65	110 x 65
Sleeping areas		2/4 (optional)	2/4 (optional)
Permissible number of people <sup>4)</sup>		4	4
Permissible number of people Mondial <sup>4)</sup>		4	4
3-point seatbelts total		4	4
Number of Isofix		1	1
Framed window with mesh screen		4	4
Number of service flaps		2	2
Wall thickness of walls, roof, floor	mm	30 / 30 / 38	30 / 30 / 38
Fresh water / waste water tank	l	140 (25)* / 100	140 (25)* / 100
Battery capacity	Ah	80 Gel	80 Gel
Refrigerator	l	142	175





### PT 695 EB

Fiat Ducato 16" / 3.5 t

103 kW (140 HP)

118 kW (160 HP), 130 kW (180 HP)

Fiat CCS low-slung frame

75 Diesel + 19 l Ad Blue

11

2,700

85x115

4.04

225/75 R16CP

3,500 / 3,650 (optional) // 4,250 // 4,400 (optional)

2,860 // 2,900 (optional)

2,930 // 2,970 (optional)

2,000 // 1,800 // 1,750 (optional)

6.99

2.32

2.86

2.17

1.98

115 x 105

200 x 115

190 x 83, 185 x 83

55 x 65

2/4 (optional)

4 (5) optional

4 (5) optional

4

1

4

2

30 / 30 / 38

140 (25)\* / 100

80 Gel

142



### PT 720 EB

Fiat Ducato 16" / 3.5 t

103 kW (140 HP)

118 kW (160 HP), 130 kW (180 HP)

Fiat CCS low-slung frame

75 Diesel + 19 l Ad Blue

11

3,000

80x115

4.04

225/75 R16CP

3,500 / 3,650 (optional) // 4,250 // 4,400 (optional)

2,965 // 3,005 (optional)

3,035 // 3,075 (optional)

2,000 // 1,800 // 1,750 (optional)

7.41

2.32

2.86

2.17

1.98

115 x 105

200 x 115

2 x 203 x 83

55 x 65

2/4 (optional)

4 (5) optional

4 (5) optional

4

1

4

2

30 / 30 / 38

140 (25)\* / 100

80 Gel

142



### PT 720 EF

Fiat Ducato 16" / 3.5 t

103 kW (140 HP)

118 kW (160 HP), 130 kW (180 HP)

Fiat CCS low-slung frame

75 Diesel + 19 l Ad Blue

11

3,000

80x115

4.04

225/75 R16CP

3,500 / 3,650 (optional) // 4,250 // 4,400 (optional)

2,990 // 3,030 (optional)

3,060 // 3,100 (optional)

2,000 // 1,800 // 1,750 (optional)

7.57

2.32

2.86

2.17

1.98

99 x 60

200 x 100

2 x 203 x 83

99 x 60

2/4 (optional)

4

4

4

2

4

2

30 / 30 / 38

140 (25)\* / 100

80 Gel

142



### PT 720 QF

Fiat Ducato 16" / 3.5 t

103 kW (140 HP)

118 kW (160 HP), 130 kW (180 HP)

Fiat CCS low-slung frame

75 Diesel + 19 l Ad Blue

11

1,500

80 x 115

4.04

225/75 R16CP

3,500 / 3,650 (optional) // 4,250 // 4,400 (optional)

3,020 // 3,060 (optional)

3,090 // 3,130 (optional)

2,000 // 1,800 // 1,750 (optional)

7.57

2.32

2.86

2.17

1.98

99 x 60

200 x 100

190 x 150

99 x 60

2/4 (optional)

4

4

4

2

4

2

30 / 30 / 38

140 (25)\* / 100

80 Gel

153



### PT 730 EF

Fiat Ducato 16" / 3.5 t

103 kW (140 HP)

118 kW (160 HP), 130 kW (180 HP)

Fiat CCS low-slung frame

75 Diesel + 19 l Ad Blue

37

1,500

85 x 55

4.04

225/75 R16CP

3,500 / 3,650 (optional) // 4,250 // 4,400 (optional)

3,025 // 3,065 (optional)

3,095 // 3,135 (optional)

2,000 // 1,800 // 1,750 (optional)

7.57

2.32

2.86

2.17

1.98

99 x 60

200 x 100

200 x 75, 197 x 75

99 x 60

2/4 (optional)

4

4

4

2

4

2

30 / 30 / 38

140 (25)\*\*\* / 150

80 Gel

153

# PROFILA T OPTIONAL FEATURE PACKAGES

## OPTIONAL FEATURE PACKAGES

### DRIVING ASSISTANCE PACKAGE

2878

#### OPTIONAL FOR THE: PROFILA T

##### Special features

Brake Assist  
Automatic dimming  
Lane departure assistant  
Rain and twilight sensor  
Traffic sign recognition

### CHASSIS PACKAGE

2841

#### OPTIONAL FOR THE: PROFILA T

Standard for: Profila T "Mondial", Profila T "MONDIAL +"

##### Special features

DAB aerial in the right external mirror  
Captain's chair seats  
Electric external mirrors  
Carpet in the driver's cab  
Fiat radio preparation incl. DAB+  
Bumpers painted in the vehicle colour

### DESIGN PACKAGE

2875

#### OPTIONAL FOR THE: PROFILA T

Standard for: Profila T "Mondial", Profila T "MONDIAL +"

##### Special features

16" alloy wheels Light / Maxi  
Radiator grille piano black paint black incl. chrome applications  
Fog lights with cornering light

## OPTIONAL FEATURE PACKAGES

### ENERGY PLUS PACKAGE

PEP 01

#### OPTIONAL FOR THE: PROFILA T

##### Special features

Lithium battery with charging booster  
2nd Lithium battery

### PRESTIGE PACKAGE

2840

#### OPTIONAL FOR THE: PROFILA T

Standard for: Profila T "MONDIAL +"

##### Special features

Automatic air conditioning  
Steering wheel with control elements  
Leather steering wheel with leather gear knob  
Wireless charger  
Naviceiver with double rear-view camera (surcharge compared to moniceiver)

### PLUG-IN PACKAGE

PPI01

#### OPTIONAL FOR THE: PROFILA T

Standard for: Profila T "MONDIAL +"

##### Special features

External shower  
External gas socket  
Multi-function socket  
SOG toilet ventilation

## MONDIAL EDITION

### MONDIAL EDITION

PSM 43

#### OPTIONAL FOR THE: PROFILA T

##### consisting of:

##### Chassis package

##### Design package

- ✦ Body door with 2-point locking and central locking system
- ✦ "Sun Roof" insulated panoramic glass roof
- ✦ Heki skylight
- ✦ Electric roof fan
- ✦ Dimming system for the driver's cab

- ✦ Moniceiver with rear-view camera
- ✦ Mosquito screen for body door
- ✦ Height-adjustable central bed on QF models

### MONDIAL PLUS EDITION

PSM 51, 52, 53

#### OPTIONAL FOR THE: PROFILA T "MONDIAL"

##### consisting of:

##### Mondial Edition

- ✦ Prestige package
- ✦ Plug-in package
- ✦ Combi 6EH heating (surch. comp. to Combi only with warm air heating)
- ✦ Awning
- ✦ Insulated curtain (all-round insulation of the driver's cab, including floor insulation)

- ✦ Truma Duo Control CS with remote display, de-icer and crash sensor
- ✦ Pre-cabing for solar power system and TV
- ✦ Heat exchanger
- ✦ Underfloor heating for driver's cab



# PROFILA RS



## PROFILA RS: HIGHLIGHTS.



The Profila with lift-up bed hidden flush with the ceiling. During the day, full standing height is maintained under the bed. The bed, which can be electrically operated on demand, lies protected in an elegant and stable GRP roof cassette.

- + *Lift-up bed flush with ceiling with storage compartments in stable GRP roof cassette*
- + *Bed size (lift-up bed) 190x143cm*
- + *Also wall units under the lift-up bed in one visual line*
- + *Full standing height of 198 cm under the lift-up bed*
- + *12 cm high heated double floor with floor storage compartments*
- + *Elegant roof transition between cab and body thanks to modern CAD design and high fitting accuracy of the GRP components used*
- + *All layouts < 3.5 T mass in ready-to-drive condition*
- + *Large rear garages thanks to rear lowering with fully insulated underbody trough*
- + *Winter-proof according to EN 1646-2*
- + *Wood-free walls with continuous insulation (rot-proof)*
- + *Robust furniture with aluminium profile reinforcements (3-year guarantee)*
- + *Bonded and all-round-sealed body composite made of hail-protected glass-fibre reinforced plastic (GRP) featuring Eura Mobil Sealed Structure Technology*
- + *10-year leak guarantee (up to 150,000 km)*
- + *Water tanks heated and insulated in the double floor or in double floor trough*
- + *Electrically controlled waste water tank drainage*
- + *From 7.50 m Alde hot water heating*

# PROFILA RS

## MODEL-SPECIFIC FEATURES

- > Lift-up bed flush with ceiling with storage compartments
- > Bed dimensions 193 x 140 cm
- > All wall units in an optical line
- > Standing height 1.98 m under lift-up bed
- > With electrically controlled lift-up bed on request
- > 140 HP engine, Euro 6d-Final
- > Noise-insulated window roller blinds (Seitz comfort roller blinds)
- > Dimmable ambient lighting
- > Illuminated entrance area with storage facilities
- > Kitchen base unit complete with pull-outs instead of doors
- > Worktop illuminated from underneath for illumination of the kitchen pull-outs
- > Sink cover with 2-piece chopping board
- > Comfort rain shower with back-lit shower column (depending on floor plan)
- > Shower grate in the washroom
- > Single-bed floor plans with adjustable bed frame and pull-out for conversion into a double bed
- > Bed headboard with ambient lighting
- > USB port for charging mobile devices
- > Garage lowering with insulated trough
- > Anchor rail for rear garage
- > Seitz frame windows flush with the outer wall
- > Waste water tank in insulated and heated floor trough / or in double floor
- > Electric waste water tank emptying at the push of a button
- > Winter-proof according to EN 1646-1 in conjunction with all-round insulation (3613)
- > Superstructure door with window and waste bin
- > Mini-Heki above rear bed
- > Ambient lighting
- > 16" wheels
- > External lighting
- > 230 V socket in the washroom
- > Combi 6 heating starting with 720 EB, 720 EF
- > Alde hot water heating for models from 7.50m length
- > Front passenger airbag
- > Manual air conditioning system in the driver's cab
- > Traction+ with hill descent control



### PRS 675 SB

Total length:	6.99 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	4 (6) (optional)

- + Longitudinally installed double bed with particularly comfortable entry height
- + Rear bathroom with integrated shower cubicle
- + Ergonomically designed corner kitchen with 175-litre refrigerator in individual arrangement
- + Large storage space under the rear bed for camping furniture etc.
- + Floor-to-ceiling wardrobe
- + Comfortable L-shaped seating group with 1.1 m-wide sofa on the passenger side
- + Generous open space effect due to free lines of sight





NEW



NEW

### PRS 695 EB

Total length:	6.99 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	4 (5) (optional)
Sleeping berths:	4 (6) (optional)

- + Single beds in the rear
- + Large rear garage
- + Ergonomically designed corner kitchen with 142-litre refrigerator
- + optional seat or second wardrobe on the passenger side
- + Comfortable L-shaped seating group

### PRS 695 HB

Total length:	6.99 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	4 (5) (optional)
Sleeping berths:	4 (6) (optional)

- + Double bed in the rear with comfortable side entry into the rear bed
- + Large rear garage
- + Washroom with integrated shower and swivel washbasin
- + Floor-to-ceiling wardrobe
- + Ergonomic corner kitchen with 148-litre refrigerator in individual arrangement
- + Comfortable L-shaped seating group with single seat on the passenger side

### PRS 695 LF

Total length:	6.99 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping areas:	2 (4) optional

- + Large double-door wardrobe across the entire width of the vehicle at the rear
- + Wardrobe doors conveniently swivel to the walkway
- + Bicycle garage in the rear
- + Bathroom with room divider door
- + Comfort seating group with two-person sofas positioned opposite each other
- + TV pull-out on kitchen wall
- + Kitchen with retractable tap and foldable worktop extension
- + 200x160cm electrically operated double bed above the seating area

### PRS 720 EB

Total length:	7.41 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	4 (5) (optional)
Sleeping berths:	4 (6) (optional)

- + Single beds in the rear
- + Large rear garage
- + Rear bathroom with separate shower
- + Washroom as separate dressing room variably closable on both sides with sliding doors
- + Ergonomically designed corner kitchen with 142-litre refrigerator in individual arrangement
- + Comfortable L-shaped seating group with single seat on the passenger side

### PRS 720 EF

Total length:	7.57 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	4 (5) (optional)
Sleeping berths:	4 (6) (optional)

- + Comfort seating group with two-person sofas positioned opposite each other
- + Single beds in the rear
- + Large rear garage
- + Rear bathroom with separate shower
- + Washroom as separate dressing room variably closable on both sides with sliding doors
- + Ergonomically designed corner kitchen with 142-litre refrigerator in individual arrangement
- + Kitchen with retractable tap and foldable worktop extension

### PRS 720 QF

Total length:	7.57 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	4 (6) (optional)

- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top
- + Central queen bed in the rear
- + Bed with sliding slatted frame, adjustable headboard and linen compartment
- + Large rear garage thanks to height-adjustable bed
- + Washroom variably closable on both sides with sliding doors
- + Kitchen with retractable tap and foldable worktop extension

## PROFILA RS



## PRS 675 SB

Fiat Ducato 16" / 3.5 t

## PRS 695 EB

Fiat Ducato 16" / 3.5 t

## BASIC VEHICLE

Engine model, Euro 6d Final		103 kW (140 HP)	103 kW (140 HP)
Engine models (optional)		118 kW (160 HP), 130 kW (180 HP)	118 kW (160 HP), 130 kW (180 HP)
Chassis		Fiat CCS low-slung frame	Fiat CCS low-slung frame
Fuel tank	l	75 Diesel + 19 l Ad Blue	75 Diesel + 19 l Ad Blue

## DIMENSIONS AND WEIGHTS

Double floor height	cm	11	11
Load capacity in the rear storage area	l	1,500	2,700
Size of storage door at the rear	cm	85 x 70	85 x 115
Wheelbase	m	4.04	4.04
Tyres		225/75 R16CP	225/75 R16CP
Total techn. perm. weight when laden	kg	3,500 / 3,650 (optional) // 4,250 // 4,400 (optional)	3,500 / 3,650 (optional) // 4,250 // 4,400 (optional)
Weight in ready-to-drive state <sup>1)</sup>	kg	2,940 // 2,980 (optional)	3,000 // 3,040 (optional)
Weight in ready-to-drive state Mondial <sup>1)</sup>		2,985 // 3,025 (optional)	3,045 // 3,085 (optional)
Trailer weight, braked <sup>2)</sup>	kg	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)
Total length	m	6.99	6.99
Total width	m	2.32	2.32
Overall height	m	2.99	2.99
Interior width	m	2.17	2.17
Standing height	m	1.98	1.98
Dimensions of front side seating group	cm	115 x 105	115 x 105
Bed conversion of the seating group <sup>3)</sup>	cm	200 x 124	200 x 115
Dimensions of rear bed	cm	195 x 137	190 x 83, 185 x 83
Dimensions of lift-up bed	cm	193 x 140	193 x 140
Dimension of longitudinal bench	cm	110 x 65	55 x 65
Sleeping areas		4 (6) optional	4 (6) optional
Permissible number of people <sup>4)</sup>		4	4 (5) optional
Permissible number of people Mondial <sup>4)</sup>		4	4 (5) optional
3-point seatbelts total		4	4
Number of Isofix		1	1
Framed window with mesh screen		4	4
Number of service flaps		2	2
Wall thickness of walls, roof, floor	mm	30 / 30 / 38	30 / 30 / 38
Fresh water / waste water tank	l	140 (25)* / 100	140 (25)* / 100
Battery capacity	Ah	80 Gel	80 Gel
Refrigerator	l	175	142





### PRS 695 HB

Fiat Ducato 16'' / 3.5 t

103 kW (140 HP)

118 kW (160 HP), 130 kW (180 HP)

Fiat CCS low-slung frame

75 Diesel + 19 l Ad Blue



### PRS 695 LF

Fiat Ducato 16'' / 3.5 t

103 kW (140 HP)

118 kW (160 HP), 130 kW (180 HP)

Fiat CCS low-slung frame

75 Diesel + 19 l Ad Blue



### PRS 720 EB

Fiat Ducato 16'' / 3.5 t

103 kW (140 HP)

118 kW (160 HP), 130 kW (180 HP)

Fiat CCS low-slung frame

75 Diesel + 19 l Ad Blue



### PRS 720 EF

Fiat Ducato 16'' / 3.5 t

103 kW (140 HP)

118 kW (160 HP), 130 kW (180 HP)

Fiat CCS low-slung frame

75 Diesel + 19 l Ad Blue



### PRS 720 QF

Fiat Ducato 16'' / 3.5 t

103 kW (140 HP)

118 kW (160 HP), 130 kW (180 HP)

Fiat CCS low-slung frame

75 Diesel + 19 l Ad Blue

11	11	11	11	11
2,700	2,000	3,000	3,000	1,500
85 x 115	85 x 115	80 x 115	80 x 115	80 x 115
4.04	4.04	4.04	4.04	4.04
225/75 R16CP	225/75 R16CP	225/75 R16CP	225/75 R16CP	225/75 R16CP
3,500 /3,650 (optional) // 4,250 // 4,400 (optional)	3,500 /3,650 (optional) // 4,250 // 4,400 (optional)	3,500 /3,650 (optional) // 4,250 // 4,400 (optional)	3,500 /3,650 (optional) // 4,250 // 4,400 (optional)	3,500 /3,650 (optional) // 4,250 // 4,400 (optional)
3,000 // 3,040 (optional)	3,030 // 3,070	3,065 // 3,105 (optional)	3,090 // 3,130 (optional)	3,120 // 3,160 (optional)
3,045 // 3,085 (optional)	3,075 // 3,115	3,110 // 3,150 (optional)	3,135 // 3,175 (optional)	3,165 // 3,205 (optional)
2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)
6.99	6.99	7.41	7.41	7.57
2.32	2.32	2.32	2.32	2.32
2.99	2.99	2.99	2.99	2.99
2.17	2.17	2.17	2.17	2.17
1.98	1.98	1.98	1.98	1.98
115 x 105	160 x 60	115 x 105	99 x 60	99 x 60
200 x 115	165 x 200	200 x 115	200 x 100	200 x 100
217 / 190 x 150	-	194 x 86, 194 x 86	2 x 203 x 83	190 x 150
193 x 140	200 x 160	193 x 140	193 x 140	193 x 140
55 x 65	115 x 60	55 x 65	99 x 60	99 x 60
4 (6) optional	2 (4) optional	4 (6) optional	4 (6) optional	4 (6) optional
4 (5) optional	4	4 (5) optional	4	4
4 (5) optional	4	4 (5) optional	3 (4) optional	3 (4) optional
4	4	4	4	4
1	2	1	2	2
4	4	4	4	4
2	2	2	2	2
30 / 30 / 38	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38
140 (25)* /100	140 (25)* /100	140 (25)* /100	140 (25)* /100	140 (25)* /100
80 Gel	80 Gel	80 Gel	80 Gel	80 Gel
142	142	142	142	153

# PROFILA RS OPTIONALE FEATURE PACKAGES

## OPTIONAL FEATURE PACKAGES

### DRIVING ASSISTANCE PACKAGE

2878

#### OPTIONAL FOR THE: PROFILA RS

##### Special features

Brake Assist  
Automatic dimming  
Lane departure assistant  
Rain and twilight sensor  
Traffic sign recognition

### CHASSIS PACKAGE

2841

#### OPTIONAL FOR THE: PROFILA RS

Standard for: Profila RS "Mondial", Profila RS "Mondial +"

##### Special features

DAB aerial in the right external mirror  
Captain's chair seats  
Electric external mirrors  
Carpet in the driver's cab  
Fiat radio preparation incl. DAB+  
Bumpers painted in the vehicle colour

### DESIGN PACKAGE

2875

#### OPTIONAL FOR THE: PROFILA RS

Standard for: Profila RS "Mondial", Profila RS "Mondial +"

##### Special features

16" alloy wheels Light / Maxi  
Radiator grille piano black paint black incl. chrome applications  
Fog lights with cornering light

## OPTIONAL FEATURE PACKAGES

### ENERGY PLUS PACKAGE

PEP 01

#### OPTIONAL FOR THE: PROFILA RS

##### Special features

Lithium battery with charging booster  
2nd Lithium battery  
Sum of the individual components:

### PRESTIGE PACKAGE

2840

#### OPTIONAL FOR THE: PROFILA RS

Standard for: Profila RS "MONDIAL +"

##### Special features

Automatic air conditioning (surcharge against manual air conditioning)  
Steering wheel with control elements  
Leather steering wheel with leather gear knob  
Wireless charger  
Naviceiver with double rear-view camera (surcharge compared to moniceiver)

### PLUG-IN PACKAGE

PPI 01

#### OPTIONAL FOR THE: PROFILA RS

Standard for: Profila RS "MONDIAL +"

##### Special features

External shower  
External gas socket  
Multi-function socket  
SOG toilet ventilation

## MONDIAL EDITION

### MONDIAL EDITION

PSM 44

OPTIONAL FOR THE: PROFILA RS	
<b>consisting of:</b>	
<b>Chassis package</b>	<ul style="list-style-type: none"> <li>✦ Mosquito screen for body door</li> <li>✦ Height-adjustable central bed on QF models</li> </ul>
<b>Design package</b>	
<ul style="list-style-type: none"> <li>✦ Body door with 2-point locking and central locking system</li> <li>✦ "Sun Roof" insulated panoramic glass roof</li> <li>✦ Electric roof fan</li> <li>✦ Dimming system for the driver's cab</li> <li>✦ Moniceiver with rear-view camera</li> </ul>	

### MONDIAL PLUS EDITION

PSM 48, 49, 50

OPTIONAL FOR THE: PROFILA RS "MONDIAL"	
<b>consisting of:</b>	
<b>Mondial Edition</b>	<ul style="list-style-type: none"> <li>✦ Truma Duo Control with remote display, de-icer and crash sensor</li> <li>✦ Pre-cabling for solar power system and TV</li> <li>✦ Heat exchanger</li> <li>✦ Underfloor heating for driver's cab</li> </ul>
<ul style="list-style-type: none"> <li>✦ Prestige package</li> <li>✦ Plug-in package</li> <li>✦ Combi 6EH heating (surcharge compared to Combi only with warm air heating))</li> <li>✦ Awning</li> <li>✦ Insulated curtain (all-round insulation of the driver's cab, including floor insulation)</li> </ul>	



# CONTURA



# CONTURA: HIGHLIGHTS.

Luxury low-profile model with sophisticated interior and exclusive features. Available on Mercedes Sprinter with extensive comfort and safety assistance systems.

- + *Starlight Dome panoramic glass roof with smart-lift and soft-close function (optional)*
- + *20 cm high heated double floor*
- + *Storage space expansion through floor compartments and lowered side storage compartments*
- + *Single-piece GRP rear wall, shaped three-dimensionally*
- + *Directional LED running light indicators at the rear*
- + *LED tail lights*
- + *AL-KO low-frame chassis with up to 4.5 t permissible total weight*
- + *ALDE hot water heating*
- + *Lounge sofa with back cushions, bolster and seat chest trim*
- + *177-litre refrigerator with 35-litre freezer compartment (716 EB: 128-litre)*
- + *Kitchen with two-part chopping board as sink cover*
- + *Spring arm fitting or retractable water tap on 716 EB*
- + *Fresh and waste water tank frost-protected in heated double floor*
- + *Drainage valves, insulated and heated in the central service compartment*
- + *Electrically controlled waste water tank drainage*
- + *Elegant roof transition between driver's cab and body thanks to modern CAD design and high fitting accuracy of the GRP components used*
- + *Large rear garages thanks to rear lowering with fully insulated underbody trough*
- + *Winter-proof according to EN 1646-2*
- + *Wood-free walls with continuous insulation (rot-proof)*
- + *Robust furniture with aluminium profile reinforcements (3-year guarantee)*
- + *Bonded and all-round-sealed body composite made of hail-protected glass-fibre reinforced plastic (GRP) featuring Eura Mobil Sealed Structure Technology*
- + *10-year leak guarantee (up to 150,000 km)*

# CONTURA MERCEDES

## MODEL-SPECIFIC FEATURES

- > Mercedes Sprinter chassis
- > Front-wheel drive
- > 143 HP engine
- > More headroom in the driver's cab thanks to specially shaped roof cut-out
- > Extensive and voice-controlled assistance systems (MBUX) Safety systems possible as an option
- > Noise-insulated window roller blinds (Seitz comfort roller blinds)
- > Dimmable ambient lighting
- > Illuminated entrance area with storage facilities
- > Kitchen base unit complete with pull-outs instead of doors
- > Worktop illuminated from underneath for illumination of the kitchen pull-outs
- > Sink cover with 2-piece chopping board
- > Comfort rain shower with back-lit shower column (depending on floor plan)
- > Shower grate in the washroom
- > Single-bed floor plans with adjustable bed frame and pull-out for conversion into a double bed
- > Bed headboard with ambient lighting
- > USB port for charging mobile devices
- > Anchor rail for rear garage
- > Seitz frame windows flush with the outer wall
- > Waste water tank in insulated and heated floor trough / or in double floor
- > Electric waste water tank emptying at the push of a button
- > Winter-proof according to EN 1646
- > Superstructure door with window and waste bin
- > Mini-Heki above rear bed
- > Ambient lighting
- > 17" wheels
- > External lighting
- > 230 V socket in the washroom
- > Alde hot water heating
- > Front passenger airbag
- > Traction+ with hill descent control

## CONTURA LUXURY FEATURES

- > Door to the bathroom with reed grass inlay (dep. on floor plan)
- > Solid chrome handles with push button on wall units
- > 2 USB ports in the bedroom
- > Height-adjustable bed with linen compartment (QB)
- > Ceiling spars with integrated ambient lights
- > AL-KO low-frame chassis
- > LED rear lights
- > LED indicators with direction-indicating running light (rear)
- > Moulded parts in the driver's cab for a flowing visual transition to the living area
- > GRP rear wall with three-dimensional curving
- > Diffuser elements in black gel coat integrated into single-piece rear section
- > Wall units with high-gloss coating and chrome application
- > Wall units with storage compartments, indirectly illuminated and rear-ventilated
- > Lounge sofa with back cushions and seat chest trim
- > High-quality multi-zone upholstery for living room seats
- > High-quality headrests and neck padding on the seats with belts
- > Bed headboard with chrome applications and ambient lighting
- > Worktop-mounted 3-burner hob with two-part glass cover
- > Chrome-plated water tap with spring arm, C 766 EF, with retractable water tap
- > 177-l refrigerator with 35-l freezer compartment (C716 128 l, of which 12 l freezer compartment)
- > Illuminated storage compartments in slate look
- > Glass display cabinet in the kitchen wall unit
- > Pull-out cloakroom at the transition to the washroom (depending on floor plan)
- > Splashback glass with ambient lighting on the worktop
- > Bathroom with separate shower cubicle on the C 766 EB, EF and QB
- > Shower wall in slate look, with wall heating and illuminated reed grass inlay (except 716 EB)
- > Fresh and waste water tank frost-protected thanks to installation in the 20 cm double floor
- > Drainage valves, insulated and heated in the central service compartment
- > Electric drain valve for waste water tank





### C 716 EB

Total length:	7.28 m
Total width:	2.32 m
Weight class:	4.5 t
Number of seats:	4
Sleeping berths:	2 (3)

- + Single beds in the rear
- + Large rear garage
- + Washroom with integrated shower and swivel washbasin
- + Wardrobe pull-out
- + Ergonomically designed corner kitchen with 128-litre refrigerator in individual arrangement
- + Comfortable L-shaped seat bench with single seat on the passenger side



### C 766 EB

Total length:	7.84 m
Total width:	2.32 m
Weight class:	4.5 t
Number of seats:	4
Sleeping berths:	2 (4)

- + Single beds in the rear
- + Large rear garage
- + Rear bathroom with separate shower
- + Wardrobe pull-out
- + Washroom as separate dressing room variably closable on both sides with doors
- + Ergonomically designed corner kitchen with 177-litre refrigerator in individual arrangement
- + Comfortable L-shaped seat bench with single seat on the passenger side
- + Glass showcase in the entrance area
- + TV pull-out behind the seat bench



### C 766 EF

Total length:	7.84 m
Total width:	2.32 m
Weight class:	4.5 t
Number of seats:	4
Sleeping berths:	4

- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top, height adjustable
- + Single beds in the rear
- + Large rear garage
- + Rear bathroom with separate shower
- + Wardrobe pull-out
- + Washroom as separate dressing room variably closable on both sides with doors
- + Ergonomically designed corner kitchen with 177-litre refrigerator in individual arrangement
- + Kitchen with retractable water tap and foldable worktop extension
- + Glass showcase in the entrance area
- + TV pull-out behind the seat bench



### C 766 QB

Total length:	7.84 m
Total width:	2.32 m
Weight class:	4.5 t
Number of seats:	4
Sleeping berths:	4

- + Central queen bed in the rear
- + Bed with sliding slatted frame, adjustable headboard and linen compartment
- + Two wardrobes in the sleeping area
- + Large, variable rear garage thanks to bed height adjustment
- + Rear bathroom with separate shower
- + Washroom as separate dressing room variably closable on both sides with doors
- + Ergonomically designed corner kitchen with 177-litre refrigerator in individual arrangement
- + Comfortable L-shaped seat bench with single seat on the passenger side
- + Glass showcase in the entrance area
- + TV pull-out behind the seat bench

# CONTURA MERCEDES OPTIONAL FEATURE PACKAGES

## OPTIONAL FEATURE PACKAGES

### CHASSIS PACKAGE

2829

#### OPTIONAL FOR THE: CONTURA MERCEDES

Standard for: Contura Mercedes "Luminary", Contura Mercedes "Luminary +"

##### Special features

Heat-insulating glass with band filter on the windscreen

Semi-automatic air conditioner Tempmatic

Parking brake electric

Moniceiver with reversing camera, DAB+

Cruise control

Electr. mirror

Carpet in the driver's cab

Comfort seats

### DESIGN PACKAGE

2828

#### OPTIONAL FOR THE: CONTURA MERCEDES

Standard for: Contura Mercedes "Luminary", Contura Mercedes "Luminary +"

##### Special features

Exterior paintwork obsidian black

Bumpers and attachment parts in vehicle colour, radiator grille frame in vehicle colour

17" aluminium rims

Chrome-plated radiator grille

External appearance in carbon

### TOURING PACKAGE

PT001

#### OPTIONAL FOR THE: CONTURA MERCEDES

Standard for: Contura Mercedes "Luminary", Contura Mercedes "Luminary +"

##### Special features

"Starlight Dome" panoramic glass roof

Extractor hood

Mesh screen for cabin door

Electric roof fan

Dimming system for the driver's cab (windscreen and side windows)

Superstructure door with central locking

Duo Control CS

## OPTIONAL FEATURE PACKAGES

### DRIVING ASSISTANCE PACKAGE

2867

#### OPTIONAL FOR THE: CONTURA MERCEDES

##### Special features

Active lane keeping assistant

High beam assistant

Tyre air pressure sensors

Fog light

LED high-performance headlights

### PLUG-IN PACKAGE

PPI 01

#### OPTIONAL FOR THE: CONTURA MERCEDES

Standard for: Contura Mercedes "Luminary +"

##### Special features

External shower

External gas socket

Multi-function socket

SOG toilet ventilation





**PRESTIGE PACKAGE**

2826

**OPTIONAL FOR THE: CONTURA MERCEDES****Standard for: Contura Mercedes "Luminary", "Luminary +"****Special features**

MBUX 10.25" Multi-media system incl. DAB, satnav  
 Storage compartment under cockpit  
 Acoustic package (engine noise insulation)  
 Thermotronic automatic air conditioning  
 Dashboard charging package  
 Leather steering wheel  
 Storage for smartphones incl. wireless charger  
 Traffic sign assistant  
 Distronic active distance assistant

**LUMINARY EDITION**

PLU 19-22

**OPTIONAL FOR THE: CONTURA MERCEDES****consisting of:****Chassis package****Styling package****Prestige package****Touring package**

- + 170 HP engine
- + 92-litre tank
- + Automatic gearbox

**LUMINARY PLUS EDITION**

PLU23

**OPTIONAL FOR THE: CONTURA MERCEDES "LUMINARY"****consisting of:****Luminary Edition**

- + Plug-in package
- + Awning
- + Pre-cabling for solar power system + TV
- + All-round insulation of the driver's cab

- + Underfloor heating for driver's cab
- + Underfloor camera
- + Lithium battery with charging booster

CONTURA



CONTURA

**C 716 EB****MB Sprinter 414 CDI****C 766 EB****MB Sprinter 414 CDI****C 766 EF****MB Sprinter 414 CDI****C 766 QB****MB Sprinter 414 CDI****BASIC VEHICLE**

Engine model, Euro 6d Final		105 kW (143 HP)	105 kW (143 HP)	105 kW (143 HP)	105 kW (143 HP)
Engine models (optional)		125 kW (170 HP)	125 kW (170 HP)	125 kW (170 HP)	125 kW (170 HP)
Chassis		AL-KO chassis	AL-KO chassis	AL-KO chassis	AL-KO chassis
Fuel tank	l	65 l Diesel + 22 l AdBlue	65 l Diesel + 22 l AdBlue	65 l Diesel + 22 l AdBlue	65 l Diesel + 22 l AdBlue

**DIMENSIONS AND WEIGHTS**

Double floor height	cm	19.5	19.5	19.5	19.5
Load capacity in the rear storage area	l	2,200	3,000	3,000	1,700
Size of storage door at the rear	cm	2 x 85 x 115	2 x 85 x 115	2 x 85 x 115	80 x 105 / 85 x 105
Wheelbase	m	4.11	4.45	4.45	4.45
Tyres		235/60 R17C	235/60 R17C	235/60 R17C	235/60 R17C
Total techn. perm. weight when laden	kg	4,500	4,500	4,500	4,500
Weight in ready-to-drive state <sup>1)</sup>	kg	3,170	3,430	3,420	3,400
Weight in ready-to-drive state Luminary Edition <sup>1)</sup>	kg	3,300	3,560	3,550	3,530
Trailer weight, braked <sup>2)</sup>	kg	2,000	2,000	2,000	2,000
Total length	m	7.28	7.84	7.84	7.84
Total width	m	2.32	2.32	2.32	2.32
Overall height	m	2.92	2.92	2.92	2.92
Standing height	m	1.98	1.98	1.98	1.98
Dimensions of front side seating group	cm	115 x 105	115 x 105	93 x 65	115 x 105
Bed conversion of the seating group	cm	100 x 190	105 x 200	90 x 200	105 x 200
Dimensions of rear bed(s)	cm	195 x 80 / 200 x 80	195 x 80 / 200 x 80	195 x 80 / 200 x 80	150 x 195
Dimension of longitudinal bench	cm	-	75 x 65	93 x 65	75 x 65
Sleeping areas		2 (3)	2 (4)	2 (4)	2 (4)
Permissible number of people		4	4	4	4
3-point seatbelts total		4	4	4	4
Number of Isofix		-	-	2	-
Framed window with mesh screen		3	3	3	3
Number of service flaps		3	4	4	4
Wall thickness of walls, roof, floor	mm	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38
Fresh water / waste water tank	l	140 (25)* / 100	140 (25)* / 100	140 (25)* / 100	140 (25)* / 100
Battery capacity	Ah	80 Gel	80 Gel	80 Gel	80 Gel
Refrigerator	l	128	177	177	177

<sup>1)</sup> Dimensions in ready-to-drive state as per EU Directive 1230/2012: Vehicle with standard features according to the manufacturer's specifications, 90% of the filling quantity for fuel, 100% water in driving position as well as gas (ALU-11 kg gas bottle), without special features | <sup>2)</sup> Note the weight of the vehicle/trailer combination | <sup>3)</sup> Not in conjunction with 6430 table with chrome-plated table base | <sup>4)</sup> Numbers in brackets only in conjunction with 2324\* superimposed load to 3.65 t\* or 2313 Maxi chassis (number in second bracket) | \* Water quantity in driving position 25 l. If there is sufficient remaining load, the water tank indicated as having a capacity of 25 l can be filled to its actual capacity of 140 l.

# LOW-PROFILE STANDARD FEATURES

S = Standard O = Optional  
P = Package contents - = Not possible

	PROFILAT	PROFILARS	CONTURA (MERCEDES)
<b>CHASSIS</b>			
140 HP engine, Euro 6d-Final	S	S	-
143 HP engine, Euro 6d Final	-	-	S
CCS wide track low-slung frame (1,980 mm gauge)	S	S	-
ALKO low-slung frame chassis	-	-	S
ABS	S	S	S
Manual air conditioning	S	S	O
Frame extension	S	S	S
Driver / passenger airbag	S	S	S
Electric window risers, driver's cab central locking system	S	S	S
Fix & Go breakdown kit	S	S	S
Daytime running light	S	S	S
16" wheels / Mercedes 17" wheels	S	S	S
ESP including Traction+ and hill descent control	S	S	-
ASR, EBD and ESP	-	-	S
<b>DRIVER'S CAB</b>			
GRP hood, insulated, with large storage compartments	S	S	S
Stylish fenders, wide designs	S	S	S
Driver's cab seat in structured upholstered fabric	S	S	S
Storage closets in the driver's cab, visually integrated into the living room	-	-	S
Curved roof with elegant transition to the superstructure	-	S	-
GRP roof compartment with integrated lift-up bed	-	S	-
<b>SUPERSTRUCTURE</b>			
Lightweight construction double floor throughout, insulated and heated	S	S	S
Aluminium profile without cold bridges for floor-wall joint	S	S	S
Floor hatches with folding handle	S	S	S
Lightweight construction floor plate with aluminium inlay	S	S	S
Wood-free GRP walls	S	S	S
GRP double floor	S	S	S
PVC floor covering with footstep sound insulation	S	S	S
Roof edge profile made from powder-coated aluminium with joint sealing	S	S	S
Mini Heki skylight roof hood over front section	S	S	S

	PROFILAT	PROFILARS	CONTURA (MERCEDES)
Sturdy chassis side skirts made from powder-coated aluminium	S	S	S
Roof, wall, flooring made from GRP, fully insulated	S	S	S
Wall thickness of walls/roof/floor: 30/30/38 mm	S	S	S
Isofix, 2 x in driving direction	S (EF/QF models only)	S (EF/QF models only)	S (EF models only)
Isofix, 1 x in driving direction	S (675 SB, 695 EB, 720 EB)	S (675 SB, 695 EB, 720 EB)	-
Integrated double access step, insulated	S	S	-
Anti-slip surface on garage floor	S	S	S
Electric access step	-	-	S
Trumatic Combi 4 heating, Combi 6 from PT/PRS 720 EB	S/-	S/-	-
Alde hot water heating for models from 7.50m length	S/-	S/-	S
Seitz framed window with mesh screen flush with the external wall	S	S	S
Service flaps with double seal, insulated inlay and rotary-knob locks	S	S	S
Single key for entire superstructure	S	S	S
Noise insulation for wall unit doors	S	S	S
Large LED rear lights in Integra design	S	S	-
Big LED rear lights with running light indicators	-	-	S
GRP rear wall with three-dimensional curving	-	-	S
Diffuser elements in black gel coat integrated into single-piece rear section	-	-	S
Additional, lowered side and floor storage compartments (depending on floor plan)	-	-	S
Compartment shelves in the upper floor with access from the interior	S	S	-
External lighting	S	S	S
Extra-wide access door with window and waste bin	S	S	S
Roof compartment for ceiling-flush lift-up bed	-	S	-
Lightweight upper floor	S	S	S
Double-moulded GRP sandwich roof	S	S	S
Garage lowering system with insulated well	S	S	S
<b>LIVING SPACE</b>			
"Chalet" interior	S	S	-
"Navarra" interior	O	O	S
Upholstered fabric: Como or Dara	S	S	S
Spacious sofa with longitudinal seat on passenger side (except C716 EB)	S	S	S

	PROFILAT	PROFILARS	CONTURA (MERCEDES)
Table with 360° turning and sliding fixture	S	S	S
Two-tone furniture décor	S	S	S
Wall units with aluminium profile reinforcement	S	S	S
Wall unit doors with pressurised spring closures and colour-accentuated textile appliqués	S	S	S
Wall units with high-gloss coating and chrome appliqué	-	-	S
Wall units with storage compartments, indirect illumination and rear ventilation	-	-	S
Entrance area with illuminated handle and handy storage compartments	-	-	S
Rear storage spaces with anchor bars, straps and storage boxes	-	-	S
7-zone cold foam mattresses	S	S	S
Background lighting	S	S	S
Living space with decorative elements	S	S	S
Mechanical lift-up bed, integrated into the ceiling	-	S	-
Mini Heki skylight over rear bed	S	S	S
Mini Heki skylight over lift-up bed	-	S	-
Lounge sofa with back cushions and seat box cover	-	-	S
High-quality multi-zone upholstery for living room seats	-	-	S
High-quality headrests and neck padding on the seats with belts	-	-	S
Bed headboard with chrome appliqués and ambient lighting	-	-	S

## KITCHEN

Flow-Line design kitchen with ergonomically shaped worktop	S	S	S
Flowing transition from the kitchen front to the sofa on models with corner kitchen	S	S	S
Curved kitchen front	S	S	S
140 l to 160 l refrigerator (depending on floor plan)	S	S	S
3-burner hob with electric ignition, glass cover and large work surface	S	S	S
Pull-outs with self-closing mechanism and soft stop, metal roller runners	S	S	S
Divided deep wall units with slide guards	S	S	S
Colour-accentuated wall units	S	S	S
Extra-wide drawer	S	S	S
Chrome-plated tap	-	-	S
Water tap with rotating non-drip outlet (LF/EF/QF models with retractable water tap)	S	S	S
Worktop with indirect illumination for pull-outs	-	-	S
Stainless steel sink with two-part chopping board as sink cover	-	-	S
Door with reed grass inlay (depending on floor plan)	-	-	S

## WASHROOM

Centre washroom w. integr. Shower room (695 HB, 695 EB, C 716 EB)	S	S	S
Rear washroom with integrated shower cubicle (675 SB)	S	S	-
Rear washroom with separate shower (730 EF, 695 LF)	S	S	-

	PROFILAT	PROFILARS	CONTURA (MERCEDES)
Separate shower (720, 730, 766)	S	S	S (except C716)
Storage closet and mirror	S	S	S
Large roller-mounted tank for cassette WC	S	S	S
230 V power socket	S	S	S
Bench toilet with folding wooden bench (depending on floor plan)	S	S	S
Bathroom with separate shower (C 766 EB/EF/QB, PT/PRS 720 EB/EF/QF, PRS 695 LF)	S	S	S
Shower wall in slate look, with wall heating and reed grass inlay (C 766 EB/EF/QB, PT/PRS 720 EB/EF)	S	S	S
Washbasin made from mineral material	-	-	S

## WATER INSTALLATION

Fresh water system made from Hartflex plastic	S	S	S
Fixed pipe system for waste water	S	S	S
140 l insulated and heated fresh water tank in the double floor*	S	S	-
Insulated and heated 140 l fresh water tank and 100 l waste water tank in the double floor *	-	-	S
Central service compartment with access to the water drainage taps	S (EF only)	S (EF only)	S
100 l waste water tank in insulated and heated floor trough	S	S	-
Electrically operated waste water tank emptying at the push of a button	S	S	S
Fittings with ceramic cartridges	S	S	S
Siphons to prevent odours	S	S	S
Pressurised water pump	S	S	S
Complies at least with the state of the technological art set out in 03/2009 (Directive 2002/72/EC)	S	S	S
2 drainage valves for fresh water system	S	S	S
Drain valves insulated and heated	S	S	S

## ELECTRICAL INSTALLATION

Electrical distributor panel easily accessible under the passenger seat (730 EF under rear bed)	S	S	-
80 Ah gel battery	S	S	S
On-board control panel with separate displays for water, battery and charging voltage	S	S	S
LED reading spotlights	S	-	S
Light switch system with household logic system	S	S	S
Ceiling lights with double function light and/or LED ambience	S	S	-
Number of 230 V power sockets: 3	S	S	S
Number of 12 V power sockets: 1	S	S	S
Number of USB ports: 3	S	S	S
17 A charger	S	S	S
LED ambient lighting, dimmable and programmable	-	-	S
LED function lights in the centre of the ceiling and in the lateral ceiling struts	-	-	S

\* Water capacity in drive position 25 l. If there is sufficient residual cargo, the water tank with a marked capacity of 25 l can be filled to its actual capacity of 140 l

# LOW-PROFILE SPECIAL FEATURES

S = standard equipment O = optional equipment at extra charge  
P = optional package equipment - = not possible

		PROFILAT							PROFILARS						CONTURA MERCEDES				Weight in kg	Price in euros
		PT 660 EB	PT 675 SB	PT 695 EB	PT 720 EB	PT 720 EF	PT 720 QF	PT 730 EF	PRS 675 SB	PRS 695 EB	PRS 695 HB	PRS 695 LF	PRS 720 EB	PRS 720 EF	PRS 720 QF	C 716 EB	C 766 EB	C 766 EF		
<b>PACKAGES</b>																				
PEP01-22	Energy Plus package	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	
PLU19-22	Luminary package CT MB				-	-	-	-	-	-	-	-	-	-	-	O	O	O	O	
PLU20-22	Luminary Plus package CT MB				-	-	-	-	-	-	-	-	-	-	-	O	O	O	O	
PPI01-22	Plug-in package	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	
PSM43-22	Mondial package PT with roof fan	O	O	O	O	O	O	O	-	-	-	-	-	-	-	-	-	-		
PSM44-22	Mondial package PRS with roof fan	-	-	-	-	-	-	O	O	O	O	O	O	O	O	-	-	-		
PSM48-22	Mondial Plus package PRS starting with 720	-	-	-	-	-	-	-	-	-	-	O	-	-	-	-	-	-		
PSM49-22	Mondial Plus package PRS 675-695	-	-	-	-	-	-	O	O	O	O	-	-	-	-	-	-	-		
PSM50-22	Mondial Plus package PRS ALDE	-	-	-	-	-	-	-	-	-	-	O	O	O	-	-	-	-		
PSM51-22	Mondial Plus package PT 660-695	O	O	O	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
PSM52-22	Mondial Plus package PT starting with 720	-	-	-	O	-	-	-	-	-	-	-	-	-	-	-	-	-		
PSM53-22	Mondial Plus package PT ALDE	-	-	-	O	O	O	O	-	-	-	-	-	-	-	-	-	-		
2840-22	Prestige package AO/PT/RS (surch. comp. to Chassis package)	O	O	O	O	O	O	O	O	O	O	O	O	O	O	-	-	-		
2826	Prestige package CT/MB	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	O	O		
2841-22	Chassis package AO/PT/RS	O	O	O	O	O	O	O	O	O	O	O	O	O	O	-	-	-		
2829	Chassis package CT/MB	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	O	O		
2875-22	Design package PT/PRS	O	O	O	O	O	O	O	O	O	O	O	O	O	O	-	-	-		
2828	Design package CT/MB	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	O	O		
2878-22	Driving assistance package	O	O	O	O	O	O	O	O	O	O	O	O	O	O	-	-	-		
2867	Driving assistance package CT/MB	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	O	O		
PT 001	Touring package CT/MB	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	O	O		

## CHASSIS OPTION – ENGINE

2111-22	Fiat 160 HP engine (surcharge compared to 140 HP)	O	O	O	O	O	O	O	O	O	O	O	O	O	-	-	-	-
2112-22	Fiat 180 HP engine (surcharge compared to 140 HP)	O	O	O	O	O	O	O	O	O	O	O	O	O	-	-	-	-
2119-22	Fiat 180 HP engine (surcharge compared to 160 HP)	O	O	O	O	O	O	O	O	O	O	O	O	O	-	-	-	-
2120-22	Mercedes-Benz 143 HP motor	-	-	-	-	-	-	-	-	-	-	-	-	-	S	S	S	S
2121-22	Mercedes-Benz 170 HP motor	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	O	O

Note: Special features increase the vehicle's unladen weight and reduce the cargo capacity. Spatial dimensions such as length and height measurements (external and internal) may also change as a result of special features.

		PROFILAT							PROFILARS							CONTURA MERCEDES				Weight in kg	Price in euros
		PT 660 EB	PT 675 SB	PT 695 EB	PT 720 EB	PT 720 EF	PT 720 QF	PT 730 EF	PRS 675 SB	PRS 695 EB	PRS 695 HB	PRS 695 LF	PRS 720 EB	PRS 720 EF	PRS 720 QF	C 716 EB	C 766 EB	C 766 EF	C 766 QB		
<b>CHASSIS OPTION – SUPERIMPOSED LOAD</b>																					
2324-22	Increase of total mass to 3.65t	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	0	€440.00
2330-22	Red of tot. mass to 3.5 t	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	0	€190.00
2358-22	Reinforced front axle springs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	0	€790.00
<b>CHASSIS OPTION – OTHER OPTIONS</b>																					
2131-22	Automatic transmission Fiat	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	18	€3,790.00
2132-22	MB 9G-Tronic autom. transm.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	0	0	30	€3,140.00
2251-22	Spare wheel (depending on floor plan)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	45	€790.00
2311-22	Maxi chassis 4.25t	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	40	€1,790.00
2313-22	Chassis - Maxi 4.4t (160 HP / 180 HP)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	40	€1,790.00
2371-22	Fuel tank, 90 litre	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	13.5	€240.00
2372-22	Fuel tank, 92 litre	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	0	0	51	€540.00
<b>EXTERIOR DESIGN – PAINTWORK</b>																					
2421-22	Paintwork obsidian black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	0	0	0	€1,840.00
<b>SUPERSTRUCTURE OPTION – EXTERIOR</b>																					
2554-22	LED high performance headlights	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	0	0	2	€2,190.00
2581-22	Superstructure door with central locking	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1.5	€440.00
5111-22	Rear comfort supports	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	8	€540.00
5122-22	Trailer coupling	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	35	€1,940.00
5412-22	Multi-function socket	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	€340.00
5423-22	Underfloor camera for electric	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	0	0	1	€990.00
5441-22	External shower (cold/warm)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	€290.00
5512-22	Window in toilet room	-	0	-	0	0	0	-	0	-	-	0	0	0	0	-	S	S	S	4	€340.00
5514-22	Additional window on the passenger side	-	-	-	-	-	0	S	-	-	-	-	-	-	0	-	-	-	-	4	€390.00
5521-22	Roof - "Sun Roof" panoramic glass roof	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	24.5	€1,290.00
5522-22	Starlight Dome panoramic roof	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	0	0	30	€2,140.00
5534-22	Electric roof fan	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5.5	€290.00
5535-22	Heki	0	0	0	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	23	€1,190.00
5576-22	Mesh screen for cabin door	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	€390.00
6656-22	Garage door service flap	-	-	S	S	S	S	-	-	S	S	S	S	S	S	S	S	S	S	4	€540.00

# LOW-PROFILE SPECIAL FEATURES

S = standard equipment O = optional equipment at extra charge  
P = optional package equipment - = not possible

		PROFILAT							PROFILARS						CONTURA MERCEDES				Weight in kg	Price in euros	
		PT 660 EB	PT 675 SB	PT 695 EB	PT 720 EB	PT 720 EF	PT 720 QF	PT 730 EF	PRS 675 SB	PRS 695 EB	PRS 695 HB	PRS 695 LF	PRS 720 EB	PRS 720 EF	PRS 720 QF	C 716 EB	C 766 EB	C 766 EF			C 766 QB
<b>SUPERSTRUCTURE OPTION – INTERIOR</b>																					
3541-22	Comfort seats	-	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	O	O	14.4	€1,390.00
3611-22	Driver cab floor insul. mat	-	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	O	O	1.6	€190.00
3613-22	Driver cab all-round insul.	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	5	€540.00
3680-22	Driver's cab dimming system	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	7	€640.00
6220-22	Additional bed (conversion of seating group)	-	-	O	O	-	-	-	-	-	-	-	-	-	-	O	-	-	-	6	€540.00
6224-22	Additional bed for 2 people	O	O	O	O	O	O	O	O	O	O	O	O	O	O	-	O	O	O	11	€640.00
6236-22	Electr. adjust. lift-up bed for 2 people	-	-	-	-	-	-	-	O	O	O	S	O	O	O	-	-	-	-	8	€640.00
6354-22	Seat: Fifth seat	-	O	O	O	O	-	-	O	O	O	-	O	O	-	-	-	-	-	13	€790.00
6430-22	Table with chrome-plated table pedestal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S	S	S	S	2	€340.00
6470-22	Wardrobe instead of single seat	-	-	O	O	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	€340.00
7812-22	Background lighting	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	8	€540.00
<b>SUPERSTRUCTURE OPTION – BIKE CARRIER</b>																					
5143-22	Bicycle carrier for 2 bicycles or 2 E-bikes (up to 60kg)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	O	O	9.4	€540.00
5146-22	Bicycle carrier extension kit 4-way	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	2	€140.00
5147-22	Bicycle carrier 2-way	O	O	O	O	O	O	O	O	O	O	O	O	O	O	-	-	-	-	13	€540.00
5148-22	Lowerable E-bike carrier	-	O	O	O	O	O	-	O	O	O	O	O	O	O	-	-	-	-	16	€1,540.00
<b>SUPERSTRUCTURE OPTION – AWNINGS</b>																					
5243-22	4 m awning	O	O	O	-	-	-	-	O	O	O	O	-	-	-	-	-	-	-	33	€1,390.00
5244-22	4.5 m awning	-	-	-	O	O	O	O	-	-	-	-	O	O	O	O	-	-	-	36	€1,590.00
5245-22	5 m awning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	O	42	€1,740.00
<b>SUPERSTRUCTURE OPTION – HEATING</b>																					
3617-22	Driver cab underfloor heating	-	-	-	O	O	O	O	-	-	-	-	O	O	O	O	O	O	O	4.4	€990.00
7220-22	Warm air heating	S	S	S	S	S	-	-	S	S	S	-	S	S	-	-	-	-	0	€0.00	
7224-22	Heat exchangers	O	O	O	O	O	O	O	O	O	O	O	O	O	O	-	-	-	-	0	€990.00



		PROFILAT							PROFILARS							CONTURA MERCEDES				Weight in kg	Price in euros
		PT 660 EB	PT 675 SB	PT 695 EB	PT 720 EB	PT 720 EF	PT 720 QF	PT 730 EF	PRS 675 SB	PRS 695 EB	PRS 695 HB	PRS 695 LF	PRS 720 EB	PRS 720 EF	PRS 720 QF	C 716 EB	C 766 EB	C 766 EF	C 766 QB		
7227-22	Hot water heating - Alde	-	-	-	O	S	S	S	-	-	-	S	O	S	S	S	S	S	S	15	€2,190.00
7228-22	Combi 6 E heating	O	O	O	O	O	O	O	O	O	O	O	O	O	O	-	-	-	-	0	€640.00
7510-22	Autonom. E-bike charger	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	0	€3,140.00

#### SUPERSTRUCTURE OPTION – KITCHEN

7230-22	Extractor hood	O	O	O	O	O	O	O	O	O	O	O	O	-	-	S	S	S	S	3	€490.00
7238-22	Oven	-	O	-	O	O	O	-	O	-	O	O	O	O	O	O	O	O	O	15	€990.00
7255-22	Large refrigerator	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	18	€1,090.00

#### SUPERSTRUCTURE OPTION – TECHNICAL SERVICES

5221-22	Roof-mounted air-conditioning system, 230 V	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	35	€2,690.00
5223-22	Roof-mounted air-conditioning system, 230 V (AP M)	O	O	O	O	O	O	O	O	O	O	O	O	O	O	-	-	-	-	35	€2,590.00
7321-22	Lithium battery (1x)	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	-13	€2,790.00
7324-22	2nd Lithium battery (1x)	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	17.5	€2,740.00
7327-22	2nd gel battery - 80 Ah	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	27	€490.00
7341-22	Pre-cabing	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	1.5	€290.00
7512-22	External gas socket	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	1	€290.00
7516-22	Dual-control CS with de-icer	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	1	€490.00
7625-22	Toilet ventilation (SOG)	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	2	€290.00
7655-22	AW tank, insulated and heated	S	S	S	S	S	S	S	S	S	S	S	S	S	S	-	-	-	-	8.9	€740.00

#### SUPERSTRUCTURE OPTION – FABRICS

6111-22	Driver's cab seat in structured upholstered fabric	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	4	€340.00
6113-22	"Milano" upholstery fabric	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	0	€490.00
6132-22	"Dara" upholstery fabric	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	0	€0.00
6136-22	"Pisa" upholstery fabric	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	0	€490.00
6137-22	"Leather beige" upholstery fabric	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	2	€2,390.00
6138-22	"Leather grey" upholstery fabric	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	2	€2,390.00
6153-22	"Como" upholstery fabric	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	0	€0.00
6192-22	"Maka" décor	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	0	€0.00
6193-22	"Lasca" décor	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	0	€0.00
6194-22	"Rana" décor	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	0	€0.00
6433-22	Occasional stool	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S	-	-	-	3	€190.00

# LOW-PROFILE SPECIAL FEATURES

		PROFILAT							PROFILARS							CONTURA MERCEDES				Weight in kg	Price in euros
		PT 660 EB	PT 675 SB	PT 695 EB	PT 720 EB	PT 720 EF	PT 720 QF	PT 730 EF	PRS 675 SB	PRS 695 EB	PRS 695 HB	PRS 695 LF	PRS 720 EB	PRS 720 EF	PRS 720 QF	C 716 EB	C 766 EB	C 766 EF	C 766 QB		
<b>SUPERSTRUCTURE OPTION – MULTIMEDIA</b>																					
3215-22	Loudspeakers (2) in the superstructure	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	4	€340.00
3237-22	Moniceiver with rear-view camera	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	1	€1,290.00
3238-22	Naviceiver with rear-view camera	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	€2,290.00
3241-22	Sound system	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	0	0	5	€1,090.00
3433-22	TV pull-out in the rear	-	0	-	-	-	-	-	0	-	-	-	-	-	-	-	-	-	-	10.1	€640.00
3439-22	TV wall bracket in the front	-	-	0	0	0	0	0	-	0	0	0	0	0	0	0	0	0	0	1.2	€640.00
3441-22	Flat screen wall bracket in the rear	-	-	-	-	-	-	0	-	-	-	-	-	-	-	0	0	0	0	1.2	€640.00
3460-22	TV pull-out in the front	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	€640.00
<b>SUPERSTRUCTURE OPTION – OTHER OPTIONS</b>																					
6273-22	Carpeted floor in the superstructure	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	8	€440.00
<b>SUPERSTRUCTURE OPTION – FURNITURE DÉCOR</b>																					
6475-22	“Chalet” furniture décor	S	S	S	S	S	S	S	S	S	S	S	S	S	S	-	-	-	-	0	€0.00
6480-22	“Navarra” furniture décor	-	-	-	0	0	-	-	-	-	-	-	0	0	-	S	S	S	S	0	€0.00
<b>MISCELLANEOUS</b>																					
9009	Gas safety certificate, COC documents or vehicle paperwork, TÜV approval and pre-carriage (mandatory)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	€410.00
A801	Transfer costs (mandatory)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	€590.00



# INTEGRA LINE



# INTEGRA LINE: HIGHLIGHTS.



Characteristics: The Integra Line represents the ideal combination of lightweight technology, modern design and comfortable features. With its versatile range of layouts in the 7m class, it embodies a tailor-made premium motor home with an excellent price-performance ratio, especially among the mid-size A-Class models.

- + *Automotive design*
- + *“Short Cabin” visibility concept with short front section for extra wide field of vision*
- + *Powerful LED main headlights (optional depending on equipment)*
- + *LED rear lights*
- + *Pilot’s seats with arm rests and integrated seatbelts*
- + *Electrically adjustable bus mirrors, heated*
- + *Lift-up bed 193x 150cm in the driver's cab with 78cm headroom*
- + *11 cm high heated double floor with floor storage compartments*
- + *Convenient bed access thanks to wide, lowerable lift-up bed*
- + *Large rear garages thanks to rear lowering with fully insulated underbody trough*
- + *Winter-proof according to EN 1646-2*
- + *Wood-free walls with continuous insulation (rot-proof)*
- + *Robust furniture with aluminium profile reinforcements (3-year guarantee)*
- + *Bonded and all-round-sealed body composite made of hail-protected glass-fibre reinforced plastic (GRP) featuring Eura Mobil Sealed Structure Technology*
- + *10-year leak guarantee (up to 150,000 km)*
- + *Water tanks heated and insulated in the double floor or in double floor trough*
- + *Electrically controlled waste water tank drainage*
- + *From 7.50 m length Alde hot water heating*
- + *Central technology compartment*

# INTEGRA LINE

## MODEL-SPECIFIC FEATURES

- > ALDE hot water heating
- > Superstructure door with window and waste bin
- > Mini-Heki above rear bed
- > Dashboard and door trims in carbon look
- > Electrically adjustable bus mirrors, heated
- > Ambient lighting
- > 16" wheels
- > External lighting
- > 230 V socket in the washroom
- > ESP including Traction+ and hill descent control
- > Driver and passenger airbag
- > Mini-Heki above front area
- > Reading light and orientation light in the driver's cab
- > Noise-insulated window roller blinds (Seitz comfort roller blinds)
- > Dimmable ambient lighting
- > Illuminated entrance area with storage facilities
- > Kitchen base unit complete with pull-outs instead of doors
- > Worktop illuminated from underneath for illumination of the kitchen pull-outs
- > Sink cover with 2-piece chopping board
- > Comfort rain shower with back-lit shower column (depending on floor plan)
- > Shower grate in the washroom
- > Single-bed floor plans with adjustable bed frame and pull-out for conversion into a double bed
- > Bed headboard with ambient lighting
- > USB ports for charging mobile devices
- > Garage lowering with insulated trough
- > Anchor rail for rear garage
- > Seitz frame windows flush with the outer wall
- > Waste water tank in insulated and heated floor trough
- > Electric waste water tank emptying at the push of a button



### IL 660 EB

Total length:	6.99 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	4

- + Two 2 m long comfort single beds
- + Extra-large rear garage with large loading volume
- + Comfortable L-shaped seating group with side bench seat
- + Screen pull-out at the seating group
- + Washroom with integrated shower and swivel washbasin
- + Longitudinal kitchen with extra-wide pull-outs and 142-litre refrigerator



### IL 695 EB

Total length:	6.99 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	4 (5) (optional)
Sleeping berths:	4 (6) (optional)

- + Single beds in the rear
- + Large rear garage
- + Ergonomically designed corner kitchen with 142-litre refrigerator
- + Washroom with integrated shower and swivel washbasin
- + Comfortable L-shaped seating group,
- + optional seat or second wardrobe on the passenger side





NEW

### IL 695 LF

Total length:	6.99 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	4

- + Large double-door wardrobe across the entire width of the vehicle at the rear
- + Wardrobe doors conveniently swivel to the walkway
- + Bicycle garage in the rear
- + Bathroom with separate shower and room divider door to the front part of the vehicle
- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top
- + TV pull-out on kitchen wall
- + Kitchen with retractable tap and foldable worktop extension



### IL 720 EB

Total length:	7.41 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	4 (5) (optional)
Sleeping berths:	4 (6) (optional)

- + Single beds in the rear
- + Large rear garage
- + Rear bathroom with separate shower
- + Washroom as separate dressing room variably closable on both sides with sliding doors
- + Ergonomically designed corner kitchen with 142-litre refrigerator in individual arrangement
- + Comfortable L-shaped seat bench with single seat on the passenger side



### IL 720 EF

Total length:	7.41 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	4 (6) (optional)

- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top, height adjustable
- + Single beds in the rear
- + Large rear garage
- + Rear bathroom with separate shower
- + Washroom as separate dressing room variably closable on both sides with sliding doors
- + Kitchen with retractable tap and foldable worktop extension



### IL 720 QB

Total length:	7.57 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	4 (5) (optional)
Sleeping berths:	4 (6) (optional)

- + Central queen bed in the rear
- + Bed with sliding slatted frame, adjustable headboard and linen compartment
- + Large, variable rear garage thanks to bed height adjustment
- + 2 wardrobes
- + Rear bathroom with separate shower
- + Washroom as separate dressing room variably closable on both sides with sliding doors
- + Ergonomically designed corner kitchen with 142-litre refrigerator in individual arrangement
- + Comfortable L-shaped seating group with single seat on the passenger side



### IL 720 QF

Total length:	7.57 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	4 (6) (optional)

- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top, height adjustable
- + Central queen bed in the rear
- + Bed with sliding slatted frame, adjustable headboard and linen compartment
- + 2 wardrobes
- + Large rear garage thanks to height-adjustable bed
- + Rear bathroom with separate shower
- + Washroom variably closable on both sides with sliding doors



NEW

### IL 730 EF

Total length:	7.57 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	4 (6) (optional)

- + Single beds with low entry height
- + Large storage spaces under the beds
- + Rear washroom across the entire width of the vehicle with separate shower
- + Bedroom and dressing room separated from living room with sliding door
- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top
- + Kitchen with retractable tap and foldable worktop extension

## INTEGRA LINE



## IL 660 EB

Fiat Ducato 16" / 3.5 t



## IL 695 EB

Fiat Ducato 16" / 3.5 t



## IL 695 LF

Fiat Ducato 16" / 3.5 t

## BASIC VEHICLE

Engine model, Euro 6d Final		103 kW (140 HP)	103 kW (140 HP)	103 kW (140 HP)
Engine models (optional)		118 kW (160 HP), 130 kW (180 HP)	118 kW (160 HP), 130 kW (180 HP)	118 kW (160 HP), 130 kW (180 HP)
Chassis		Fiat CCS low-slung frame	Fiat CCS low-slung frame	Fiat CCS low-slung frame
Fuel tank	l	75 Diesel + 19 l Ad Blue	75 Diesel + 19 l Ad Blue	75 Diesel + 19 l Ad Blue

## DIMENSIONS AND WEIGHTS

Double floor height	cm	11	11	11
Load capacity in the rear storage area	l	2,000	2,700	2,000
Size of storage door at the rear	cm	85 x 115	85 x 115	85 x 115
Wheelbase	m	4.04	4.04	4.04
Tyres		225/75 R16CP	225/75 R16CP	225/75 R16CP
Total techn. perm. weight when laden	kg	3,500/3,650 (optional) // 4,250 // 4,400 (optional)	3,500/3,650 (optional) // 4,250 // 4,400 (optional)	3,500/3,650 (optional) // 4,250 // 4,400 (optional)
Weight in ready-to-drive state <sup>1)</sup>	kg	3,015 // 3,055 (optional)	2,990 // 3,030 (optional)	3,020 // 3,060
Weight in ready-to-drive state Mondial <sup>1)</sup>	kg	3,055 // 3,095 (optional)	3,030 // 3,070 (optional)	3,060 // 3,100
Trailer weight, braked <sup>2)</sup>	kg	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)
Total length	m	6.99	6.99	6.99
Total width	m	2.32	2.32	2.32
Overall height	m	2.88	2.88	2.88
Interior width	m	2.17	2.17	2.17
Standing height	m	1.98	1.98	1.98
Height above lift-up bed	cm	78	78	78
Dimensions of front side seating group	cm	115 x 105	115 x 105	160 x 60
Bed conversion of the seating group <sup>3)</sup>	cm	2	200 x 115	200 x 115
Dimensions of rear bed	cm	2 x 200 x 80	190 x 80, 185 x 80	-
Dimensions of lift-up bed	cm	193 x 150	193 x 150	193 x 150
Dimensions of longitudinal bench or rear seating group	cm	-	55 x 65	115 x 60
Sleeping areas		4	4 (6) optional	4
Permissible number of people <sup>4)</sup>		4	4 (5) optional	4
Permissible number of people Mondial <sup>4)</sup>		4	4 (5) optional	4
3-point seatbelts total		4	4	4
Number of Isofix		1	1	2
Framed window with mesh screen		4	4	4
Number of service flaps		2	2	2
Wall thickness of walls, roof, floor	mm	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38
Fresh water / waste water tank	l	140 (25)* / 100	140 (25)* / 100	150 (25)* / 100
Battery capacity	Ah	80 Gel	80 Gel	80 Gel
Refrigerator	l	142	142	138



**IL 720 EB****Fiat Ducato 16" / 3.5 t****IL 720 EF****Fiat Ducato 16" / 3.5 t****IL 720 QB****Fiat Ducato 16" / 3.5 t****IL 720 QF****Fiat Ducato 16" / 3.5 t****IL 730 EF****Fiat Ducato 16" / 3.5 t**

103 kW (140 HP)	103 kW (140 HP)	103 kW (140 HP)	103 kW (140 HP)	103 kW (140 HP)
118 kW (160 HP), 130 kW (180 HP)	118 kW (160 HP), 130 kW (180 HP)	118 kW (160 HP), 130 kW (180 HP)	118 kW (160 HP), 130 kW (180 HP)	118 kW (160 HP), 130 kW (180 HP)
Fiat CCS low-slung frame	Fiat CCS low-slung frame	Fiat CCS low-slung frame	Fiat CCS low-slung frame	Fiat CCS low-slung frame
75 Diesel + 19 l Ad Blue	75 Diesel + 19 l Ad Blue	75 Diesel + 19 l Ad Blue	75 Diesel + 19 l Ad Blue	75 Diesel + 19 l Ad Blue
11	11	11	11	11
3,000	3,000	1,500	1,500	1,700
80 x 115	80 x 115	80 x 115	80 x 115	85 x 55
4.04	4.04	4.04	4.04	4.04
225/75 R16CP	225/75 R16CP	225/75 R16CP	225/75 R16CP	225/75 R16CP
3,500/3,650 (optional) // 4,250 // 4,400 (optional)	3,500/3,650 (optional) // 4,250 // 4,400 (optional)	3,500/3,650 (optional) // 4,250 // 4,400 (optional)	3,500/3,650 (optional) // 4,250 // 4,400 (optional)	3,500/3,650 (optional) // 4,250 // 4,400 (optional)
3,070 // 3,110 (optional)	3,140 // 3,180 (optional)	3,130 // 3,170 (optional)	3,190 // 3,230 (optional)	3,195 // 3,235 (optional)
3,110 // 3,150 (optional)	3,180 // 3,220 (optional)	3,170 // 3,210 (optional)	3,230 // 3,270 (optional)	3,235 // 3,275 (optional)
2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)
7.41	7.41	7.57	7.57	7.57
2.32	2.32	2.32	2.32	2.32
2.88	2.88	2.88	2.88	2.88
2.17	2.17	2.17	2.17	2.17
1.98	1.98	1.98	1.98	1.98
78	78	78	78	78
115 x 105	115 x 105	115 x 105	2 x 99 x 65	2 x 99 x 60
200 x 115	200 x 115	200 x 115	200 x 95	200 x 100
194 x 86 / 194 x 86	2 x 194 x 86	150 x 150	190 x 150	200 x 75, 197 x 75
193 x 150	193 x 150	193 x 150	193 x 150	193 x 150
55 x 65	55 x 65	55 x 65	55 x 65	2 x 99 x 60
4 (6) optional	4 (6) optional	4 (6) optional	4 (6) optional	4 (6) optional
4 (5) optional	4	4 (5) optional	3 (4) optional	3 (4) optional
3 (4) (5) optional	3 (4) optional	3 (4) (5) optional	2 (3) optional	4
4	4	4	4	2
1	2	1	2	2
4	4	4	4	4
2	2	2	2	2
30 / 30 / 38	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38
140 (25)* / 100	140 (25)* / 100	140 (25)* / 100	140 (25)* / 100	140 (25)* / 100
80 Gel	80 Gel	80 Gel	80 Gel	80 Gel
142	142	142	153	153

# INTEGRA LINE OPTIONAL FEATURE PACKAGES



## OPTIONAL FEATURE PACKAGES

### COMFORT PACKAGE

2843

#### OPTIONAL FOR THE: INTEGRA LINE

Standard for: Integra Line "Mondial", Integra Line "MONDIAL +"

#### Special features

Moniceiver with rear-view camera

Carpet in the driver's cab

Lumbar support incl. height adjustment

Comfort seats in the driver's cab

### PRESTIGE PACKAGE

2835, 2836

#### OPTIONAL FOR THE: INTEGRA LINE

Standard for: Integra Line "MONDIAL +"

#### Special features

Automatic air conditioning (surcharge against manual air conditioning)

Steering wheel with control elements

Leather steering wheel with leather gear knob

Wireless charger

Naviceiver with double rear-view camera (surcharge compared to moniceiver)

## OPTIONAL FEATURE PACKAGES

### ENERGY PLUS PACKAGE

PEP 01

#### OPTIONAL FOR THE: INTEGRA LINE

#### Special features

Lithium battery with charging booster

2nd Lithium battery

### PLUG-IN PACKAGE

PPI 01

#### OPTIONAL FOR THE: INTEGRA LINE

Standard for: Integra Line "MONDIAL +"

#### Special features

External shower

External gas socket

Multi-function socket

SOG toilet ventilation

### EXCLUSIVE DESIGN PACKAGE

2830

#### OPTIONAL FOR THE: INTEGRA LINE

#### Special features

LED headlights

LED cornering and fog lights

Radiator grille in chrome look

Decorative panels under the headlights in chrome look

Rear bumper with chrome appliques

## MONDIAL EDITION

### MONDIAL EDITION

PSM 45

#### OPTIONAL FOR THE: INTEGRA LINE

##### consisting of:

##### Comfort package

- ✦ Mosquito screen for body door
- ✦ 16" aluminium rims
- ✦ Body door with 2-point locking and central locking system

- ✦ Electric roof fan
- ✦ Heki skylight
- ✦ Height-adjustable central bed on QB and QF models

### MONDIAL PLUS EDITION

PSM 47, PSM 54

#### OPTIONAL FOR THE: INTEGRA LINE "MONDIAL"

##### consisting of:

##### Mondial Edition

- ✦ Prestige package
- ✦ Plug-in package
- ✦ 160 HP engine
- ✦ Awning
- ✦ Electric front pleated blind for windscreen

- ✦ Maxi chassis
- ✦ Underfloor heating for driver's cab
- ✦ Windscreen wiper system with winter parking position
- ✦ Duo control CS with de-icer
- ✦ Pre-cabing for solar power system + TV
- ✦ Double glazing in the side windows
- ✦ Heat exchanger



# INTEGRA



# INTEGRA: HIGHLIGHTS.

The Integra is the luxury A-Class model with modern comfort and safety features that meet the highest demands in interior ambience and functionality. Long-term travellers and globetrotters in particular will find the Integra, with its excellent year-round features, the perfect mobile home.

- + Full LED headlights
- + LED indicators with direction-indicating running light (rear)
- + Automotive design with RIM components and galvanic chrome-plated elements
- + Professional kitchen, with 9 drawers, ergonomically shaped with full features
- + Bathroom with rain shower and spa atmosphere
- + Shower wall with slate look, wall heating and illuminated reed grass inlay
- + Luxury bedroom with illuminated ceiling and chrome appliqués
- + Living space features exclusive lounge ambience
- + Electrically controlled front blinds
- + Electrically controlled lift-up bed
- + 20 cm high heated double floor
- + Storage space expansion through floor compartments and lowered side storage compartments
- + Single-piece GRP rear wall, shaped three-dimensionally
- + LED rear lights
- + AL-KO low-frame chassis with up to 5.5 t permissible total weight
- + ALDE hot water heating
- + Lounge sofa with back cushions, bolster and seat chest trim
- + 153-litre refrigerator with 29-litre freezer compartment
- + Kitchen surface made of mineral material with two-part chopping board as sink cover
- + Electric lift for coffee maker in lowerable glass display case
- + Fresh and waste water tank frost-protected in heated double floor
- + Drainage valves, insulated and heated in the central service compartment
- + Electrically controlled waste water tank drainage
- + Large rear garages thanks to rear lowering with fully insulated underbody trough
- + Winter-proof according to EN 1646-2
- + Wood-free walls with continuous insulation (rot-proof)
- + Robust furniture with aluminium profile reinforcements (3-year guarantee)
- + Bonded and all-round-sealed body composite made of hail-protected glass-fibre reinforced plastic (GRP) featuring Eura Mobil Sealed Structure Technology
- + 10-year leak guarantee (up to 150,000 km)

# INTEGRA

## MODEL-SPECIFIC FEATURES

- > Heavy-duty 140 HP Euro 6 engine
- > Superstructure door with window and waste bin
- > Mini-Heki above rear bed
- > Dashboard and door trims in carbon look
- > Electrically adjustable bus mirrors, heated
- > Ambient lighting
- > 16" wheels
- > External lighting
- > 230 V socket in the washroom
- > ESP including Traction+ and hill descent control
- > Driver and passenger airbag
- > Mini-Heki above front area
- > Reading light and orientation light in the driver's cab
- > Noise-insulated window roller blinds (Seitz comfort roller blinds)
- > Dimmable ambient lighting
- > Illuminated entrance area with storage facilities
- > Kitchen base unit complete with pull-outs instead of doors

- > Worktop illuminated from underneath for illumination of the kitchen pull-outs
- > Sink cover with 2-piece chopping board
- > Comfort rain shower with back-lit shower column (depending on floor plan)
- > Shower grate in the washroom
- > Single-bed floor plans with adjustable bed frame and pull-out for conversion into a double bed
- > Bed headboard with ambient lighting
- > USB ports for charging mobile devices
- > Garage lowering with insulated trough
- > Anchor rail for rear garage
- > Seitz frame windows flush with the outer wall
- > Waste water tank in insulated and heated floor trough
- > Electric waste water tank emptying at the push of a button

## INTEGRA LUXURY FEATURES

- > Door to the bathroom with reed grass inlay (dep. on floor plan)
- > Solid chrome handles with push button on wall units
- > Underside of the lift-up bed with integrated panel light for driver's cab
- > Spacious bathroom with central bed access and sliding door to the sleeping area
- > Glass display case in the entrance area (dep. on floor plan)
- > 2 USB ports in the bedroom
- > Height-adjustable bed with laundry compartment (I 890 QB, I 760 QF)
- > TV cabinet for flatscreen in the rear section on the I 890 QB
- > Heki skylight
- > Mosquito screen for body door
- > Ceiling spars with integrated ambient lights
- > AL-KO low-frame chassis
- > LED rear lights
- > LED indicators with direction-indicating running light (rear)
- > Moulded parts under the lift-up bed for smooth optical transition to the living area
- > Electric lift-up bed
- > Electric front pleated blind
- > Sun visors with steplessly adjustable roller blinds, integrated into the headlining
- > GRP rear wall with three-dimensional curving
- > Diffuser elements in black gel coat integrated into single-piece rear section
- > Central service compartment with access to the water drainage taps
- > Central control panel unit behind cover above entrance door
- > Wall units with high-gloss coating and chrome application
- > Wall units with storage compartments, indirect illumination and rear ventilation
- > Wine cabinet with glass and wine bottle holders
- > Shoe compartment in the entrance area
- > Double-pedestal table (on I 890 EB and I 890 QB) with chrome-plated table legs and marble-look tabletop
- > Lounge sofa with back cushions and seat chest trim
- > High-quality multi-zone upholstery for living room seats
- > High-quality headrests and neck padding on the seats with belts
- > Bed headboard with chrome applications and ambient lighting
- > Worktop-mounted 3-ring hob with two-part glass cover
- > Chrome-plated water tap with spring arm, I 760 EF + QF with retractable water tap
- > 153 l refrigerator with 29 l freezer compartment
- > Illuminated storage compartments in slate look
- > Electric lift for coffee maker in lowerable glass display case
- > Pull-out cloakroom at the transition to the washroom (depending on floor plan)
- > Bathroom with separate shower cubicle on I 760 EF, I 760 QF, I 890 EB and I 890 QB
- > Shower wall with slate look, wall heating and illuminated reed grass inlay
- > Fresh and waste water tank frost-protected thanks to installation in the 20 cm double floor
- > Drainage valves, insulated and heated in the central service compartment





### I 760 EF

Total length:	7.89 m
Total width:	2.32 m
Weight class:	4.5 / 5.5 t
Number of seats:	4
Sleeping berths:	4

- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top, height adjustable
- + Single beds in the rear with slatted frame and pull-out for conversion to a double bed
- + Large rear garage with anchor rail
- + Rear bathroom with separate shower
- + Wardrobe pull-out
- + Washroom as separate dressing room variably closable on both sides with doors
- + Ergonomically designed corner kitchen with 153-litre refrigerator in individual arrangement
- + Kitchen with retractable water tap and foldable worktop extension
- + Glass showcase in the entrance area
- + TV pull-out behind the seat bench



### I 760 QF

Total length:	7.89 m
Total width:	2.32 m
Weight class:	4.5 / 5.5 t
Number of seats:	4
Sleeping berths:	4

- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top, height adjustable
- + Centrally positioned queen bed in the rear with linen compartment
- + Sliding bed slatted frame with adjustable headboard
- + Two wardrobes
- + Large rear garage thanks to bed height adjustment
- + Rear bathroom with separate shower
- + Washroom as separate dressing room variably closable on both sides with doors
- + Kitchen with retractable tap and foldable worktop extension
- + Glass showcase in the entrance area
- + TV pull-out behind the seat bench



### I 890 EB

Total length:	8.99 m
Total width:	2.32 m
Weight class:	5.5 t
Seats:	4 (5) (optional)
Sleeping berths:	4 (6) (optional)

- + AL-KO 3-axle chassis
- + Spacious lounge seating group for up to 7 people
- + Single beds in the rear with slatted frame and pull-out for conversion to a double bed
- + Large rear garage with anchor rail
- + Rear bathroom with separate shower
- + Tall pull-out unit
- + Wardrobe pull-out
- + Washroom as separate dressing room variably closable on both sides with doors
- + Ergonomically designed professional kitchen with 153-litre refrigerator in individual arrangement
- + Comfortable L-shaped seat bench with sofa on the passenger side
- + Glass showcase in the entrance area
- + TV pull-out behind the seat bench



### I 890 QB

Total length:	8.99 m
Total width:	2.32 m
Weight class:	5.5 t
Seats:	4 (5) (optional)
Sleeping berths:	4 (6) (optional)

- + AL-KO 3-axle chassis
- + Spacious lounge seating group for up to 7 people
- + Centrally positioned queen bed in the rear with linen compartment
- + Sliding bed slatted frame with adjustable headboard
- + Two wardrobes
- + Large rear garage thanks to bed height adjustment
- + Rear bathroom with separate shower
- + Tall pull-out unit
- + Washroom as separate dressing room variably closable on both sides with doors
- + Comfortable L-shaped seat bench with sofa on the passenger side
- + Glass showcase in the entrance area
- + TV pull-out behind the seat bench

# INTEGRA



## BASIC VEHICLE

Euro 6 heavy-duty engine

Engine models (optional)

Chassis

Fuel tank |

## DIMENSIONS AND WEIGHTS

Double floor height | cm

Load capacity in the rear storage area | l

Size of storage door at the rear | cm

Wheelbase | m

Tyres

Total techn. perm. weight when laden | kg

Weight in ready-to-drive state<sup>1)</sup> | kg

Weight in ready-to-drive state Luminary Edition<sup>1)</sup> | kg

Trailer weight, braked<sup>2)</sup> | kg

Total length | m

Total width | m

Overall height | m

Standing height | m

Height above lift-up bed | cm

Dimensions of front side seating group | cm

Bed conversion of the seating group | cm

Dimensions of rear bed(s) | cm

Dimensions of lift-up bed | cm

Dimensions of longitudinal bench or rear seating group | cm

Sleeping areas

Permissible number of people

3-point seatbelts total

Framed window with mesh screen

Number of service flaps

Wall thickness of walls, roof, floor | mm

Fresh water / waste water tank | l

Battery capacity | Ah

Refrigerator | l





### I 760 EF

Fiat Ducato Maxi

103 kW (140 HP)

118 kW (160 HP), 130 kW (180 HP)

AL-KO low-frame chassis,  
2-axle / 3-axle (optional)

90 Diesel + 19 l Ad Blue



### I 760 QF

Fiat Ducato Maxi

103 kW (140 HP)

118 kW (160 HP), 130 kW (180 HP)

AL-KO low-frame chassis,  
2-axle / 3-axle (optional)

90 Diesel + 19 l Ad Blue



### I 890 EB

Fiat Ducato Maxi

103 kW (140 HP)

118 kW (160 HP), 130 kW (180 HP)

AL-KO low-frame chassis,  
2-axle / 3-axle (optional)

90 Diesel + 19 l Ad Blue



### I 890 QB

Fiat Ducato Maxi

103 kW (140 HP)

118 kW (160 HP), 130 kW (180 HP)

AL-KO low-frame chassis,  
2-axis / 3-axis (optional)

90 Diesel + 19 l Ad Blue

19.5	19.5	19.5	19.5
3,000	1,700	3,000	1,700
2 x 115 x 85	2 x 105 x 80	2 x 85 x 115	2 x 85 x 115
4.45 // 4.04 + 0.8 (optional)	4.45 // 4.04 + 0.8 (optional)	4.5 + 0.8	4.5 + 0.8
225/75 R16CP	225/75 R16CP	225/75 R16CP	225/75 R16CP
4,500 / 5,500	4,500 / 5,500	5,500	5,500
3,625 / 3,760	3,625 / 3,760	4,000	4,000
3,670 / 3,805	3,670 / 3,805	4045	4045
1,890 / 1,600	1,890 / 1,600	1,600	1,600
7.89	7.89	8.99	8.99
2.32	2.32	2.32	2.32
2.92	2.92	2.92	2.92
1.98	1.98	1.98	1.98
78	78	78	78
115 x 60	115 x 60	169 x 105	169 x 105
190 x 100	190 x 100	130 x 200	130 x 200
195 x 80 / 200 x 80	195 x 150	195 x 80 / 200 x 80	195 x 150
150 x 193	150 x 193	150 x 193	150 x 193
100 x 60	100 x 60	130 x 65	137 x 46
4 (6) optional	4 (6) optional	4 (6) optional	4 (6) optional
4	4	4 (5) optional	4 (5) optional
4	4	4	4
4	4	4	4
4	4	4	4
30 / 30 / 38	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38
140 (25)* / 100	140 (25)* / 100	140 (25)* / 100	140 (25)* / 100
80 Gel	80 Gel	80 Gel	80 Gel
153	153	153	153

# INTEGRA OPTIONAL FEATURE PACKAGES

## OPTIONAL FEATURE PACKAGES

### STYLING PACKAGE

2876, 2877

#### OPTIONAL FOR THE: INTEGRA

Standard for: Integra "LUMINARY", Integra "LUMINARY Plus"

#### Special features

16" aluminium rims - 2 axle

16" aluminium rims - 3 axle

Carbon exterior design

LED daytime running light &amp; cornering light

LED fog light

Radiator grille, rear bumper, rear lights in chrome

### COMFORT PACKAGE

2842

#### OPTIONAL FOR THE: INTEGRA

Standard for: Integra "LUMINARY", Integra "LUMINARY Plus"

#### Special features

Moniceiver with rear-view camera

Carpet in the driver's cab

Comfort seats in the driver's cab

### PRESTIGE PACKAGE

2837, 2838

#### OPTIONAL FOR THE: INTEGRA

Standard for: Integra "LUMINARY", Integra "LUMINARY Plus"

#### Special features

RRP

Automatic air conditioning

Wireless charger

Steering wheel with control elements

Leather steering wheel with leather gear knob

Naviceiver with double rear-view camera (surcharge compared to moniceiver)



## OPTIONAL FEATURE PACKAGES

### PLUG-IN PACKAGE

PPI 01

#### OPTIONAL FOR THE: INTEGRA

Standard for: INTEGRA "LUMINARY Plus"

#### Special features

External shower

External gas socket

Multi-function socket

SOG toilet ventilation

## LUMINARY EDITION

### LUMINARY EDITION

PLU 11, PLU 12

#### OPTIONAL FOR THE: INTEGRA

consisting of:

Styling package

Comfort package

Prestige package

- + 180 HP engine
- + Pre-cabing for sat/solar
- + Sound system
- + TV pull-out in the front and rear
- + Organisation system for the rear garage

### LUMINARY PLUS EDITION

PLU 13, PLU 14,  
PLU 16

#### OPTIONAL FOR THE: INTEGRA "LUMINARY"

consisting of:

Luminary Edition

- |   |  |
|---|--|
| + Plug-in package                           | + Windscreen wiper system with winter parking position |
| + 1 x lithium battery with charging booster | + Underfloor camera for electric waste water drainage  |
| + Awning                                    | + Heat exchanger                                       |
| + Heated windscreen                         | + Double glazing in the side windows                   |
| + Underfloor heating for driver's cab       |  |



# A-CLASS STANDARD FEATURES

S = Standard O = Optional  
P = Package contents - = Not possible

	INTEGRA LINE	INTEGRA
<b>CHASSIS</b>		
140 HP, Euro 6d Final	S	-
Heavy-duty 140 HP Euro 6 engine	S	-
CCS wide track low-slung frame (1,980 mm gauge) with frame extension	S	-
AL-KO low-slung frame chassis	-	S
ABS	S	S
Driver / passenger airbag	S	S
Manual air conditioning	S	S
ESP including Traction+ and hill descent control	S	S
Cruise control	S	S
16" wheels	S	S
Fix & Go breakdown kit	S	S
Daytime running light	S	-
LED daytime driving light	P	S
LED headlights	P	S
LED dipped beam	P	S
LED tail lights	S	S
LED indicators with direction-indicating running light (rear)	-	S
<b>DRIVER'S CAB</b>		
Driver's cab seat in structured upholstered fabric	S	S
Front mask made from moulded GRP piece	S	S
Exclusive lamp unit with integrated indicator	S	S
Panoramic windscreen (for wide field of vision)	S	S
Eura Mobil "Short Cabin"	S	S
Short front section with integrated original Fiat crash protection	S	S
Short dashboard with wide viewing angle to the front	S	S
Wide-opening, narrow bonnet with direct access to windscreen wash and oil top-up nozzles	S	S
Electrically adjustable bus mirrors, heated	S	S
Dashboard and door trims in carbon look	-	S
Lift-up bed with 78 cm seat height	S	S
Electrically controlled lift-up bed	O	S
Storage closets under the lift-up bed	S	S

	INTEGRA LINE	INTEGRA
Ambient lighting below the lift-up bed	S	S
Mini Heki skylight over lift-up bed	S	S
Driver's door with large storage compartments	S	S
Electric control panel within easy reach in the covered compartment on the passenger side	S	-
Electric window raiser for the driver's door	S	S
Extensive noise insulation	S	S
Driver's cab with automotive design	S	S
GRP front mask with headlight housings in RIM technology	S	S
Navigation lights behind windscreen	-	S
Lowered radiator bridge for easy access to the engine compartment	S	S
Bonnet with gas spring assistance	S	S
Diffuser elements in black gel coat integrated into single-piece front mask	-	S
Moulded parts under the lift-up bed for smooth optical transition to the living area	-	S
Pilot's seats with arm rests and integrated seatbelts	S	S
Driver's cab door with double locking and central remote locking	S	S
Sliding windows for passenger side	S	S
Concertina darkening system for driver's cab	S	S
Electrically controlled front blinds	O	S
Sun visors with steplessly adjustable roller blinds, integrated into the headlining	-	S
Card compartment with handy flap cover on the passenger side	S	S
Reading lights and orientation light in the driver's cab	S	S
<b>SUPERSTRUCTURE</b>		
Lightweight construction double floor through-out, insulated and heated	S	S
Aluminium profile without cold bridges for floor-wall joint	S	S
Lightweight construction floor plate with aluminium inlay	S	S
Insulated wheel arches	S	S
Wood-free GRP walls	S	S

	INTEGRA LINE	INTEGRA
Double floor GRP-coated	S	S
Roof, wall, flooring made from GRP, fully insulated	S	S
Wall thickness of walls/roof/floor: 30/30/38 mm	S	S
Isofix, 2 x in driving direction	S (EF,LF,QF models only)	-
Isofix, 1 x in driving direction	S (except EF, LF, QF models)	S
Roof edge profile made from powder-coated aluminium with joint sealing	S	S
Sturdy chassis side skirts made from aluminium	S	S
Electrically actuated step	-	S
Integrated double access step, insulated	S	-
Alde hot water heating	S	S
Duo control with remote display, de-icer and crash sensor	P	S
Service flaps with double seal, insulated inlay and self-closing locks	S	S
Extra-wide access door with window and waste bin	S	S
Wall units with aluminium profile reinforcement	S	S
Warm air circulation in double floor for underfloor heating effect	S	S
External lighting	S	S
Fresh and waste water tank in heated and insulated floor trough	S	-
Fresh and waste water tank in heated double floor	-	S
GRP rear wall with three-dimensional curving	S	S
Diffuser elements in black gel coat integrated into single-piece rear section	S	S
Additional, lowered side and floor storage compartments (depending on floor plan)	S	S
Extra-wide access door with window and waste bin	S	S
Lightweight upper floor	S	S
Double-moulded GRP sandwich roof	S	S
Garage lowering system with insulated well	S	S
Diffuser elements in black gel coat integrated into single-piece rear section	-	S
Central service compartment with access to the water drainage taps	-	S

	INTEGRA LINE	INTEGRA
Additional, lowered side and floor storage compartments (depending on floor plan)	-	S
Garage doors on the driver and passenger side	S	S
Rear storage spaces with anchor bars, straps and storage boxes	-	S
Anti-slip surface on garage floor	S	S
Mesh screen for cabin door	P	S
Heki skylight roof hood over seating group	P	S
Mini Heki skylight over rear bed	S	S
Mini Heki skylight over front section	S	S
Insulated Seitz framed window with mesh screen flush with the external wall	S	S
Window roller blinds with noise insulation	S	S
Carpeted floor in the superstructure	O	S
Garage lowering system with insulated well	S	S

### LIVING SPACE

“Chalet” interior	S	-
Navarra interior	-	S
Upholstered fabric: Como or Dara	S	S
Table with 360° turning and sliding fixture	S	-
Double-pedestal table (on I 890 EB and I 890 QB) with chrome-plated table legs and marble-look tabletop	-	S
Living space with decorative elements (and wall pockets)	S	S
7-zone cold foam mattresses	S	S
Stable slatted frames, with underneath ventilation	S	S
Wall unit doors with solid spring closures	-	S
Noise insulation for wall unit doors	S	S
Background lighting	S	S
Central control panel unit behind cover plate above entrance door	-	S
Wall units with high-gloss coating and chrome appliqué	-	S
Wall units with storage compartments, indirect illumination and rear ventilation	-	S
Wall unit profile made from aluminium with integrated stop attenuation for furniture doors	S	S
Entrance area with illuminated handle and handy storage compartments	-	S
Wine cabinet with glass and wine bottle holders	-	S
Shoe compartment in the entrance area	-	S
Compartment shelves in the upper floor with access from the interior	S	S
Lounge sofa with back cushions and seat box cover	-	S

	INTEGRA LINE	INTEGRA
High-quality multi-zone upholstery for living room seats	-	S
High-quality head rests and neck padding on the seats with belts	-	S
Bed headboard with chrome appliqués and ambient lighting	-	S
Rear bed in all QB models, height-adjustable	P	S

### KITCHEN

138 l to 153 l refrigerator (depending on floor plan)	S	-
153 l refrigerator with 30 l freezer compartment	-	S
3-burner hob with electric ignition, glass cover and large work surface	S	-
Worktop-mounted 3-burner hob with two-part glass cover	-	S
Drawers with metal roller runners	S	S
Extra-wide drawers with self-closing mechanism and soft-stop	S	-
9 pull-outs with self-closing mechanism and soft stop	-	S
Water tap with rotating non-drip outlet	S	-
Chrome-plated tap with spring arm	-	S
Ergonomically shaped kitchen block	S	S
Worktop with indirect illumination for pull-outs	-	S
Oven	O	S
Extractor hood	O	S
Stainless steel sink with two-part chopping board as sink cover	-	S
Illuminated storage compartments with slate look	-	S
Electric lift for coffee maker in lowerable glass display case	-	S
Pull-out cloakroom at the transition to the washroom (depending on floor plan)	-	S
Door with reed grass inlay	-	S

### WASHROOM

Separate shower on the IL 695 LF, IL 720 QF, IL 730 EF, IL 720 EB and IL 720 QB models	S	-
Storage closet and mirror	S	-
Cassette toilet with large roller-mounted tank	S	S
230 V power socket	S	S
Bathroom with separate shower cubicle on IL 720 EF, QF, I 760 EF, I 760 QF, I 890 EB and I 890 QB	S	S
Variable-use centre washroom with integrated shower and swivel washbasin on IL 650 HS, IL 660 EB, IL 695 EB, IL 695 HB	S	S
Comfort rain shower with back-lit shower column (depending on floor plan)	S	S
Shower wall with slate look, wall heating and illuminated reed grass inlay	-	S

	INTEGRA LINE	INTEGRA
Toilet room with mirrored cabinet and base unit	S	S
Window in toilet room (layout-dependent)	O	S
Washbasin made from mineral material	-	S
Door to sleeping area on IL 720, 730, Integra	S	S

### WATER INSTALLATION

Fresh water system made from Hartflex plastic	S	S
Fixed pipe system for service water / waste water	S	S
140 l insulated and heated fresh water tank in the double floor *	S	-
150 l insulated and heated fresh water tank in the double floor *	S	-
2 drainage valves for fresh water system	S	-
Drainage valves insulated and heated in the central service compartment	-	S
100 l waste water tank in insulated and heated floor trough	S	-
100 l insulated and heated waste water tank in the double floor	-	S
Electrically operated waste water tank emptying at the push of a button	S	S
Fittings with ceramic cartridges	S	S
Siphons to prevent odours	S	S
Complies at least with the state of the technological art set out in 03/2009 (Directive 2002/72/EC)	S	S

### ELECTRICAL INSTALLATION

Electrical distributor panel easily accessible in the cover on the passenger seat	S	-
80 Ah gel battery	S	S
On-board control panel with separate displays for water, battery and charging voltage	S	S
LED reading spotlights with real glass	S	S
Light switch system with household logic system	S	S
LED ceiling light	S	-
Number of 230 V power sockets: 3	S	S
Number of 12 V power sockets: 1	S	S
16 A charger	S	S
LED ambient lighting, dimmable and programmable	-	S
LED function lights in the centre of the ceiling and in the lateral ceiling struts	-	S
USB charging ports in the living room and bedroom	S	S
TV preparation	S	S

\* Water capacity in drive position 25 l. If there is sufficient residual cargo, the water tank with a marked capacity of 25 l can be filled to its actual capacity of 140 l

# A-CLASS SPECIAL FEATURES

S = standard equipment O = optional equipment at extra charge  
P = optional package equipment - = not possible

		INTEGRA LINE								INTEGRA				Weight in kg	Price in euros
		IL 660 EB	IL 695 EB	IL 695 LF	IL 720 EB	IL 720 QB	IL 720 EF	IL 720 QF	IL 730 EF	I 760 EF	I 760 QF	I 890 EB	I 890 QB		
<b>PACKAGES</b>															
PEP01-22	Energy Plus package	O	O	O	O	O	O	O	O	O	O	O	O	4.5	€4,290.00
PLU11-22	Integra 2-axle Luminary package	-	-	-	-	-	-	-	-	O	O	-	-	43.4	€10,990.00
PLU12-22	Integra 3-axle Luminary package	-	-	-	-	-	-	-	-	-	-	O	O	43.4	€10,990.00
PLU13-22	Luminary Plus package I 760 2-axle	-	-	-	-	-	-	-	-	O	O	-	-	118.9	€17,990.00
PLU14-22	Luminary Plus package I 890	-	-	-	-	-	-	-	-	-	-	O	O	122.9	€17,990.00
PLU16-22	Luminary Plus package I 760 3-axle	-	-	-	-	-	-	-	-	O	O	-	-	118.9	€17,990.00
PPI01-22	Plug-in package	O	O	O	O	O	O	O	O	O	O	O	O	6	€990.00
PSM45-22	Mondial package IL with roof fan	O	O	O	O	O	O	O	O	-	-	-	-	36	€1,990.00
PSM47-22	Mondial Plus package IL 650-695	O	O	O	-	-	-	-	-	-	-	-	-	164	€11,490.00
PSM54-22	Mondial Plus package IL starting with 720	-	-	-	O	O	O	O	O	-	-	-	-	170	€11,490.00
2830-22	Exclusive Design package	O	O	O	O	O	O	O	O	-	-	-	-	1	€2,190.00
2836-22	Prestige package IL (surcharge compared to Comfort package)	O	O	O	O	O	O	O	O	-	-	-	-	0	€1,590.00
2838-22	Prestige package Integra (surcharge compared to Comfort package)	-	-	-	-	-	-	-	-	O	O	O	O	0	€1,590.00
2842-22	Integra Comfort package	-	-	-	-	-	-	-	-	O	O	O	O	0	€1,990.00
2843-22	Integra Line Comfort package	O	O	O	O	O	O	O	O	-	-	-	-	0	€1,690.00
2876-22	Styling package Integra 2-axle	-	-	-	-	-	-	-	-	O	O	-	-	0	€3,290.00
2877-22	Styling package Integra 3-axle	-	-	-	-	-	-	-	-	O	O	O	O	0	€3,790.00
<b>CHASSIS OPTION – ENGINE</b>															
2111-22	Fiat 160 HP engine (surcharge compared to 140 HP)	O	O	O	O	O	O	O	O	-	-	-	-	20	€2,400.00
2112-22	Fiat 180 HP engine (surcharge compared to 140 HP)	O	O	O	O	O	O	O	O	-	-	-	-	20	€4,890.00
2119-22	Fiat 180 HP engine (surcharge compared to 160 HP)	O	O	O	O	O	O	O	O	-	-	-	-	0	€1,900.00
N/A	Fiat 160 HP heavy-duty engine (surcharge compared to 140 HP heavy-duty engine)	-	-	-	-	-	-	-	-	O	O	O	O	20	€2,400.00
2153	Fiat 180 HP heavy-duty engine (surcharge compared to 140 HP heavy-duty engine)	-	-	-	-	-	-	-	-	O	O	O	O	20	€4,300.00
<b>CHASSIS OPTION – SUPERIMPOSED LOAD</b>															
2324-22	Increase of total mass to 3,65t	O	O	O	O	O	O	O	O	-	-	-	-	0	€440.00
2330-22	Red of tot. mass to 3,5 t	O	O	O	O	O	O	O	O	-	-	-	-	0	€190.00
2358-22	Reinforced front axle springs	O	O	O	O	O	O	O	O	S	S	S	S	0	€790.00
<b>CHASSIS OPTION – OTHER OPTIONS</b>															
2131-22	Automatic transmission Fiat	O	O	O	O	O	O	O	O	O	O	O	O	18	€3,790.00
2251-22	Spare wheel (depending on floor plan)	O	O	O	O	O	O	O	O	O	O	O	O	45	€790.00

		INTEGRA LINE								INTEGRA				Weight in kg	Price in euros
		IL 660 EB	IL 695 EB	IL 695 LF	IL 720 EB	IL 720 QB	IL 720 EF	IL 720 QF	IL 730 EF	I 760 EF	I 760 QF	I 890 EB	I 890 QB		
2311-22	Maxi chassis 4.25t	O	O	O	O	O	O	O	O	S	S	S	S	40	€1,790.00
2313-22	Chassis - Maxi 4.4t (160 HP / 180 HP)	O	O	O	O	O	O	O	O	S	S	S	S	40	€1,790.00
2360-22	2-axle full air suspension	-	-	-	-	-	-	-	-	O	O	-	-	80	€10,790.00
2361-22	3-axle instead of 2-axle	-	-	-	-	-	-	-	-	O	O	-	-	150	€5,740.00
2371-22	Fuel tank, 90 litre	O	O	O	O	O	O	O	O	S	S	S	S	13.5	€240.00
2590-22	Heated windscreen	-	-	-	-	-	-	-	-	O	O	O	O	1	€540.00
2593-22	Windscreen wiper system with winter parking position	O	O	O	O	O	O	O	O	O	O	O	O	0	€340.00
<b>EXTERIOR DESIGN – PAINTWORK</b>															
5451-22	Carbon external décor	-	-	-	-	-	-	-	-	S	S	S	S	2	€0.00
<b>SUPERSTRUCTURE OPTION – EXTERIOR</b>															
2223-22	16" aluminium rims	O	O	O	O	O	O	O	O	-	-	-	-	0	€1,090.00
2581-22	Superstructure door with central locking	O	O	O	O	O	O	O	O	S	S	S	S	1.5	€440.00
5111-22	Rear comfort supports	O	O	O	O	O	O	O	O	O	O	O	O	8	€540.00
5112-22	ALKO support system	-	-	-	-	-	-	-	-	O	O	O	O	72	€6,490.00
5122-22	Trailer coupling	O	O	O	O	O	O	O	O	O	O	O	O	35	€1,940.00
5412-22	Multi-function socket	O	O	O	O	O	O	O	O	O	O	O	O	2	€340.00
5423-22	Underfloor camera for electrically operated drain valve	-	-	-	-	-	-	-	-	O	O	O	O	1	€990.00
5441-22	External shower (cold/warm)	O	O	O	O	O	O	O	O	O	O	O	O	1	€290.00
5512-22	Window in toilet room	-	-	O	O	O	O	O	-	S	S	S	S	4	€340.00
5514-22	Additional window on the passenger side	-	-	-	-	-	O	O	S	-	-	-	-	4	€390.00
5534-22	Electric roof fan	O	O	O	O	O	O	O	O	S	S	S	S	5.5	€290.00
5535-22	Heki	O	O	O	O	O	O	O	O	S	S	S	S	23	€1,190.00
5576-22	Mesh screen for cabin door	O	O	O	O	O	O	O	O	S	S	S	S	5	€390.00
<b>SUPERSTRUCTURE OPTION – INTERIOR</b>															
3541-22	Comfort seats	-	-	-	-	-	-	-	-	O	O	O	O	14.4	€1,390.00
3611-22	Driver cab floor insul. mat	O	O	O	O	O	O	O	O	O	O	O	O	1.6	€190.00
3613-22	Driver cab all-round insul.	-	-	-	-	-	-	-	-	-	-	-	-	5	€540.00
3616-22	Insulating double glazing	O	O	O	O	O	O	O	O	O	O	O	O	12.4	€1,090.00
6224-22	Additional bed for 2 people	O	O	O	O	O	O	O	O	O	O	O	O	11	€640.00
6236-22	Electr. adjust. lift-up bed for 2 people	O	O	O	O	O	O	O	O	S	S	S	S	8	€640.00
6323-22	Safety belts and head rests in direction of travel at the rear	-	-	-	-	-	-	-	-	-	-	-	-	30	€0.00
6354-22	Seat: Fifth seat	-	O	-	O	O	-	-	-	-	O	O	-	13	€790.00
6430-22	Table with chrome-plated table pedestal	-	-	-	-	-	-	-	-	S	S	S	S	2	€340.00
6431-22	Storage cabinets instead of lift-up bed	O	O	O	O	O	O	O	O	O	O	O	O	-8	€1,090.00
6657-22	Organisation system for the rear garage	-	-	-	-	-	-	-	-	O	O	O	O	4.8	€440.00

# A-CLASS SPECIAL FEATURES

S = standard equipment O = optional equipment at extra charge  
P = optional package equipment - = not possible

		INTEGRA LINE								INTEGRA				Weight in kg	Price in euros
		IL 660 EB	IL 695 EB	IL 695 LF	IL 720 EB	IL 720 QB	IL 720 EF	IL 720 QF	IL 730 EF	I 760 EF	I 760 QF	I 890 EB	I 890 QB		
<b>SUPERSTRUCTURE OPTION – BIKE CARRIER</b>															
5143-22	Bicycle carrier for 2 bicycles or 2 E-bikes (up to 60kg)	-	-	-	-	-	-	-	-	O	O	O	O	9.4	€540.00
5146-22	Bicycle carrier extension kit 4-way	O	O	O	O	O	O	O	O	O	O	O	O	2	€140.00
5147-22	Bicycle carrier 2-way	O	O	O	O	O	O	O	O	-	-	-	-	13	€540.00
5148-22	Lowerable E-bike carrier	O	O	O	O	O	O	O	-	-	-	-	-	16	€1,540.00
<b>SUPERSTRUCTURE OPTION – AWNINGS</b>															
5244-22	4.5 m awning	O	O	O	-	-	-	-	-	-	-	-	-	36	€1,590.00
5245-22	5 m awning	-	-	-	O	O	O	O	O	-	-	-	-	42	€1,740.00
5246-22	5.5 m awning	-	-	-	-	-	-	-	-	O	O	-	-	62.7	€1,940.00
5250-22	6 m awning	-	-	-	-	-	-	-	-	-	-	O	O	66.7	€2,140.00
<b>SUPERSTRUCTURE OPTION – HEATING</b>															
3617-22	Driver cab underfloor heating	O	O	O	O	O	O	O	O	O	O	O	O	4.4	€990.00
7224-22	Heat exchangers	O	O	O	O	O	O	O	O	O	O	O	O	0	€990.00
7227-22	Hot water heating - Alde	S	S	S	S	S	S	S	S	S	S	S	S	15	€0.00
7510-22	Autonom. E-bike charger	O	O	O	O	O	O	O	O	O	O	O	O	0	€3,140.00
<b>SUPERSTRUCTURE OPTION – KITCHEN</b>															
7230-22	Extractor hood	O	O	O	O	O	O	O	O	S	S	S	S	3	€490.00
7238-22	Oven	-	-	O	O	O	O	O	O	S	S	S	S	15	€990.00
<b>SUPERSTRUCTURE OPTION – TECHNICAL SERVICES</b>															
5221-22	Roof-mounted air-conditioning system, 230 V	O	O	O	O	O	O	O	O	O	O	O	O	35	€2,690.00
5223-22	Roof-mounted air-conditioning system, 230 V (AP M)	O	O	O	O	O	O	O	O	-	-	-	-	35	€2,590.00
7321-22	Lithium battery (1x)	O	O	O	O	O	O	O	O	O	O	O	O	-13	€2,790.00
7324-22	2nd Lithium battery (1x)	O	O	O	O	O	O	O	O	O	O	O	O	17.5	€2,740.00
7327-22	2nd gel battery - 80 Ah	O	O	O	O	O	O	O	O	O	O	O	O	27	€490.00
7341-22	Pre-cabing	O	O	O	O	O	O	O	O	O	O	O	O	1.5	€290.00
7512-22	External gas socket	O	O	O	O	O	O	O	O	O	O	O	O	1	€290.00
7516-22	Duo control CS with de-icer and crash sensor	O	O	O	O	O	O	O	O	S	S	S	S	1	€490.00
7625-22	Toilet ventilation (SOG)	O	O	O	O	O	O	O	O	O	O	O	O	2	€290.00
<b>SUPERSTRUCTURE OPTION – FABRICS</b>															
6111-22	Driver's cab seat in structured upholstered fabric	S	S	S	S	S	S	S	S	S	S	S	S	4	€0.00
6113-22	"Milano" upholstery fabric	O	O	O	O	O	O	O	O	O	O	O	O	0	€490.00

Note: Special features increase the vehicle's unladen weight and reduce the cargo capacity. Spatial dimensions such as length and height measurements (external and internal) may also change as a result of special features.



		INTEGRA LINE								INTEGRA				Weight in kg	Price in euros
		IL 660 EB	IL 695 EB	IL 695 LF	IL 720 EB	IL 720 QB	IL 720 EF	IL 720 QF	IL 730 EF	I 760 EF	I 760 QF	I 890 EB	I 890 QB		
6132-22	"Dara" upholstery fabric	0	0	0	0	0	0	0	0	0	0	0	0	0	€0.00
6136-22	"Pisa" upholstery fabric	0	0	0	0	0	0	0	0	0	0	0	0	0	€490.00
6137-22	"Leather beige" upholstery fabric	0	0	0	0	0	0	0	0	0	0	0	0	2	€2,390.00
6138-22	"Leather grey" upholstery fabric	0	0	0	0	0	0	0	0	0	0	0	0	2	€2,390.00
6153-22	"Como" upholstery fabric	S	S	S	S	S	S	S	S	S	S	S	S	0	€0.00
6192-22	"Maka" décor	S	S	S	S	S	S	S	S	S	S	S	S	0	€0.00
6193-22	"Lasca" décor	0	0	0	0	0	0	0	0	0	0	0	0	0	€0.00
6194-22	"Rana" décor	0	0	0	0	0	0	0	0	0	0	0	0	0	€0.00
<b>SUPERSTRUCTURE OPTION – MULTIMEDIA</b>															
3215-22	Loudspeakers (2) in the superstructure	0	0	0	0	0	0	0	0	-	-	-	-	4	€340.00
3237-22	Moniceiver with rear-view camera	0	0	0	0	0	0	0	0	0	0	0	0	1	€1,290.00
3238-22	Naviceiver with rear-view camera	0	0	0	0	0	0	0	0	0	0	0	0	1	€2,290.00
3241-22	Sound system	-	-	-	-	-	-	-	-	0	0	0	0	5	€1,090.00
3433-22	TV pull-out in the rear	-	-	-	-	-	-	-	-	-	-	-	-	10.1	€640.00
3439-22	TV wall bracket in the front	-	0	0	0	0	0	0	0	0	0	-	-	1.2	€640.00
3441-22	Flat screen wall bracket in the rear	-	-	-	-	-	-	-	0	0	0	0	0	1.2	€640.00
3460-22	TV pull-out in the front	0	-	-	-	-	-	-	-	-	-	0	0	4	€640.00
<b>SUPERSTRUCTURE OPTION – OTHER OPTIONS</b>															
3681-22	Elect. front blind	0	0	0	0	0	0	0	0	S	S	S	S	6.7	€1,090.00
6273-22	Carpeted floor in the superstructure	0	0	0	0	0	0	0	0	S	S	S	S	8	€440.00
<b>SUPERSTRUCTURE OPTION – FURNITURE DÉCOR</b>															
6475-22	"Chalet" furniture décor	S	S	S	S	S	S	S	S	-	-	-	-	0	€0.00
6480-22	"Navarra" furniture décor	0	0	-	0	0	0	-	-	S	S	S	S	0	€0.00
<b>MISCELLANEOUS</b>															
9009	Gas safety certificate, COC documents or vehicle paperwork, TÜV approval and pre-carriage (mandatory)	0	0	0	0	0	0	0	0	0	0	0	0	0	€410.00
A801	Transfer costs (mandatory)	0	0	0	0	0	0	0	0	0	0	0	0	0	€590.00

## SAFE ON THE ROAD



Feeling well also means feeling safe. Both while you're travelling and at your destination. Here are a few examples of how we deliver on this promise: State-of-the-art technology such as an LED daytime running light, twin-eye reversing camera or the inclusion of the superstructure door in your Eura Mobil Integra's central locking system.



#### LED lighting technology

The headlights, high beams, daytime running lights, turning lights and tail lights on the Integra already include LED technology as standard. The brighter and more even road lighting provides additional safety, especially at night. On the rear turning lights, we install an LED running light with direction indicator. The increased visibility to follow-on traffic also helps to ensure more safety.



#### Twin-eye rear-view camera

The Prestige package includes the twin-eye rear-view camera. With its classic function as a reversing aid, it makes manoeuvring significantly easier. It also allows the driver to monitor the traffic following from behind.



#### Driving safety

As with all motor homes from Eura Mobil, we have also carried out extensive chassis and driving safety checks on the new Integra as part of the development process. Our premium class liners have also of course successfully passed these tests.



#### Central locking

The radio-controlled central locking system encompasses not only the driver's cab doors, but also the extra-wide door of the superstructure. This means that you can always rely on the fact that locked truly means locked.



*Keeps everything  
under control – at  
all times*

In the interests of active safety, our Integra top-of-the-range model comes with LED lighting technology as standard. Added to this are the central locking as standard and optional twin-eye rear-view camera.

## 3,800 LITRES OF STORAGE CAPACITY



To offer you every kind of freedom, all Eura Mobil motor homes are suitable for use all year round and specially equipped for the "great escape". Your independence comes from the full-length heated double floor with a storage capacity of up to 3,800 litres. For long journeys and/or trips with up to six people, your Eura Mobil is well prepared: up to two superstructure batteries and up to 150 litres of fresh water can be accommodated in the double floor.



#### Large water tanks

Up to 150 litres of fresh water can be accommodated on board as standard – protected from frost in the double floor.



#### Lightweight aluminium reinforcements

Stable and lightweight reinforcements support the floor surface and give you plenty of scope to make the best possible, individually tailored use of the storage space available.



#### Technology space

The on-board technology disappears completely into the double floor – keeping the interior clear for your travel items.



#### Floor hatches

Allow comfortable access to the storage space and/or on-board installations from inside.



#### Batteries

The batteries are accommodated in a protected, space-saving way in the double floor or under the passenger seat.



#### Service flaps

The service flaps with fully insulated inlays and double seals protect against potential heat loss.



#### Large garages


Thanks to double floors and/or garage lowering, you can enjoy a clearance in garages of up to 125 cm.



## Three functions in one

The double floor is an additional storage space with a height of up to 37 cm. In summer, it provides a cool cellar and in winter it houses the underfloor heating. It also serves as a frost-free utility space for water tanks etc.

## MIRACLE WALLS



Glass-fibre reinforced plastic - or GRP. This material is the secret behind many of the advantages that Eura Mobil offers both inside and outside its motorhomes. GRP combines many contradictions: parts made from this material weigh very little, yet they are exceptionally stable. They achieve a high level of stability and avoid material stresses. They are superbly resilient to environmental influences such as moisture, stone chips, road salt or even hail, and also offer excellent insulation against cold, heat and even sound.



#### GRP underbody

The underbody is clad entirely in GRP and therefore given excellent protection against weathering, stone chips and road salt.



#### GRP wall

The wood-free fibreglass wall is bonded throughout to the roof and floor instead of being bolted on in isolated places. This means there are no holes in the external wall through which water could penetrate.



#### GRP fully moulded parts

Many GRP parts in our vehicles are filled with hardened polyurethane foam. It makes the construction extremely stable yet at the same time very light, ensuring efficient insulation.



#### Protected entrance area

Wheel arches and the entrance area are protected against corrosion with stable GRP moulded parts. Stable aluminium aprons offer effective scuff protection for the edges of the chassis.




#### GRP roof

Moulded GRP roofs with treadable XPS insulation provide protection against hail, offer sound insulation, can be walked on and offer a wealth of design possibilities.



#### GRP interior parts

The use of interior and add-on parts made from GRP ensures superlative stability and material stress-free connections with the walls of the superstructure.



#### Easy to look after

Compared to walls made from sheet aluminium, fibreglass surfaces are easier to repair if accidents occur and are also easier to look after.



#### Precision components

Modern GRP moulded parts give the vehicle superb stability and allow a signature design.



## Stable and versatile

Further benefit: GRP allows us to create moulded parts that are almost or completely impossible to manufacture from other materials. This means we can create practical solutions and beautiful, signature shapes.

# INTERIOR

Wood cladding variants



Chalet



Navarra

Decorative fabric versions




Maka




Lento



Olbia



Vila



Kota

Seat cover variants:  
Leather/fabric



Como



Siena



Dara



Pisa



Sofia



Samoa



Cali

Seat cover variants:  
Pure leather





## ACTIVA ONE



Milano / Lasca



Livorno / Mara



Dara / Maka

## INTEGRA CONTURA



Leder beige/leather beige/  
cuir beige / Maka



Leder grau / leather grey /  
cuir gris / Rana



Milano / Lasca

## PROFILA INTEGRA LINE



Como / Maka



Pisa / Rana



Leder grau / leather grey /  
cuir gris / Lasca



Milano / Lasca (Chalet)



Dara / Maka



Leder grau / leather grey /  
cuir gris / Rana



Milano / Lasca (Navarra)



Leder beige/leather beige/  
cuir beige / Maka

# SERIES AND LAYOUTS



**INTEGRA LINE** PAGE 66



**INTEGRA** PAGE 75



**PROFILA T** PAGE 28








**PROFILA RS** PAGE 36





**CONTURA** PAGE 49



**ACTIVA ONE** PAGE 15

**A ONE 550 MS** 5.89 m



**A ONE 570 HS** 5.99 m




**IL 660 EB** 6.99 m



**IL 695 EB** 6.99 m



**IL 695 LF** 6.99 m **NEW**




**PT 660 EB** 6.99 m **NEW**



**PT 675 SB** 6.99 m



**PT 695 EB** 6.99 m



**PRS 675 SB** 6.99 m





**PRS 695 EB** 6.99 m




**PRS 695 HB** 6.99 m




**PRS 695LF** 6.99 m **NEW**

**A ONE 650 HS** 6.50 m



**A ONE 690 HB** 6.99 m



**A ONE 690 VB** 6.99 m

-----> **6 m**

-----> **7 m**



IL 720 EB 7.41 m



IL 720 EF 7.41 m



IL 720 QB 7.57 m



IL 720 QF 7.57 m



IL 730 EF 7.57 m



I 760 EF 7.89 m



I 760 QF 7.89 m



I 890 EB 8.99 m



I 890 QB 8.99 m



PT 720 EB 7.57 m



PT 720 EF 7.57 m



PT 720 QF 7.41 m



PT 730 EF 7.57 m



PRS 720 EB 7.41 m



PRS 720 EF 7.41 m



PRS 720 QF 7.57 m



C 716 EB 7.28 m



C 766 EB 7.84 m



C 766 EF 7.84 m



C 766 QB 7.84 m

8 m

9 m



All of the information in this brochure relates to the products listed herein and does not apply to any other products of Eura Mobil GmbH. The models illustrated in this brochure show the features available in Germany. They may also contain special features and accessories that are not included with the standard scope of delivery. All weights quoted are values with a fluctuation limit of +/- 5 per cent.

Due to legal regulations, differences from the model variations described here and equipment featured may be necessary in certain countries. Please ask your Eura Mobil dealer about the exact scope and range available of model-specific and model-neutral features. Subject to errors and changes in design, equipment and special features. The publication of this brochure renders all previous catalogues invalid.

#### General information regarding the weight situation in motor homes

Special features (additional features) increase the weight in the vehicle's ready-to-drive state and reduce the cargo capacity. The weight of the additional equipment is detailed in our brochure information or your dealer / seller can tell you. The maximum number of persons permitted depends on the weight and axle load. It can be reduced if special features (= special equipment / additional equipment) and accessories are installed, so in the interests of cargo loading capacity certain seats cannot be used. If all seats are to be used, the cargo capacity may need to be reduced. The technically permissible overall weight and axle loads must not be exceeded. The cargo loading capacity reduces with the installation of special features

(= special equipment / additional equipment) and accessories. The cargo loading capacity is also not only dependent on the weight in the vehicle's ready-to-drive state, the actual vehicle weight, the weight of the accessories and the technical permissible overall weight, but also on the respective axle loads. The only way to achieve the highest possible payload supported by the vehicle's technology is to have a corresponding, axle-load-dependent load distribution.

Unless otherwise regulated, weight in ready-to-drive state as per Article 2 (4a) Regulation (EU) 1230/2012 is defined as: Vehicle dimensions with standard features according to manufacturer specifications (incl. vehicle tool kit) + fuel tank 90% filled

- + 75 kg (weight of the driver)
- + fluid gas bottle (filling capacity of 11 kg) made of aluminium filled to 100% (equals 18 kg in total)
- + Fresh water tank filled to 100% in drive position (capacity of the fresh water tank is limited to 25 litres of fresh water in ready-to-drive state, where technically feasible\*)
- + fresh water heater filled to 100% = dimensions in ready-to-drive state

\* marked capacity of the fresh water tank pursuant to appendix V. Part A (2.6 Fn). (h) Regulation (EU) 1230/2012 is limited according to vehicle model to 25 litres by an overflow valve (recommended filling for driving)

The technically permissible overall weight according to Article 2 (7) Regulation (EU) 1230/2012 is defined as: The vehicle's maximum weight when loaded as provided by the manufacturer.

Pursuant to the information provided in the catalogue, the maximum cargo loading capacity is defined as: Technically permissible overall weight – weight in ready-to-drive state = maximum cargo loading capacity.

#### © Eura Mobil GmbH 2021

Reprints, including excerpts thereof, are only permitted with the written consent of Eura Mobil GmbH. Correct as of August 2021

**Eura Mobil GmbH - Kreuznacher Strasse 78 55576 Sprendlingen (Rheinessen)**  
**Tel. +49 6701 / 203 200 - Fax +49 6701 / 203 210 - info@euramobil.de - www.euramobil.de**